

MB earthing tapes


made of flexible E-Cu stranded wires with connecting end pads



Manufactured with highly flexible E-Cu stranded wires with connecting end pads made of tinned copper strips.

The minimum transition and connecting resistance makes them perfectly suitable for use as earthing tapes.

Earthing Tapes are available with M4, M5, M6, M8 or M10 connections and in some sizes with both connection sizes combined.



Specifications

| | |
|------------------|---------------------|
| Material | Cu-ETP |
| Mounting options | Screw type mounting |

Advantages & benefits

- Available in a variety of lengths and cross-sections
- Low impedances
- UL listed

Product types & sizes

| | | | | |
|----------------------|-----------|-----------------|---------------|--------------------------|
| MB 1000 16 M8 | Part No. | 32778 | Height | 4 mm |
| | EAN | | Hole size | M8 |
| | PU | 1 | Cross-section | 16 mm² |
| | Length | 1.000 mm | Current load | 132 - 157 A |
| | Length L1 | 22 mm | | |
| | Length L2 | 823 mm | | |
| | Width | 21 mm | | |

| | | | | |
|------------------------|-----------|---------------|---------------|--------------------------|
| MB 100 10 M4+M6 | Part No. | 39711 | Height | 3 mm |
| | EAN | | Hole size | M4/ M6 |
| | PU | 1 | Cross-section | 10 mm² |
| | Length | 100 mm | Current load | 89 - 106 A |
| | Length L1 | 22 mm | | |
| | Length L2 | 120 mm | | |
| | Width | 16 mm | | |

| | | | | |
|---------------------|-----------|----------------------|---------------|--------------------------|
| MB 100 10 M6 | Part No. | 32730 | Height | 3 mm |
| | EAN | 4251269301476 | Hole size | M6 |
| | PU | 1 | Cross-section | 10 mm² |
| | Length | 100 mm | Current load | 89 - 106 A |
| | Length L1 | 22 mm | | |
| | Length L2 | 120 mm | | |
| | Width | 16 mm | | |

| | | | | |
|---------------------|-----------|----------------------|---------------|--------------------------|
| MB 100 10 M8 | Part No. | 32731 | Height | 3 mm |
| | EAN | 4251269301483 | Hole size | M8 |
| | PU | 1 | Cross-section | 10 mm² |
| | Length | 100 mm | Current load | 89 - 106 A |
| | Length L1 | 22 mm | | |
| | Length L2 | 120 mm | | |
| | Width | 16 mm | | |

| | | | | |
|----------------------|-----------|----------------------|---------------|--------------------------|
| MB 100 16 M10 | Part No. | 32759 | Height | 3 mm |
| | EAN | 4251269322303 | Hole size | M10 |
| | PU | 1 | Cross-section | 16 mm² |
| | Length | 100 mm | Current load | 132 - 157 A |
| | Length L1 | 22 mm | | |
| | Length L2 | 120 mm | | |
| | Width | 16 mm | | |

| | | | | |
|---------------------|-----------|----------------------|---------------|--------------------------|
| MB 100 16 M6 | Part No. | 32760 | Height | 3 mm |
| | EAN | 4251269301605 | Hole size | M6 |
| | PU | 1 | Cross-section | 16 mm² |
| | Length | 100 mm | Current load | 132 - 157 A |
| | Length L1 | 22 mm | | |
| | Length L2 | 120 mm | | |
| | Width | 16 mm | | |

| | | | | |
|------------------------|-----------|----------------------|---------------|--------------------------|
| MB 100 16 M6+M8 | Part No. | 32758 | Height | 3 mm |
| | EAN | 4251269322099 | Hole size | M6/ M8 |
| | PU | 1 | Cross-section | 16 mm² |
| | Length | 100 mm | Current load | 132 - 157 A |
| | Length L1 | 22 mm | | |
| | Length L2 | 120 mm | | |
| | Width | 16 mm | | |

| | | | | |
|---------------------|-----------|----------------------|---------------|--------------------------|
| MB 100 16 M8 | Part No. | 32761 | Height | 3 mm |
| | EAN | 4251269301612 | Hole size | M8 |
| | PU | 1 | Cross-section | 16 mm² |
| | Length | 100 mm | Current load | 132 - 157 A |
| | Length L1 | 22 mm | | |
| | Length L2 | 120 mm | | |
| | Width | 16 mm | | |

| | | | | |
|----------------------|-----------|----------------------|---------------|--------------------------|
| MB 100 25 M10 | Part No. | 32800 | Height | 4 mm |
| | EAN | 4251269301766 | Hole size | M10 |
| | PU | 1 | Cross-section | 25 mm² |
| | Length | 100 mm | Current load | 177 - 210 A |
| | Length L1 | 22 mm | | |
| | Length L2 | 123 mm | | |
| | Width | 21 mm | | |

| | | | | |
|--------------------|-----------|----------------------|---------------|-------------------------|
| MB 100 6 M4 | Part No. | 32695 | Height | 2 mm |
| | EAN | 4251269324253 | Hole size | M4 |
| | PU | 1 | Cross-section | 6 mm² |
| | Length | 100 mm | Current load | 67 - 80 A |
| | Length L1 | 14 mm | | |
| | Length L2 | 113 mm | | |
| | Width | 10 mm | | |

| | | | | |
|--------------------|-----------|----------------------|---------------|-------------------------|
| MB 100 6 M6 | Part No. | 32700 | Height | 2 mm |
| | EAN | 4251269301407 | Hole size | M6 |
| | PU | 1 | Cross-section | 6 mm² |
| | Length | 100 mm | Current load | 67 - 80 A |
| | Length L1 | 14 mm | | |
| | Length L2 | 113 mm | | |
| | Width | 10 mm | | |

| | | | | |
|---------------------|-----------|----------------------|---------------|--------------------------|
| MB 150 10 M5 | Part No. | 32709 | Height | 3 mm |
| | EAN | 4251269322297 | Hole size | M5 |
| | PU | 1 | Cross-section | 10 mm² |
| | Length | 150 mm | Current load | 89 - 106 A |
| | Length L1 | 22 mm | | |
| | Length L2 | 170 mm | | |
| | Width | 16 mm | | |

| | | | | |
|------------------------|-----------|----------------------|---------------|--------------------------|
| MB 150 10 M5+M6 | Part No. | 32746 | Height | 3 mm |
| | EAN | 4251269322082 | Hole size | M5/ M6 |
| | PU | 1 | Cross-section | 10 mm² |
| | Length | 150 mm | Current load | 89 - 106 A |
| | Length L1 | 22 mm | | |
| | Length L2 | 170 mm | | |
| | Width | 16 mm | | |

| | | | | |
|---------------------|-----------|----------------------|---------------|--------------------------|
| MB 150 10 M8 | Part No. | 32732 | Height | 3 mm |
| | EAN | 4251269301490 | Hole size | M8 |
| | PU | 1 | Cross-section | 10 mm² |
| | Length | 150 mm | Current load | 89 - 106 A |
| | Length L1 | 22 mm | | |
| | Length L2 | 170 mm | | |
| | Width | 16 mm | | |

| | | | | |
|---------------------|-----------|----------------------|---------------|--------------------------|
| MB 150 16 M6 | Part No. | 32762 | Height | 3 mm |
| | EAN | 4251269301629 | Hole size | M6 |
| | PU | 1 | Cross-section | 16 mm² |
| | Length | 150 mm | Current load | 132 - 157 A |
| | Length L1 | 22 mm | | |
| | Length L2 | 170 mm | | |
| | Width | 16 mm | | |

| | | | | |
|---------------------|-----------|----------------------|---------------|--------------------------|
| MB 150 16 M8 | Part No. | 32763 | Height | 3 mm |
| | EAN | 4251269301636 | Hole size | M8 |
| | PU | 1 | Cross-section | 16 mm² |
| | Length | 150 mm | Current load | 132 - 157 A |
| | Length L1 | 22 mm | | |
| | Length L2 | 170 mm | | |
| | Width | 16 mm | | |
| | | | | |

| | | | | |
|----------------------|-----------|----------------------|---------------|--------------------------|
| MB 150 25 M10 | Part No. | 32801 | Height | 4 mm |
| | EAN | 4251269301773 | Hole size | M10 |
| | PU | 1 | Cross-section | 25 mm² |
| | Length | 150 mm | Current load | 177 - 210 A |
| | Length L1 | 22 mm | | |
| | Length L2 | 173 mm | | |
| | Width | 21 mm | | |
| | | | | |

| | | | | |
|----------------------|-----------|----------------------|---------------|--------------------------|
| MB 150 50 M10 | Part No. | 32847 | Height | 5 mm |
| | EAN | 4251269322198 | Hole size | M10 |
| | PU | 1 | Cross-section | 50 mm² |
| | Length | 150 mm | Current load | 280 - 350 A |
| | Length L1 | 25 mm | | |
| | Length L2 | 177 mm | | |
| | Width | 26 mm | | |
| | | | | |

| | | | | |
|--------------------|-----------|---------------|---------------|-------------------------|
| MB 150 6 M4 | Part No. | 39710 | Height | 3 mm |
| | EAN | | Hole size | M4 |
| | PU | 1 | Cross-section | 6 mm² |
| | Length | 150 mm | Current load | 67 - 80 A |
| | Length L1 | 14 mm | | |
| | Length L2 | 163 mm | | |
| | Width | 10 mm | | |
| | | | | |

| | | | | |
|--------------------|-----------|----------------------|---------------|-------------------------|
| MB 150 6 M6 | Part No. | 32701 | Height | 2 mm |
| | EAN | 4251269301414 | Hole size | M6 |
| | PU | 1 | Cross-section | 6 mm² |
| | Length | 150 mm | Current load | 67 - 80 A |
| | Length L1 | 14 mm | | |
| | Length L2 | 163 mm | | |
| | Width | 10 mm | | |
| | | | | |

| | | | | |
|---------------------|-----------|----------------------|---------------|--------------------------|
| MB 200 10 M5 | Part No. | 32744 | Height | 3 mm |
| | EAN | 4251269322266 | Hole size | M5 |
| | PU | 1 | Cross-section | 10 mm² |
| | Length | 200 mm | Current load | 89 - 106 A |
| | Length L1 | 22 mm | | |
| | Length L2 | 220 mm | | |
| | Width | 16 mm | | |
| | | | | |

| | | | | |
|---------------------|-----------|----------------------|---------------|--------------------------|
| MB 200 10 M6 | Part No. | 32733 | Height | 3 mm |
| | EAN | 4251269301506 | Hole size | M6 |
| | PU | 1 | Cross-section | 10 mm² |
| | Length | 200 mm | Current load | 89 - 106 A |
| | Length L1 | 22 mm | | |
| | Length L2 | 220 mm | | |
| | Width | 16 mm | | |

| | | | | |
|------------------------|-----------|----------------------|---------------|--------------------------|
| MB 200 10 M6+M8 | Part No. | 32741 | Height | 3 mm |
| | EAN | 4251269301575 | Hole size | M6/ M8 |
| | PU | 1 | Cross-section | 10 mm² |
| | Length | 200 mm | Current load | 89 - 106 A |
| | Length L1 | 22 mm | | |
| | Length L2 | 220 mm | | |
| | Width | 16 mm | | |

| | | | | |
|---------------------|-----------|----------------------|---------------|--------------------------|
| MB 200 10 M8 | Part No. | 32734 | Height | 3 mm |
| | EAN | 4251269301513 | Hole size | M8 |
| | PU | 1 | Cross-section | 10 mm² |
| | Length | 200 mm | Current load | 89 - 106A |
| | Length L1 | 22 mm | | |
| | Length L2 | 220 mm | | |
| | Width | 16 mm | | |

| | | | | |
|------------------------|-----------|----------------------|---------------|--------------------------|
| MB 200 16 M5+M6 | Part No. | 32776 | Height | 3 mm |
| | EAN | 4251269322105 | Hole size | M5/ M6 |
| | PU | 1 | Cross-section | 16 mm² |
| | Length | 200 mm | Current load | 132 - 157 A |
| | Length L1 | 22 mm | | |
| | Length L2 | 220 mm | | |
| | Width | 16 mm | | |

| | | | | |
|---------------------|-----------|----------------------|---------------|--------------------------|
| MB 200 16 M6 | Part No. | 32764 | Height | 3 mm |
| | EAN | 4251269301643 | Hole size | M6 |
| | PU | 1 | Cross-section | 16 mm² |
| | Length | 200 mm | Current load | 132 - 157 A |
| | Length L1 | 22 mm | | |
| | Length L2 | 220 mm | | |
| | Width | 16 mm | | |

| | | | | |
|------------------------|-----------|----------------------|---------------|--------------------------|
| MB 200 16 M6+M8 | Part No. | 32773 | Height | 3 mm |
| | EAN | 4251269301735 | Hole size | M6/ M8 |
| | PU | 1 | Cross-section | 16 mm² |
| | Length | 200 mm | Current load | 132 - 157 A |
| | Length L1 | 22 mm | | |
| | Length L2 | 220 mm | | |
| | Width | 16 mm | | |

| | | | | |
|---------------------|-----------|----------------------|---------------|--------------------------|
| MB 200 16 M8 | Part No. | 32765 | Height | 3 mm |
| | EAN | 4251269301650 | Hole size | M8 |
| | PU | 1 | Cross-section | 16 mm² |
| | Length | 200 mm | Current load | 132 - 157 A |
| | Length L1 | 22 mm | | |
| | Length L2 | 220 mm | | |
| | Width | 16 mm | | |
| | | | | |

| | | | | |
|----------------------|-----------|----------------------|---------------|--------------------------|
| MB 200 25 M10 | Part No. | 32803 | Height | 4 mm |
| | EAN | 4251269301797 | Hole size | M10 |
| | PU | 1 | Cross-section | 25 mm² |
| | Length | 200 mm | Current load | 177 - 210 A |
| | Length L1 | 22 mm | | |
| | Length L2 | 223 mm | | |
| | Width | 21 mm | | |
| | | | | |

| | | | | |
|---------------------|-----------|----------------------|---------------|--------------------------|
| MB 200 25 M8 | Part No. | 32802 | Height | 4 mm |
| | EAN | 4251269301780 | Hole size | M8 |
| | PU | 1 | Cross-section | 25 mm² |
| | Length | 250 mm | Current load | 177 - 210 A |
| | Length L1 | 22 mm | | |
| | Length L2 | 223 mm | | |
| | Width | 21 mm | | |
| | | | | |

| | | | | |
|----------------------|-----------|----------------------|---------------|--------------------------|
| MB 200 35 M10 | Part No. | 32823 | Height | 4,5 mm |
| | EAN | 4251269322167 | Hole size | M10 |
| | PU | 1 | Cross-section | 35 mm² |
| | Length | 200 mm | Current load | 230 - 275 A |
| | Length L1 | 25 mm | | |
| | Length L2 | 227 mm | | |
| | Width | 26 mm | | |
| | | | | |

| | | | | |
|----------------------|-----------|----------------------|---------------|--------------------------|
| MB 200 50 M10 | Part No. | 32848 | Height | 5 mm |
| | EAN | 4251269322204 | Hole size | M10 |
| | PU | 1 | Cross-section | 50 mm² |
| | Length | 200 mm | Current load | 280 - 350 A |
| | Length L1 | 25 mm | | |
| | Length L2 | 227 mm | | |
| | Width | 26 mm | | |
| | | | | |

| | | | | |
|--------------------|-----------|----------------------|---------------|-------------------------|
| MB 200 6 M4 | Part No. | 32707 | Height | 2 mm |
| | EAN | 4251269322273 | Hole size | M4 |
| | PU | 1 | Cross-section | 6 mm² |
| | Length | 200 mm | Current load | 67 - 80 A |
| | Length L1 | 14 mm | | |
| | Length L2 | 213 mm | | |
| | Width | 10 mm | | |
| | | | | |

| | | | | |
|--------------------|-----------|----------------------|---------------|-------------------------|
| MB 200 6 M6 | Part No. | 32702 | Height | 2 mm |
| | EAN | 4251269301421 | Hole size | M6 |
| | PU | 1 | Cross-section | 6 mm² |
| | Length | 200 mm | Current load | 67 - 80 A |
| | Length L1 | 14 mm | | |
| | Length L2 | 213 mm | | |
| | Width | 10 mm | | |

| | | | | |
|----------------------|-----------|----------------------|---------------|--------------------------|
| MB 200 70 M10 | Part No. | 32868 | Height | 6,2 mm |
| | EAN | 4251269322235 | Hole size | M10 |
| | PU | 1 | Cross-section | 70 mm² |
| | Length | 200 mm | Current load | 338 - 403 A |
| | Length L1 | 25 mm | | |
| | Length L2 | 227 mm | | |
| | Width | 26 mm | | |

| | | | | |
|------------------------|-----------|----------------------|---------------|--------------------------|
| MB 250 10 M6+M8 | Part No. | 32742 | Height | 3 mm |
| | EAN | 4251269301582 | Hole size | M6/ M8 |
| | PU | 1 | Cross-section | 10 mm² |
| | Length | 250 mm | Current load | 89 - 106 A |
| | Length L1 | 22 mm | | |
| | Length L2 | 260 mm | | |
| | Width | 16 mm | | |

| | | | | |
|------------------------|-----------|----------------------|---------------|--------------------------|
| MB 250 16 M6+M8 | Part No. | 32774 | Height | 3 mm |
| | EAN | 4251269301742 | Hole size | M6/ M8 |
| | PU | 1 | Cross-section | 16 mm² |
| | Length | 250 mm | Current load | 132 - 157 A |
| | Length L1 | 22 mm | | |
| | Length L2 | 270 mm | | |
| | Width | 16 mm | | |

| | | | | |
|---------------------|-----------|----------------------|---------------|--------------------------|
| MB 250 16 M8 | Part No. | 32766 | Height | 3 mm |
| | EAN | 4251269301667 | Hole size | M8 |
| | PU | 1 | Cross-section | 16 mm² |
| | Length | 250 mm | Current load | 132 - 157 A |
| | Length L1 | 22 mm | | |
| | Length L2 | 270 mm | | |
| | Width | 16 mm | | |

| | | | | |
|----------------------|-----------|----------------------|---------------|--------------------------|
| MB 250 25 M10 | Part No. | 32805 | Height | 4 mm |
| | EAN | 4251269301810 | Hole size | M10 |
| | PU | 1 | Cross-section | 25 mm² |
| | Length | 250 mm | Current load | 177 - 210 A |
| | Length L1 | 22 mm | | |
| | Length L2 | 273 mm | | |
| | Width | 21 mm | | |

| | | | | |
|---------------------|-----------|----------------------|---------------|--------------------------|
| MB 250 25 M8 | Part No. | 32804 | Height | 4 mm |
| | EAN | 4251269301803 | Hole size | M8 |
| | PU | 1 | Cross-section | 25 mm² |
| | Length | 250 mm | Current load | 177 - 210 A |
| | Length L1 | 22 mm | | |
| | Length L2 | 273 mm | | |
| | Width | 21 mm | | |
| | | | | |

| | | | | |
|----------------------|-----------|----------------------|---------------|--------------------------|
| MB 250 35 M10 | Part No. | 32824 | Height | 4,5 mm |
| | EAN | 4251269322174 | Hole size | M10 |
| | PU | 1 | Cross-section | 35 mm² |
| | Length | 250 mm | Current load | 230 - 275 A |
| | Length L1 | 25 mm | | |
| | Length L2 | 277 mm | | |
| | Width | 26 mm | | |
| | | | | |

| | | | | |
|----------------------|-----------|----------------------|---------------|--------------------------|
| MB 250 50 M10 | Part No. | 32849 | Height | 5 mm |
| | EAN | 4251269322211 | Hole size | M10 |
| | PU | 1 | Cross-section | 50 mm² |
| | Length | 250 mm | Current load | 280 - 350 A |
| | Length L1 | 25 mm | | |
| | Length L2 | 277 mm | | |
| | Width | 16 mm | | |
| | | | | |

| | | | | |
|--------------------|-----------|----------------------|---------------|-------------------------|
| MB 250 6 M6 | Part No. | 32706 | Height | 2 mm |
| | EAN | 4251269301469 | Hole size | M6 |
| | PU | 1 | Cross-section | 6 mm² |
| | Length | 250 mm | Current load | 67 - 80 A |
| | Length L1 | 14 mm | | |
| | Length L2 | 263 mm | | |
| | Width | 10 mm | | |
| | | | | |

| | | | | |
|---------------------|-----------|----------------------|---------------|--------------------------|
| MB 300 10 M6 | Part No. | 32735 | Height | 3 mm |
| | EAN | 4251269301520 | Hole size | M6 |
| | PU | 1 | Cross-section | 10 mm² |
| | Length | 300 mm | Current load | 89 - 106 A |
| | Length L1 | 22 mm | | |
| | Length L2 | 320 mm | | |
| | Width | 16 mm | | |
| | | | | |

| | | | | |
|------------------------|-----------|----------------------|---------------|--------------------------|
| MB 300 10 M6+M8 | Part No. | 32743 | Height | 3 mm |
| | EAN | 4251269301599 | Hole size | M6/ M8 |
| | PU | 1 | Cross-section | 10 mm² |
| | Length | 300 mm | Current load | 89 - 106 A |
| | Length L1 | 22 mm | | |
| | Length L2 | 320 mm | | |
| | Width | 16 mm | | |
| | | | | |

| | | | | |
|---------------------|-----------|----------------------|---------------|--------------------------|
| MB 300 10 M8 | Part No. | 32736 | Height | 3 mm |
| | EAN | 4251269301537 | Hole size | M8 |
| | PU | 1 | Cross-section | 10 mm² |
| | Length | 300 mm | Current load | 89 - 106 A |
| | Length L1 | 22 mm | | |
| | Length L2 | 320 mm | | |
| | Width | 16 mm | | |
| | | | | |

| | | | | |
|---------------------|-----------|----------------------|---------------|--------------------------|
| MB 300 16 M6 | Part No. | 32767 | Height | 3 mm |
| | EAN | 4251269301674 | Hole size | M6 |
| | PU | 1 | Cross-section | 16 mm² |
| | Length | 300 mm | Current load | 132 - 157 A |
| | Length L1 | 22 mm | | |
| | Length L2 | 320 mm | | |
| | Width | 16 mm | | |
| | | | | |

| | | | | |
|------------------------|-----------|----------------------|---------------|--------------------------|
| MB 300 16 M6+M8 | Part No. | 32775 | Height | 3 mm |
| | EAN | 4251269301759 | Hole size | M6/ M8 |
| | PU | 1 | Cross-section | 16 mm² |
| | Length | 300 mm | Current load | 132 - 157 A |
| | Length L1 | 22 mm | | |
| | Length L2 | 320 mm | | |
| | Width | 16 mm | | |
| | | | | |

| | | | | |
|---------------------|-----------|----------------------|---------------|--------------------------|
| MB 300 16 M8 | Part No. | 32768 | Height | 3 mm |
| | EAN | 4251269301681 | Hole size | M8 |
| | PU | 1 | Cross-section | 16 mm² |
| | Length | 300 mm | Current load | 132 - 157 A |
| | Length L1 | 22 mm | | |
| | Length L2 | 320 mm | | |
| | Width | 16 mm | | |
| | | | | |

| | | | | |
|----------------------|-----------|----------------------|---------------|--------------------------|
| MB 300 25 M10 | Part No. | 32807 | Height | 4 mm |
| | EAN | 4251269301834 | Hole size | M10 |
| | PU | 1 | Cross-section | 25 mm² |
| | Length | 300 mm | Current load | 177 - 210 A |
| | Length L1 | 22 mm | | |
| | Length L2 | 323 mm | | |
| | Width | 21 mm | | |
| | | | | |

| | | | | |
|---------------------|-----------|----------------------|---------------|--------------------------|
| MB 300 25 M8 | Part No. | 32806 | Height | 4 mm |
| | EAN | 4251269301827 | Hole size | M8 |
| | PU | 1 | Cross-section | 25 mm² |
| | Length | 300 mm | Current load | 177 - 210 A |
| | Length L1 | 22 mm | | |
| | Length L2 | 323 mm | | |
| | Width | 21 mm | | |
| | | | | |

| | | | | |
|----------------------|-----------|----------------------|---------------|--------------------------|
| MB 300 35 M10 | Part No. | 32825 | Height | 4,5 mm |
| | EAN | 4251269322181 | Hole size | M10 |
| | PU | 1 | Cross-section | 35 mm² |
| | Length | 300 mm | Current load | 230 - 275 A |
| | Length L1 | 25 mm | | |
| | Length L2 | 327 mm | | |
| | Width | 26 mm | | |
| | | | | |

| | | | | |
|----------------------|-----------|----------------------|---------------|--------------------------|
| MB 300 50 M10 | Part No. | 32850 | Height | 5 mm |
| | EAN | 4251269322228 | Hole size | M10 |
| | PU | 1 | Cross-section | 50 mm² |
| | Length | 300 mm | Current load | 280 - 350 A |
| | Length L1 | 25 mm | | |
| | Length L2 | 327 mm | | |
| | Width | 26 mm | | |
| | | | | |

| | | | | |
|--------------------|-----------|----------------------|---------------|-------------------------|
| MB 300 6 M6 | Part No. | 32703 | Height | 2 mm |
| | EAN | 4251269301438 | Hole size | M6 |
| | PU | 1 | Cross-section | 6 mm² |
| | Length | 300 mm | Current load | 67 - 80 A |
| | Length L1 | 14 mm | | |
| | Length L2 | 313 mm | | |
| | Width | 10 mm | | |
| | | | | |

| | | | | |
|----------------------|-----------|----------------------|---------------|--------------------------|
| MB 300 70 M10 | Part No. | 32870 | Height | 6,2 mm |
| | EAN | 4251269322242 | Hole size | M10 |
| | PU | 1 | Cross-section | 70 mm² |
| | Length | 300 mm | Current load | 338 - 403 A |
| | Length L1 | 25 mm | | |
| | Length L2 | 327 mm | | |
| | Width | 26 mm | | |
| | | | | |

| | | | | |
|------------------------|-----------|----------------------|---------------|--------------------------|
| MB 350 16 M5+M6 | Part No. | 32777 | Height | 3 mm |
| | EAN | 4251269322112 | Hole size | M5/ M6 |
| | PU | 1 | Cross-section | 16 mm² |
| | Length | 350 mm | Current load | 132 - 157 |
| | Length L1 | 22 mm | | |
| | Length L2 | 370 mm | | |
| | Width | 16 mm | | |
| | | | | |

| | | | | |
|---------------------|-----------|----------------------|---------------|--------------------------|
| MB 350 16 M8 | Part No. | 32769 | Height | 3 mm |
| | EAN | 4251269301698 | Hole size | M8 |
| | PU | 1 | Cross-section | 16 mm² |
| | Length | 350 mm | Current load | 132 - 157 A |
| | Length L1 | 22 mm | | |
| | Length L2 | 370 mm | | |
| | Width | 16 mm | | |
| | | | | |

| | | | | |
|----------------------|-----------|----------------------|---------------|--------------------------|
| MB 350 25 M10 | Part No. | 32808 | Height | 4 mm |
| | EAN | 4251269301841 | Hole size | M10 |
| | PU | 1 | Cross-section | 25 mm² |
| | Length | 350 mm | Current load | 177 - 210 A |
| | Length L1 | 22 mm | | |
| | Length L2 | 373 mm | | |
| | Width | 21 mm | | |
| | | | | |

| | | | | |
|---------------------|-----------|----------------------|---------------|--------------------------|
| MB 400 10 M4 | Part No. | 32878 | Height | 3 mm |
| | EAN | 4251269324130 | Hole size | M4 |
| | PU | 1 | Cross-section | 10 mm² |
| | Length | 400 mm | Current load | 89 - 106 A |
| | Length L1 | 22 mm | | |
| | Length L2 | 420 mm | | |
| | Width | 16 mm | | |
| | | | | |

| | | | | |
|---------------------|-----------|----------------------|---------------|--------------------------|
| MB 400 10 M6 | Part No. | 32737 | Height | 3 mm |
| | EAN | 4251269301544 | Hole size | M6 |
| | PU | 1 | Cross-section | 10 mm² |
| | Length | 400 mm | Current load | 89 - 106 A |
| | Length L1 | 22 mm | | |
| | Length L2 | 420 mm | | |
| | Width | 16 mm | | |
| | | | | |

| | | | | |
|---------------------|-----------|----------------------|---------------|--------------------------|
| MB 400 10 M8 | Part No. | 32738 | Height | 3 mm |
| | EAN | 4251269301551 | Hole size | M8 |
| | PU | 1 | Cross-section | 10 mm² |
| | Length | 400 mm | Current load | 89 - 106 A |
| | Length L1 | 22 mm | | |
| | Length L2 | 420 mm | | |
| | Width | 16 mm | | |
| | | | | |

| | | | | |
|---------------------|-----------|----------------------|---------------|--------------------------|
| MB 400 16 M6 | Part No. | 32873 | Height | 3 mm |
| | EAN | 4251269322129 | Hole size | M6 |
| | PU | 1 | Cross-section | 16 mm² |
| | Length | 400 mm | Current load | 132 - 157 A |
| | Length L1 | 22 mm | | |
| | Length L2 | 420 mm | | |
| | Width | 16 mm | | |
| | | | | |

| | | | | |
|---------------------|-----------|----------------------|---------------|--------------------------|
| MB 400 16 M8 | Part No. | 32770 | Height | 3 mm |
| | EAN | 4251269301704 | Hole size | M8 |
| | PU | 1 | Cross-section | 16 mm² |
| | Length | 400 mm | Current load | 132 - 157 A |
| | Length L1 | 22 mm | | |
| | Length L2 | 420 mm | | |
| | Width | 16 mm | | |
| | | | | |

| | | | | |
|---------------------|-----------|----------------------|---------------|--------------------------|
| MB 400 25 M8 | Part No. | 32809 | Height | 4 mm |
| | EAN | 4251269301858 | Hole size | M8 |
| | PU | 1 | Cross-section | 25 mm² |
| | Length | 400 mm | Current load | 177 - 210 A |
| | Length L1 | 22 mm | | |
| | Length L2 | 423 mm | | |
| | Width | 21 mm | | |
| | | | | |

| | | | | |
|--------------------|-----------|----------------------|---------------|-------------------------|
| MB 400 6 M6 | Part No. | 32704 | Height | 2 mm |
| | EAN | 4251269301445 | Hole size | M6 |
| | PU | 1 | Cross-section | 6 mm² |
| | Length | 400 mm | Current load | 67 - 80 A |
| | Length L1 | 14 mm | | |
| | Length L2 | 413 mm | | |
| | Width | 10 mm | | |
| | | | | |

| | | | | |
|---------------------|-----------|----------------------|---------------|--------------------------|
| MB 500 10 M6 | Part No. | 32739 | Height | 3 mm |
| | EAN | 4251269301568 | Hole size | M6 |
| | PU | 1 | Cross-section | 10 mm² |
| | Length | 500 mm | Current load | 89 - 106 A |
| | Length L1 | 22 mm | | |
| | Length L2 | 520 mm | | |
| | Width | 16 mm | | |
| | | | | |

| | | | | |
|---------------------|-----------|----------------------|---------------|--------------------------|
| MB 500 16 M8 | Part No. | 32771 | Height | 3 mm |
| | EAN | 4251269301711 | Hole size | M8 |
| | PU | 1 | Cross-section | 16 mm² |
| | Length | 500 mm | Current load | 132 - 157 A |
| | Length L1 | 22 mm | | |
| | Length L2 | 520 mm | | |
| | Width | 16 mm | | |
| | | | | |

| | | | | |
|----------------------|-----------|----------------------|---------------|--------------------------|
| MB 500 25 M10 | Part No. | 32812 | Height | 4 mm |
| | EAN | 4251269322143 | Hole size | M10 |
| | PU | 1 | Cross-section | 25 mm² |
| | Length | 500 mm | Current load | 177 - 210 A |
| | Length L1 | 22 mm | | |
| | Length L2 | 523 mm | | |
| | Width | 21 mm | | |
| | | | | |

| | | | | |
|---------------------|-----------|----------------------|---------------|--------------------------|
| MB 500 25 M8 | Part No. | 32810 | Height | 4 mm |
| | EAN | 4251269301865 | Hole size | M8 |
| | PU | 1 | Cross-section | 25 mm² |
| | Length | 500 mm | Current load | 177 - 210 A |
| | Length L1 | 22 mm | | |
| | Length L2 | 523 mm | | |
| | Width | 21 mm | | |
| | | | | |

| | | | | |
|--------------------|-----------|----------------------|---------------|-------------------------|
| MB 500 6 M6 | Part No. | 32705 | Height | 2 mm |
| | EAN | 4251269301452 | Hole size | M6 |
| | PU | 1 | Cross-section | 6 mm² |
| | Length | 500 mm | Current load | 67 - 80 A |
| | Length L1 | 14 mm | | |
| | Length L2 | 513 mm | | |
| | Width | 10 mm | | |
| | | | | |

| | | | | |
|----------------------|-----------|----------------------|---------------|--------------------------|
| MB 500 70 M10 | Part No. | 32872 | Height | 6,2 mm |
| | EAN | 4251269322259 | Hole size | M10 |
| | PU | 1 | Cross-section | 70 mm² |
| | Length | 500 mm | Current load | 338 - 403 A |
| | Length L1 | 25 mm | | |
| | Length L2 | 527 mm | | |
| | Width | 26 mm | | |
| | | | | |

| | | | | |
|---------------------|-----------|----------------------|---------------|--------------------------|
| MB 600 16 M8 | Part No. | 32772 | Height | 3 mm |
| | EAN | 4251269301728 | Hole size | M8 |
| | PU | 1 | Cross-section | 16 mm² |
| | Length | 600 mm | Current load | 132 - 157 A |
| | Length L1 | 22 mm | | |
| | Length L2 | 620 mm | | |
| | Width | 16 mm | | |
| | | | | |

| | | | | |
|---------------------|-----------|----------------------|---------------|--------------------------|
| MB 600 25 M8 | Part No. | 32811 | Height | 4 mm |
| | EAN | 4251269301872 | Hole size | M8 |
| | PU | 1 | Cross-section | 25 mm² |
| | Length | 600 mm | Current load | 177 - 210 A |
| | Length L1 | 22 mm | | |
| | Length L2 | 623 mm | | |
| | Width | 21 mm | | |
| | | | | |

| | | | | |
|---------------------|-----------|----------------------|---------------|--------------------------|
| MB 800 25 M8 | Part No. | 32815 | Height | 4 mm |
| | EAN | 4251269322150 | Hole size | M8 |
| | PU | 1 | Cross-section | 25 mm² |
| | Length | 800 mm | Current load | 177 - 210 A |
| | Length L1 | 22 mm | | |
| | Length L2 | 823 mm | | |
| | Width | 21 mm | | |
| | | | | |