


CONFIX™ FWS bulkhead fittings for cable protection conduits

suitable for conduit screw connections or direct conduit pickup / IP54



The 90° angled conduit fitting CONFIX™ FWS is for installation of parallel corrugated cable protection conduits, e.g. in machines, control panels or control cabinets.

The liftable cover is tightly fixed by a hinge.

Therefore, the system is fast and easy to install.

CONFIX™ FWS is offered in the following versions:

- CONFIX™ FWS-A with metric internal thread M16 to M50
- CONFIX™ FWS-B with a grooved conduit clip for types with sizes NW 13, 17, 23, 29, 37 and 50

The available colours are grey (RAL 7011) and black (RAL 9001).

IP54

RoHS
compliant

REACH
COMPLIANCE

Made in
Germany

Specifications

IP rating (EN 60529)	IP54
Material	Polycarbonate
Flame class	UL94-V0, self-extinguishing
Operating temperature	-30 C° to 100 C°
Properties	silicone free, halogen free
Mounting options	Screw type mounting

Advantages & benefits

- Unverlierbarer Deckel
- Sehr einfache Bestückung und Montage
- Funktionales Design

Product types & sizes

CONFIX FWS-A 16 bk



Part No.	31380	Max. cut-out length	22 mm
EAN	4251269300202	Max. cut-out width	22,6 mm
PU	10	Thread	M16 x 1,5
Colour	schwarz	No. of screw holes	3
Length	49 mm	Diam. of screw holes	4,3 mm
Width	45 mm		
Height	32 mm		

CONFIX FWS-A 16 gy



Part No.	31381	Max. cut-out length	22 mm
EAN	4251269300219	Max. cut-out width	22,6 mm
PU	10	Thread	M16 x 1,5
Colour	grau (RAL 7011)	No. of screw holes	3
Length	49 mm	Diam. of screw holes	4,3 mm
Width	45 mm		
Height	32 mm		

CONFIX FWS-A 20 bk

Part No.	31383	Max. cut-out length	22 mm
EAN	4251269300226	Max. cut-out width	22,6 mm
PU	10	Thread	M20 × 1,5
Colour	schwarz	No. of screw holes	3
Length	49 mm	Diam. of screw holes	4,3 mm
Width	45 mm		
Height	32 mm		

CONFIX FWS-A 20 gy

Part No.	31384	Max. cut-out length	22 mm
EAN	4251269300233	Max. cut-out width	22,6 mm
PU	10	Thread	M20 × 1,5
Colour	grau (RAL 7011)	No. of screw holes	3
Length	49 mm	Diam. of screw holes	4,3 mm
Width	45 mm		
Height	32 mm		

CONFIX FWS-A 25 bk

Part No.	31386	Max. cut-out length	37 mm
EAN	4251269300240	Max. cut-out width	28 mm
PU	10	Thread	M25 × 1,5
Colour	schwarz	No. of screw holes	3
Length	67 mm	Diam. of screw holes	6,6 mm
Width	63 mm		
Height	41 mm		

CONFIX FWS-A 25 gy

Part No.	31387	Max. cut-out length	37 mm
EAN	4251269300257	Max. cut-out width	28 mm
PU	10	Thread	M25 × 1,5
Colour	grau (RAL 7011)	No. of screw holes	3
Length	67 mm	Diam. of screw holes	6,6 mm
Width	63 mm		
Height	41 mm		

CONFIX FWS-A 32 bk

Part No.	31389	Max. cut-out length	41,9 mm
EAN	4251269300264	Max. cut-out width	40 mm
PU	10	Thread	M32 × 1,5
Colour	schwarz	No. of screw holes	4
Length	85 mm	Diam. of screw holes	6,6 mm
Width	76 mm		
Height	51 mm		

CONFIX FWS-A 32 gy

Part No.	31390	Max. cut-out length	41,9 mm
EAN	4251269300271	Max. cut-out width	40 mm
PU	10	Thread	M32 × 1,5
Colour	grau (RAL 7011)	No. of screw holes	4
Length	85 mm	Diam. of screw holes	6,6 mm
Width	76 mm		
Height	51 mm		

CONFIX FWS-A 40 bk

Part No.	31392	Max. cut-out length	48,3 mm
EAN	4251269300288	Max. cut-out width	48,4 mm
PU	5	Thread	M40 × 1,5
Colour	schwarz	No. of screw holes	4
Length	97 mm	Diam. of screw holes	6,6 mm
Width	92 mm		
Height	56 mm		

CONFIX FWS-A 40 gy

Part No.	31393	Max. cut-out length	48,3 mm
EAN	4251269300295	Max. cut-out width	48,4 mm
PU	5	Thread	M40 × 1,5
Colour	grau (RAL 7011)	No. of screw holes	4
Length	97 mm	Diam. of screw holes	6,6 mm
Width	92 mm		
Height	56 mm		

CONFIX FWS-A 50 bk

Part No.	31395	Max. cut-out length	53 mm
EAN	4251269300301	Max. cut-out width	60,5 mm
PU	5	Thread	M50 × 1,5
Colour	schwarz	No. of screw holes	4
Length	111 mm	Diam. of screw holes	6,6 mm
Width	100 mm		
Height	73 mm		

CONFIX FWS-A 50 gy

Part No.	31396	Max. cut-out length	53 mm
EAN	4251269300318	Max. cut-out width	60,5 mm
PU	5	Thread	M50 × 1,5
Colour	grau (RAL 7011)	No. of screw holes	4
Length	111 mm	Diam. of screw holes	6,6 mm
Width	100 mm		
Height	73 mm		

CONFIX FWS-B 11 bk

Part No.	31410	Max. cut-out length	22 mm
EAN	4251269300325	Max. cut-out width	22,6 mm
PU	10	Nominal size	NW 13
Colour	schwarz	No. of screw holes	3
Length	49 mm	Diam. of screw holes	4,3 mm
Width	45 mm		
Height	32 mm		

CONFIX FWS-B 11 gy

Part No.	31411	Max. cut-out length	22 mm
EAN	4251269300332	Max. cut-out width	22,6 mm
PU	10	Nominal size	NW 13
Colour	grau (RAL 7011)	No. of screw holes	3
Length	49 mm	Diam. of screw holes	4,3 mm
Width	45 mm		
Height	32 mm		

CONFIX FWS-B 16 bk

Part No. **31413**
 EAN **4251269300349**
 PU **10**
 Colour **schwarz**
 Length **49 mm**
 Width **45 mm**
 Height **32 mm**

Max. cut-out length **22 mm**
 Max. cut-out width **22,6 mm**
 Nominal size **NW 17**
 No. of screw holes **3**
 Diam. of screw holes **4,3 mm**

CONFIX FWS-B 16 gy

Part No. **31414**
 EAN **4251269300356**
 PU **10**
 Colour **grau (RAL 7011)**
 Length **49 mm**
 Width **45 mm**
 Height **32 mm**

Max. cut-out length **22 mm**
 Max. cut-out width **22,6 mm**
 Nominal size **NW 17**
 No. of screw holes **3**
 Diam. of screw holes **4,3 mm**

CONFIX FWS-B 21 bk

Part No. **31416**
 EAN **4251269300363**
 PU **10**
 Colour **schwarz**
 Length **67 mm**
 Width **63 mm**
 Height **41 mm**

Max. cut-out length **37 mm**
 Max. cut-out width **28 mm**
 Nominal size **NW 23**
 No. of screw holes **3**
 Diam. of screw holes **6,6 mm**

CONFIX FWS-B 21 gy

Part No. **31417**
 EAN **4251269300370**
 PU **10**
 Colour **grau (RAL 7011)**
 Length **67 mm**
 Width **63 mm**
 Height **41 mm**

Max. cut-out length **37 mm**
 Max. cut-out width **28 mm**
 Nominal size **NW 23**
 No. of screw holes **3**
 Diam. of screw holes **6,6 mm**

CONFIX FWS-B 29 bk

Part No. **31419**
 EAN **4251269300387**
 PU **10**
 Colour **schwarz**
 Length **85 mm**
 Width **76 mm**
 Height **51 mm**

Max. cut-out length **41,9 mm**
 Max. cut-out width **40 mm**
 Nominal size **NW 29**
 No. of screw holes **4**
 Diam. of screw holes **6,6 mm**

CONFIX FWS-B 29 gy

Part No. **31420**
 EAN **4251269300394**
 PU **10**
 Colour **grau (RAL 7011)**
 Length **85 mm**
 Width **76 mm**
 Height **51 mm**

Max. cut-out length **41,9 mm**
 Max. cut-out width **40 mm**
 Nominal size **NW 29**
 No. of screw holes **4**
 Diam. of screw holes **6,6 mm**

CONFIX FWS-B 36 bk

Part No.
EAN
PU
Colour
Length
Width
Height

31422
4251269300400
5
schwarz
97 mm
92 mm
56 mm

Max. cut-out length
Max. cut-out width
Nominal size
No. of screw holes
Diam. of screw holes

48,3 mm
48,4 mm
NW 37
4
6,6 mm

CONFIX FWS-B 36 gy

Part No.
EAN
PU
Colour
Length
Width
Height

31423
4251269300417
5
grau (RAL 7011)
97 mm
92 mm
56 mm

Max. cut-out length
Max. cut-out width
Nominal size
No. of screw holes
Diam. of screw holes

48,3 mm
48,4 mm
NW 37
4
6,6 mm

CONFIX FWS-B 48 bk

Part No.
EAN
PU
Colour
Length
Width
Height

31425
4251269300424
5
schwarz
111 mm
100 mm
73 mm

Max. cut-out length
Max. cut-out width
Nominal size
No. of screw holes
Diam. of screw holes

53 mm
60,5 mm
NW 50
4
6,6 mm

CONFIX FWS-B 48 gy

Part No.
EAN
PU
Colour
Length
Width
Height

31426
4251269300431
5
grau (RAL 7011)
111 mm
100 mm
73 mm

Max. cut-out length
Max. cut-out width
Nominal size
No. of screw holes
Diam. of screw holes

53 mm
60,5 mm
NW 50
4
6,6 mm
