


EMC shield clamps for 10 × 3 mm bus bar, pluggable

with or without integrated strain relief



EMC shield clamps are used, where the shield of cables must be connected to the earth potential. They are easy to use and effective in earthing single cable shields.

When using types with integrated strain relief cables can be fixed via the cable jacket using cable ties. Thus strain relief in accordance with EN 62444 is achieved. We also offer EMC shield clamps with double strain relief function acc. to PROFINET installation guidelines.

Due to its special design the clamping ranges of the MSKL are very large while the dimensions are comparatively small. (Example: MSKL 3-12, assembled with a 12 mm cable shield: width 26.25 mm).

The very slim shape of the PFS|SCL is perfect for applications with limited space.

The shield clamps are mounted by snapping them onto a 10 × 3 mm bus bar.



Specifications

Material	Shield clamp: Spring steel, zinc plated Snap foot: Spring steel Shield bracket: Mild steel, galvanically zinc plated
Properties	vibration proof
Mounting options	Snap-in

Advantages & benefits

- Partially with integrated strain relief
- Large contact area
- Shield contact and strain relief separated
- Quick assembly without tools
- The spring design requires no adjustments and will permanently maintain contact to the cable shield
- Designed for high density applications
- Shock and vibration resistant, maintenance free
- Integrated double strain relief function acc. to PROFINET installation guidelines

Product types & sizes

PFS|SKL 1.5-3





Part No.	36786.1	Length	28,5 mm
EAN	4251269304309	Width	12 mm
PU	10	Height	20,4 mm
No. of shield clamps	1	Mounting height	12,9 mm
For max. no. of cables	1		
Min. shield diam.	1,5 mm		
Max. shield diam.	3 mm		


PFS|SKL 3-6





Part No.	36786.2	Length	28,5 mm
EAN	4251269304316	Width	12 mm
PU	10	Height	21 mm
No. of shield clamps	1	Mounting height	13,5 mm
For max. no. of cables	1		
Min. shield diam.	3 mm		
Max. shield diam.	6 mm		


PFS SKL 6-8 	Part No.	36786.3	Length	28,5 mm
	EAN	4251269304323	Width	12 mm
	PU	10	Height	22,5 mm
	No. of shield clamps	1	Mounting height	15 mm
	For max. no. of cables	1		
	Min. shield diam.	6 mm		
	Max. shield diam.	8 mm		

PFS SKL 8-11 	Part No.	36786.4	Length	28,5 mm
	EAN	4251269304330	Width	12 mm
	PU	10	Height	27,5 mm
	No. of shield clamps	1	Mounting height	20 mm
	For max. no. of cables	1		
	Min. shield diam.	8 mm		
	Max. shield diam.	11 mm		

PFS SKL 11-17 	Part No.	36786.5	Length	28,5 mm
	EAN	4251269304347	Width	21 mm
	PU	10	Height	34,2 mm
	No. of shield clamps	1	Mounting height	26,7 mm
	For max. no. of cables	1		
	Min. shield diam.	11 mm		
	Max. shield diam.	17 mm		

PFS SKL 17-22 	Part No.	36786.6	Length	28,5 mm
	EAN	4251269304354	Width	26 mm
	PU	10	Height	41,7 mm
	No. of shield clamps	1	Mounting height	34,2 mm
	For max. no. of cables	1		
	Min. shield diam.	17 mm		
	Max. shield diam.	22 mm		

PFS SCL 1.5-3 	Part No.	36611	Length	18,9 mm
	EAN	4251269319037	Width	10 mm
	PU	10	Height	21,2 mm
	No. of shield clamps	1		
	For max. no. of cables	1		
	Min. shield diam.	1,5 mm		
	Max. shield diam.	3 mm		

PFS SCL 3-6 	Part No.	36612	Length	18,9 mm
	EAN	4251269319044	Width	10 mm
	PU	10	Height	21,2 mm
	No. of shield clamps	1		
	For max. no. of cables	1		
	Min. shield diam.	3 mm		
	Max. shield diam.	6 mm		

PFS2|SKL 01

Part No. **36788.01**
 EAN **4251269304408**
 PU **10**
 No. of shield clamps **1**
 For max. no. of cables **1**
 Min. shield diam. pos. 2 **1,5 mm**
 Max. shield diam. pos. 2 **3 mm**

Length **32,5 mm**
 Width **18 mm**
 Height **20,4 mm**
 Mounting height **12,9 mm**

PFS2|SKL 02

Part No. **36788.02**
 EAN **4251269304415**
 PU **10**
 No. of shield clamps **1**
 For max. no. of cables **1**
 Min. shield diam. pos. 2 **3 mm**
 Max. shield diam. pos. 2 **6 mm**

Length **32,5 mm**
 Width **18 mm**
 Height **21 mm**
 Mounting height **13,5 mm**

PFS2|SKL 03

Part No. **36788.03**
 EAN **4251269304422**
 PU **10**
 No. of shield clamps **1**
 For max. no. of cables **1**
 Min. shield diam. pos. 2 **6 mm**
 Max. shield diam. pos. 2 **8 mm**

Length **32,5 mm**
 Width **18 mm**
 Height **22,5 mm**
 Mounting height **15 mm**

PFS2|SKL 04

Part No. **36788.04**
 EAN **4251269304439**
 PU **10**
 No. of shield clamps **1**
 For max. no. of cables **1**
 Min. shield diam. pos. 2 **8 mm**
 Max. shield diam. pos. 2 **11 mm**

Length **32,5 mm**
 Width **18 mm**
 Height **27,5 mm**
 Mounting height **20 mm**

PFS2|SKL 10

Part No. **36788.10**
 EAN **4251269304446**
 PU **10**
 No. of shield clamps **1**
 For max. no. of cables **1**
 Min. shield diam. pos. 1 **1,5 mm**
 Max. shield diam. pos. 1 **3 mm**

Length **32,5 mm**
 Width **18 mm**
 Height **20,4 mm**
 Mounting height **12,9 mm**

PFS2|SKL 11

Part No. **36788.11**
 EAN **4251269304453**
 PU **10**
 No. of shield clamps **2**
 For max. no. of cables **2**
 Min. shield diam. pos. 1 **1,5 mm**
 Max. shield diam. pos. 1 **3 mm**

Min. shield diam. pos. 2 **1,5 mm**
 Max. shield diam. pos. 2 **3 mm**
 Length **32,5 mm**
 Width **20 mm**
 Height **20,4 mm**
 Mounting height **12,9 mm**

PFS2|SKL 12

Part No.	36788.12	Min. shield diam. pos. 2	3 mm
EAN	4251269304460	Max. shield diam. pos. 2	6 mm
PU	10	Length	32,5 mm
No. of shield clamps	2	Width	20 mm
For max. no. of cables	2	Height	21 mm
Min. shield diam. pos. 1	1,5 mm	Mounting height	13,5 mm
Max. shield diam. pos. 1	3 mm		

PFS2|SKL 13

Part No.	36788.13	Min. shield diam. pos. 2	6 mm
EAN	4251269304477	Max. shield diam. pos. 2	8 mm
PU	10	Length	32,5 mm
No. of shield clamps	2	Width	20 mm
For max. no. of cables	2	Height	22,5 mm
Min. shield diam. pos. 1	1,5 mm	Mounting height	15 mm
Max. shield diam. pos. 1	3 mm		

PFS2|SKL 14

Part No.	36788.14	Min. shield diam. pos. 2	8 mm
EAN	4251269304484	Max. shield diam. pos. 2	11 mm
PU	10	Length	32,5 mm
No. of shield clamps	2	Width	20 mm
For max. no. of cables	2	Height	27,5 mm
Min. shield diam. pos. 1	1,5 mm	Mounting height	20 mm
Max. shield diam. pos. 1	3 mm		

PFS2|SKL 20

Part No.	36788.20	Length	32,5 mm
EAN	4251269304491	Width	18 mm
PU	10	Height	21 mm
No. of shield clamps	1	Mounting height	13,5 mm
For max. no. of cables	1		
Min. shield diam. pos. 1	3 mm		
Max. shield diam. pos. 1	6 mm		

PFS2|SKL 21

Part No.	36788.21	Min. shield diam. pos. 2	1,5 mm
EAN	4251269304507	Max. shield diam. pos. 2	3 mm
PU	10	Length	32,5 mm
No. of shield clamps	2	Width	20 mm
For max. no. of cables	2	Height	21 mm
Min. shield diam. pos. 1	3 mm	Mounting height	13,5 mm
Max. shield diam. pos. 1	6 mm		

PFS2|SKL 22

Part No.	36788.22	Min. shield diam. pos. 2	3 mm
EAN	4251269304514	Max. shield diam. pos. 2	6 mm
PU	10	Length	32,5 mm
No. of shield clamps	2	Width	20 mm
For max. no. of cables	2	Height	21 mm
Min. shield diam. pos. 1	3 mm	Mounting height	13,5 mm
Max. shield diam. pos. 1	6 mm		

PFS2|SKL 23

Part No.	36788.23	Min. shield diam. pos. 2	6 mm
EAN	4251269304521	Max. shield diam. pos. 2	8 mm
PU	10	Length	32,5 mm
No. of shield clamps	2	Width	20 mm
For max. no. of cables	2	Height	22,5 mm
Min. shield diam. pos. 1	3 mm	Mounting height	15 mm
Max. shield diam. pos. 1	6 mm		

PFS2|SKL 24

Part No.	36788.24	Min. shield diam. pos. 2	8 mm
EAN	4251269304538	Max. shield diam. pos. 2	11 mm
PU	10	Length	32,5 mm
No. of shield clamps	2	Width	20 mm
For max. no. of cables	2	Height	27,5 mm
Min. shield diam. pos. 1	3 mm	Mounting height	20,5 mm
Max. shield diam. pos. 1	6 mm		

PFS2|SKL 30

Part No.	36788.30	Length	32,5 mm
EAN	4251269304545	Width	18 mm
PU	10	Height	22,5 mm
No. of shield clamps	1	Mounting height	15 mm
For max. no. of cables	1		
Min. shield diam. pos. 1	6 mm		
Max. shield diam. pos. 1	8 mm		

PFS2|SKL 31


Part No.	36788.31	Min. shield diam. pos. 2	1,5 mm
EAN	4251269304552	Max. shield diam. pos. 2	3 mm
PU	10	Length	32,5 mm
No. of shield clamps	2	Width	20 mm
For max. no. of cables	2	Height	22,5 mm
Min. shield diam. pos. 1	6 mm	Mounting height	15 mm
Max. shield diam. pos. 1	8 mm		


PFS2|SKL 32


Part No.	36788.32	Min. shield diam. pos. 2	3 mm
EAN	4251269304569	Max. shield diam. pos. 2	6 mm
PU	10	Length	32,5 mm
No. of shield clamps	2	Width	20 mm
For max. no. of cables	2	Height	22,5 mm
Min. shield diam. pos. 1	6 mm	Mounting height	15 mm
Max. shield diam. pos. 1	8 mm		


PFS2|SKL 33


Part No.	36788.33	Min. shield diam. pos. 2	6 mm
EAN	4251269304576	Max. shield diam. pos. 2	8 mm
PU	10	Length	32,5 mm
No. of shield clamps	2	Width	20 mm
For max. no. of cables	2	Height	22,5 mm
Min. shield diam. pos. 1	6 mm	Mounting height	15 mm
Max. shield diam. pos. 1	8 mm		


	PFS2 SKL 34	Part No.	36788.34	Min. shield diam. pos. 2	8 mm
		EAN	4251269304583	Max. shield diam. pos. 2	11 mm
		PU	10	Length	32,5 mm
		No. of shield clamps	2	Width	20 mm
		For max. no. of cables	2	Height	27,5 mm
		Min. shield diam. pos. 1	6 mm	Mounting height	20 mm
		Max. shield diam. pos. 1	8 mm		

	PFS2 SKL 40	Part No.	36788.40	Length	32,5 mm
		EAN	4251269304590	Width	18 mm
		PU	10	Height	27,5 mm
		No. of shield clamps	1	Mounting height	20 mm
		For max. no. of cables	1		
		Min. shield diam. pos. 1	8 mm		
		Max. shield diam. pos. 1	11 mm		

	PFS2 SKL 41	Part No.	36788.41	Min. shield diam. pos. 2	1,5 mm
		EAN	4251269304606	Max. shield diam. pos. 2	3 mm
		PU	10	Length	32,5 mm
		No. of shield clamps	2	Width	20 mm
		For max. no. of cables	2	Height	27,5 mm
		Min. shield diam. pos. 1	8 mm	Mounting height	20 mm
		Max. shield diam. pos. 1	11 mm		

	PFS2 SKL 42	Part No.	36788.42	Min. shield diam. pos. 2	3 mm
		EAN	4251269304613	Max. shield diam. pos. 2	6 mm
		PU	10	Length	32,5 mm
		No. of shield clamps	2	Width	20 mm
		For max. no. of cables	2	Height	27,5 mm
		Min. shield diam. pos. 1	8 mm	Mounting height	20 mm
		Max. shield diam. pos. 1	11 mm		

	PFS2 SKL 43	Part No.	36788.43	Min. shield diam. pos. 2	6 mm
		EAN	4251269304620	Max. shield diam. pos. 2	8 mm
		PU	10	Length	32,5 mm
		No. of shield clamps	2	Width	20 mm
		For max. no. of cables	2	Height	27,5 mm
		Min. shield diam. pos. 1	8 mm	Mounting height	20 mm
		Max. shield diam. pos. 1	11 mm		

	PFSZ-M MSKL 3-12	Part No.	37630	Max. shield diam.	12 mm
		EAN	4251269316722	Length	38 mm
		PU	10	Width	15 mm
		Strain relief (acc. to EN 62444)	1	Height	28,7 mm
		No. of shield clamps	1	Mounting height	25 mm
		For max. no. of cables	1		
		Min. shield diam.	3 mm		

PFSZ-M|MSKL 8-18

Part No.	37632	Max. shield diam.	18 mm
EAN	4251269316739	Length	38 mm
PU	10	Width	20 mm
Strain relief (acc. to EN 62444)	1	Height	34,9 mm
No. of shield clamps	1	Mounting height	31,2 mm
For max. no. of cables	1		
Min. shield diam.	8 mm		

PFSZ|SKL 1.5-3

Part No.	36787.1	Max. shield diam.	3 mm
EAN	4251269304361	Length	33 mm
PU	10	Width	12 mm
No. of shield clamps	1	Height	21 mm
Strain relief (acc. to EN 62444)	1	Mounting height	13,5 mm
For max. no. of cables	1		
Min. shield diam.	1,5 mm		

PFSZ|SKL 3-6

Part No.	36787.2	Max. shield diam.	6 mm
EAN	4251269304378	Length	33 mm
PU	10	Width	12 mm
No. of shield clamps	1	Height	22 mm
Strain relief (acc. to EN 62444)	1	Mounting height	14,5 mm
For max. no. of cables	1		
Min. shield diam.	3 mm		

PFSZ|SKL 6-8

Part No.	36787.3	Max. shield diam.	8 mm
EAN	4251269304385	Length	33 mm
PU	10	Width	12 mm
No. of shield clamps	1	Height	23 mm
Strain relief (acc. to EN 62444)	1	Mounting height	15,5 mm
For max. no. of cables	1		
Min. shield diam.	6 mm		

PFSZ|SKL 8-11

Part No.	36787.4	Max. shield diam.	11 mm
EAN	4251269304392	Length	33 mm
PU	10	Width	12 mm
No. of shield clamps	1	Height	28 mm
Strain relief (acc. to EN 62444)	1	Mounting height	20,5 mm
For max. no. of cables	1		
Min. shield diam.	8 mm		

PFSZ|SKL 11-17

Part No.	36787.5	Max. shield diam.	17 mm
EAN	4251269321313	Length	41 mm
PU	10	Width	21 mm
No. of shield clamps	1	Height	35 mm
Strain relief (acc. to EN 62444)	1	Mounting height	27,5 mm
For max. no. of cables	1		
Min. shield diam.	11 mm		

PFSZ|SKL 17-22

Part No.	36787.6	Max. shield diam.	22 mm
EAN	4251269321320	Length	48 mm
PU	10	Width	26,5 mm
No. of shield clamps	1	Height	42,5 mm
Strain relief (acc. to EN 62444)	1	Mounting height	35 mm
For max. no. of cables	1		
Min. shield diam.	17 mm		

PFSZ2|SKL 01

Part No.	36789.01	Max. shield diam. pos. 2	3 mm
EAN	4251269304637	Length	37 mm
PU	10	Width	18 mm
Strain relief (acc. to EN 62444)	1	Height	21 mm
No. of shield clamps	1	Mounting height	13,5 mm
For max. no. of cables	1		
Min. shield diam. pos. 2	1,5 mm		

PFSZ2|SKL 02

Part No.	36789.02	Max. shield diam. pos. 2	6 mm
EAN	4251269304644	Length	37 mm
PU	10	Width	18 mm
Strain relief (acc. to EN 62444)	1	Height	21,6 mm
No. of shield clamps	1	Mounting height	14,1 mm
For max. no. of cables	1		
Min. shield diam. pos. 2	3 mm		

PFSZ2|SKL 03


Part No.	36789.03	Max. shield diam. pos. 2	8 mm
EAN	4251269304651	Length	37 mm
PU	10	Width	18 mm
Strain relief (acc. to EN 62444)	1	Height	23 mm
No. of shield clamps	1	Mounting height	15,5 mm
For max. no. of cables	1		
Min. shield diam. pos. 2	6 mm		


PFSZ2|SKL 04


Part No.	36789.04	Max. shield diam. pos. 2	11 mm
EAN	4251269304668	Length	37 mm
PU	10	Width	18 mm
Strain relief (acc. to EN 62444)	1	Height	28 mm
No. of shield clamps	1	Mounting height	21,7 mm
For max. no. of cables	1		
Min. shield diam. pos. 2	8 mm		


PFSZ2|SKL 10


Part No.	36789.10	Max. shield diam. pos. 1	3 mm
EAN	4251269304675	Length	37 mm
PU	10	Width	18 mm
Strain relief (acc. to EN 62444)	1	Height	21 mm
No. of shield clamps	1	Mounting height	13,5 mm
For max. no. of cables	1		
Min. shield diam. pos. 1	1,5 mm		


	Part No.	36789.11	Max. shield diam. pos. 1	3 mm
	EAN	4251269304682	Min. shield diam. pos. 2	1,5 mm
	PU	10	Max. shield diam. pos. 2	3 mm
	Strain relief (acc. to EN 62444)	1	Length	37 mm
	No. of shield clamps	2	Width	20 mm
	For max. no. of cables	2	Height	21 mm
	Min. shield diam. pos. 1	1,5 mm	Mounting height	13,5 mm

	Part No.	36789.12	Max. shield diam. pos. 1	3 mm
	EAN	4251269304699	Min. shield diam. pos. 2	3 mm
	PU	10	Max. shield diam. pos. 2	6 mm
	Strain relief (acc. to EN 62444)	1	Length	37 mm
	No. of shield clamps	2	Width	20 mm
	For max. no. of cables	2	Height	21,6 mm
	Min. shield diam. pos. 1	1,5 mm	Mounting height	14,1 mm

	Part No.	36789.13	Max. shield diam. pos. 1	3 mm
	EAN	4251269304705	Min. shield diam. pos. 2	6 mm
	PU	10	Max. shield diam. pos. 2	8 mm
	Strain relief (acc. to EN 62444)	1	Length	37 mm
	No. of shield clamps	2	Width	20 mm
	For max. no. of cables	2	Height	23 mm
	Min. shield diam. pos. 1	1,5 mm	Mounting height	15,5 mm

	Part No.	36789.14	Max. shield diam. pos. 1	3 mm
	EAN	4251269304712	Min. shield diam. pos. 2	8 mm
	PU	10	Max. shield diam. pos. 2	11 mm
	Strain relief (acc. to EN 62444)	1	Length	37 mm
	No. of shield clamps	2	Width	20 mm
	For max. no. of cables	2	Height	28 mm
	Min. shield diam. pos. 1	1,5 mm	Mounting height	20,5 mm

	Part No.	36789.20	Max. shield diam. pos. 1	6 mm
	EAN	4251269304729	Length	37 mm
	PU	10	Width	18 mm
	Strain relief (acc. to EN 62444)	1	Height	21,6 mm
	No. of shield clamps	1	Mounting height	14,1 mm
	For max. no. of cables	1		
	Min. shield diam. pos. 1	3 mm		

	Part No.	36789.21	Max. shield diam. pos. 1	6 mm
	EAN	4251269304736	Min. shield diam. pos. 2	1,5 mm
	PU	10	Max. shield diam. pos. 2	3 mm
	Strain relief (acc. to EN 62444)	1	Length	37 mm
	No. of shield clamps	2	Width	20 mm
	For max. no. of cables	2	Height	21,6 mm
	Min. shield diam. pos. 1	3 mm	Mounting height	14,1 mm

PFSZ2|SKL 22

Part No.	36789.22	Max. shield diam. pos. 1	6 mm
EAN	4251269304743	Min. shield diam. pos. 2	3 mm
PU	10	Max. shield diam. pos. 2	6 mm
Strain relief (acc. to EN 62444)	1	Length	37 mm
No. of shield clamps	2	Width	20 mm
For max. no. of cables	2	Height	21,6 mm
Min. shield diam. pos. 1	3 mm	Mounting height	14,1 mm

PFSZ2|SKL 23

Part No.	36789.23	Max. shield diam. pos. 1	6 mm
EAN	4251269304750	Min. shield diam. pos. 2	6 mm
PU	10	Max. shield diam. pos. 2	8 mm
Strain relief (acc. to EN 62444)	1	Length	37 mm
No. of shield clamps	2	Width	20 mm
For max. no. of cables	2	Height	23 mm
Min. shield diam. pos. 1	3 mm	Mounting height	15,5 mm

PFSZ2|SKL 24

Part No.	36789.24	Max. shield diam. pos. 1	6 mm
EAN	4251269304767	Min. shield diam. pos. 2	8 mm
PU	10	Max. shield diam. pos. 2	11 mm
Strain relief (acc. to EN 62444)	1	Length	37 mm
No. of shield clamps	2	Width	20 mm
For max. no. of cables	2	Height	28 mm
Min. shield diam. pos. 1	3 mm	Mounting height	20,5 mm

PFSZ2|SKL 30

Part No.	36789.30	Max. shield diam. pos. 1	8 mm
EAN	4251269304774	Length	37 mm
PU	10	Width	18 mm
Strain relief (acc. to EN 62444)	1	Height	23 mm
No. of shield clamps	1	Mounting height	15,5 mm
For max. no. of cables	1		
Min. shield diam. pos. 1	6 mm		

PFSZ2|SKL 31

Part No.	36789.31	Max. shield diam. pos. 1	8 mm
EAN	4251269304781	Min. shield diam. pos. 2	1,5 mm
PU	10	Max. shield diam. pos. 2	3 mm
Strain relief (acc. to EN 62444)	1	Length	37 mm
No. of shield clamps	2	Width	20 mm
For max. no. of cables	2	Height	23 mm
Min. shield diam. pos. 1	6 mm	Mounting height	15,5 mm

PFSZ2|SKL 32

Part No.	36789.32	Max. shield diam. pos. 1	8 mm
EAN	4251269304798	Min. shield diam. pos. 2	3 mm
PU	10	Max. shield diam. pos. 2	6 mm
Strain relief (acc. to EN 62444)	1	Length	37 mm
No. of shield clamps	2	Width	20 mm
For max. no. of cables	2	Height	23 mm
Min. shield diam. pos. 1	6 mm	Mounting height	15,5 mm

PFSZ2|SKL 33

Part No.	36789.33	Max. shield diam. pos. 1	8 mm
EAN	4251269304804	Min. shield diam. pos. 2	6 mm
PU	10	Max. shield diam. pos. 2	8 mm
Strain relief (acc. to EN 62444)	1	Length	37 mm
No. of shield clamps	2	Width	20 mm
For max. no. of cables	2	Height	23 mm
Min. shield diam. pos. 1	6 mm	Mounting height	15,5 mm

PFSZ2|SKL 34

Part No.	36789.34	Max. shield diam. pos. 1	8 mm
EAN	4251269304811	Min. shield diam. pos. 2	8 mm
PU	10	Max. shield diam. pos. 2	11 mm
Strain relief (acc. to EN 62444)	1	Length	37 mm
No. of shield clamps	2	Width	20 mm
For max. no. of cables	2	Height	28 mm
Min. shield diam. pos. 1	6 mm	Mounting height	20,5 mm

PFSZ2|SKL 40

Part No.	36789.40	Max. shield diam. pos. 1	11 mm
EAN	4251269304828	Length	37 mm
PU	10	Width	18 mm
Strain relief (acc. to EN 62444)	1	Height	28 mm
No. of shield clamps	1	Mounting height	20,5 mm
For max. no. of cables	1		
Min. shield diam. pos. 1	8 mm		

PFSZ2|SKL 41

Part No.	36789.41	Max. shield diam. pos. 1	11 mm
EAN	4251269304835	Min. shield diam. pos. 2	1,5 mm
PU	10	Max. shield diam. pos. 2	3 mm
Strain relief (acc. to EN 62444)	1	Length	37 mm
No. of shield clamps	2	Width	20 mm
For max. no. of cables	2	Height	28 mm
Min. shield diam. pos. 1	8 mm	Mounting height	20,5 mm

PFSZ2|SKL 42

Part No.	36789.42	Max. shield diam. pos. 1	11 mm
EAN	4251269304842	Min. shield diam. pos. 2	3 mm
PU	10	Max. shield diam. pos. 2	6 mm
Strain relief (acc. to EN 62444)	1	Length	37 mm
No. of shield clamps	2	Width	20 mm
For max. no. of cables	2	Height	28 mm
Min. shield diam. pos. 1	8 mm	Mounting height	20,5 mm

PFSZ2|SKL 43

Part No.	36789.43	Max. shield diam. pos. 1	11 mm
EAN	4251269304859	Min. shield diam. pos. 2	6 mm
PU	10	Max. shield diam. pos. 2	8 mm
Strain relief (acc. to EN 62444)	1	Length	37 mm
No. of shield clamps	2	Width	20 mm
For max. no. of cables	2	Height	28 mm
Min. shield diam. pos. 1	8 mm	Mounting height	20,5 mm

PFS2Z|SKL 1.5-3

Part No.	36787.151	Max. shield diam.	3 mm
EAN	4251269321252	Length	50,2 mm
PU	10	Width	11,8 mm
Strain relief (acc. to EN 62444)	1	Height	21,4 mm
No. of shield clamps	1	Mounting height	13,9 mm
For max. no. of cables	1		
Min. shield diam.	1,5 mm		

PFS2Z|SKL 3-6

Part No.	36787.152	Max. shield diam.	6 mm
EAN	4251269321269	Length	50,2 mm
PU	10	Width	11,8 mm
Strain relief (acc. to EN 62444)	1	Height	22 mm
No. of shield clamps	1	Mounting height	14,5 mm
For max. no. of cables	1		
Min. shield diam.	3 mm		

PFS2Z|SKL 6-8

Part No.	36787.153	Max. shield diam.	8 mm
EAN	4251269321276	Length	50,2 mm
PU	10	Width	11,8 mm
Strain relief (acc. to EN 62444)	1	Height	23,5 mm
No. of shield clamps	1	Mounting height	16 mm
For max. no. of cables	1		
Min. shield diam.	6 mm		

PFS2Z|SKL 8-11

Part No.	36787.154	Max. shield diam.	11 mm
EAN	4251269321283	Length	50,2 mm
PU	10	Width	14 mm
Strain relief (acc. to EN 62444)	1	Height	28,5 mm
No. of shield clamps	1	Mounting height	21 mm
For max. no. of cables	1		
Min. shield diam.	8 mm		

PFS2Z|SKL 11-17

Part No.	36787.155	Max. shield diam.	17 mm
EAN	4251269321290	Length	80 mm
PU	10	Width	21 mm
Strain relief (acc. to EN 62444)	1	Height	35,5 mm
No. of shield clamps	1	Mounting height	28 mm
For max. no. of cables	1		
Min. shield diam.	11 mm		

PFS2Z|SKL 17-22

Part No.	36787.156	Max. shield diam.	22 mm
EAN	4251269321306	Length	80 mm
PU	10	Width	35 mm
Strain relief (acc. to EN 62444)	1	Height	47,6 mm
No. of shield clamps	1	Mounting height	40,1 mm
For max. no. of cables	1		
Min. shield diam.	17 mm		

PFS2Z-M|MSKL 3-12

Part No.	37630.150	Max. shield diam.	12 mm
EAN	4251269321238	Length	59 mm
PU	10	Width	15 mm
Strain relief (acc. to EN 62444)	1	Height	29,1 mm
No. of shield clamps	1	Mounting height	21,5 mm
For max. no. of cables	1		
Min. shield diam.	3 mm		

PFS2Z-M|MSKL 8-18

Part No.	37632.150	Max. shield diam.	18 mm
EAN	4251269321245	Length	59 mm
PU	10	Width	20 mm
Strain relief (acc. to EN 62444)	1	Height	35,3 mm
No. of shield clamps	1	Mounting height	27,7 mm
For max. no. of cables	1		
Min. shield diam.	8 mm		

SKS 2-5

Part No.	36282	Width	19,5 mm
EAN	4251269302480	Height	45 mm
PU	10		
For max. no. of cables	1		
Min. shield diam.	2 mm		
Max. shield diam.	5 mm		
Length	9 mm		

SKS 3-8


Part No.	36283	Width	19,5 mm
EAN	4251269302497	Height	49 mm
PU	10		
For max. no. of cables	1		
Min. shield diam.	3 mm		
Max. shield diam.	8 mm		
Length	12 mm		


SKS 3-14


Part No.	36284	Width	19,5 mm
EAN	4251269302503	Height	58,5 mm
PU	10		
For max. no. of cables	1		
Min. shield diam.	3 mm		
Max. shield diam.	14 mm		
Length	17 mm		


SKS 3-20


Part No.	36285	Width	19,5 mm
EAN	4251269302510	Height	71 mm
PU	10		
For max. no. of cables	1		
Min. shield diam.	3 mm		
Max. shield diam.	20 mm		
Length	24 mm		


SKS 5-28 	Part No.	36286	Width	20 mm
	EAN	4251269302527	Height	91 mm
	PU	10		
	For max. no. of cables	1		
	Min. shield diam.	5 mm		
	Max. shield diam.	28 mm		
	Length	31,6 mm		

SKS 20-35 	Part No.	36287	Width	20 mm
	EAN	4251269302534	Height	105 mm
	PU	10		
	For max. no. of cables	1		
	Min. shield diam.	20 mm		
	Max. shield diam.	35 mm		
	Length	40,6 mm		

SS SK 3-8 	Part No.	36235.002	Width	13 mm
	EAN	4251269302282	Height	26 mm
	PU	10		
	For max. no. of cables	1		
	Min. shield diam.	3 mm		
	Max. shield diam.	8 mm		
	Length	18,5 mm		

SS SK 4-13.5 	Part No.	36236.002	Width	20 mm
	EAN	4251269302299	Height	32 mm
	PU	10		
	For max. no. of cables	1		
	Min. shield diam.	4 mm		
	Max. shield diam.	13,5 mm		
	Length	22 mm		

SS SK 10-20 	Part No.	36237	Width	25 mm
	EAN	4251269302305	Height	41 mm
	PU	10		
	For max. no. of cables	1		
	Min. shield diam.	10 mm		
	Max. shield diam.	20 mm		
	Length	27 mm		

SS SK 15-32 	Part No.	36238	Width	36 mm
	EAN	4251269302312	Height	64 mm
	PU	10		
	For max. no. of cables	1		
	Min. shield diam.	15 mm		
	Max. shield diam.	32 mm		
	Length	33,5 mm		

SS|SKZ 3-8

Part No.	36235	Length	30,5 mm
EAN	4251269319327	Width	12,8 mm
PU	10	Height	25,9 mm
Strain relief (acc. to EN 62444)	1		
For max. no. of cables	1		
Min. shield diam.	3 mm		
Max. shield diam.	8 mm		

SS|SKZ 4-13,5

Part No.	36236	Length	36 mm
EAN	4251269319334	Width	22 mm
PU	10	Height	31,9 mm
Strain relief (acc. to EN 62444)	1		
For max. no. of cables	1		
Min. shield diam.	4 mm		
Max. shield diam.	13,5 mm		