


# EMC shield clamps for metal sheet edges, pluggable

with or without integrated strain relief



EMC shield clamps are used, where the shield of cables must be connected to the earth potential. They are easy to use and effective in earthing single cable shields.

When using types with integrated strain relief cables can be fixed via the cable jacket using cable ties. Thus strain relief in accordance with EN 62444 is achieved.

Due to its special design the clamping ranges of the MSKL are very large while the dimensions are comparatively small. (Example: MSKL 3-12, assembled with a 12 mm cable shield: width 26.25 mm).

These shield clamps are used where a screw connection is either not possible or wanted. The shield is simply plugged on the metal sheet edge. The claws provide a secure grip, even in case of vibrations.



RoHS  
compliant

REACH  
COMPLIANCE

Made in  
Germany



## Specifications

<b>Material</b>	Shield clamp: Spring steel, zinc plated Mounting foot: Spring steel
<b>Properties</b>	vibration proof
<b>Mounting options</b>	Clamping

## Advantages & benefits

- Partially with integrated strain relief
- Large contact area
- Shield contact and strain relief separated
- Quick assembly without tools
- The spring design requires no adjustments and will permanently maintain contact to the cable shield
- Designed for high density applications
- Shock and vibration resistant, maintenance free

## Product types & sizes

### PFK-A|SKL 1.5-3



Part No.	<b>36778.1</b>	Length	<b>28,5 mm</b>
EAN	<b>4251269303227</b>	Width	<b>12 mm</b>
PU	<b>10</b>	Height	<b>19,4 mm</b>
No. of shield clamps	<b>1</b>	For min. wall thickness	<b>1,5 mm</b>
For max. no. of cables	<b>1</b>	For max. wall thickness	<b>2 mm</b>
Min. shield diam.	<b>1,5 mm</b>		
Max. shield diam.	<b>3 mm</b>		

### PFK-B|SKL 1.5-3



Part No.	<b>36782.1</b>	Length	<b>28,5 mm</b>
EAN	<b>4251269303760</b>	Width	<b>12 mm</b>
PU	<b>10</b>	Height	<b>20,4 mm</b>
No. of shield clamps	<b>1</b>	For min. wall thickness	<b>2 mm</b>
For max. no. of cables	<b>1</b>	For max. wall thickness	<b>3 mm</b>
Min. shield diam.	<b>1,5 mm</b>		
Max. shield diam.	<b>3 mm</b>		

**PFK-A|SKL 3-6**

Part No. **36778.2**  
 EAN **4251269303234**  
 PU **10**  
 No. of shield clamps **1**  
 For max. no. of cables **1**  
 Min. shield diam. **3 mm**  
 Max. shield diam. **6 mm**

Length **28,5 mm**  
 Width **12 mm**  
 Height **20,1 mm**  
 For min. wall thickness **1,5 mm**  
 For max. wall thickness **2 mm**

**PFK-B|SKL 3-6**

Part No. **36782.2**  
 EAN **4251269303777**  
 PU **10**  
 No. of shield clamps **1**  
 For max. no. of cables **1**  
 Min. shield diam. **3 mm**  
 Max. shield diam. **6 mm**

Length **28,5 mm**  
 Width **12 mm**  
 Height **21,1 mm**  
 For min. wall thickness **2 mm**  
 For max. wall thickness **3 mm**

**PFK-A|SKL 6-8**

Part No. **36778.3**  
 EAN **4251269303241**  
 PU **10**  
 No. of shield clamps **1**  
 For max. no. of cables **1**  
 Min. shield diam. **6 mm**  
 Max. shield diam. **8 mm**

Length **28,5 mm**  
 Width **12 mm**  
 Height **21,5 mm**  
 For min. wall thickness **1,5 mm**  
 For max. wall thickness **2 mm**

**PFK-B|SKL 6-8**

Part No. **36782.3**  
 EAN **4251269303784**  
 PU **10**  
 No. of shield clamps **1**  
 For max. no. of cables **1**  
 Min. shield diam. **6 mm**  
 Max. shield diam. **8 mm**

Length **28,5 mm**  
 Width **12 mm**  
 Height **22,5 mm**  
 For min. wall thickness **2 mm**  
 For max. wall thickness **3 mm**

**PFK-A|SKL 8-11**

Part No. **36778.4**  
 EAN **4251269303258**  
 PU **10**  
 No. of shield clamps **1**  
 For max. no. of cables **1**  
 Min. shield diam. **8 mm**  
 Max. shield diam. **11 mm**

Length **28,5 mm**  
 Width **12 mm**  
 Height **26,5 mm**  
 For min. wall thickness **1,5 mm**  
 For max. wall thickness **2 mm**

**PFK-B|SKL 8-11**

Part No. **36782.4**  
 EAN **4251269303791**  
 PU **10**  
 No. of shield clamps **1**  
 For max. no. of cables **1**  
 Min. shield diam. **8 mm**  
 Max. shield diam. **11 mm**

Length **28,5 mm**  
 Width **12 mm**  
 Height **27,5 mm**  
 For min. wall thickness **2 mm**  
 For max. wall thickness **3 mm**

PFK2-A|SKL 01



Part No.	<b>36780.01</b>	Length	<b>32,5 mm</b>
EAN	<b>4251269303302</b>	Width	<b>18 mm</b>
PU	<b>10</b>	Height	<b>20,7 mm</b>
No. of shield clamps	<b>1</b>	For min. wall thickness	<b>1,5 mm</b>
For max. no. of cables	<b>1</b>	For max. wall thickness	<b>2 mm</b>
Min. shield diam. pos. 2	<b>1,5 mm</b>		
Max. shield diam. pos. 2	<b>3 mm</b>		

PFK2-B|SKL 01



Part No.	<b>36784.01</b>	Length	<b>32,5 mm</b>
EAN	<b>4251269303845</b>	Width	<b>18 mm</b>
PU	<b>10</b>	Height	<b>20,4 mm</b>
No. of shield clamps	<b>1</b>	For min. wall thickness	<b>2 mm</b>
For max. no. of cables	<b>1</b>	For max. wall thickness	<b>3 mm</b>
Min. shield diam. pos. 2	<b>1,5 mm</b>		
Max. shield diam. pos. 2	<b>3 mm</b>		

PFK2-A|SKL 02



Part No.	<b>36780.02</b>	Length	<b>32,5 mm</b>
EAN	<b>4251269303319</b>	Width	<b>18 mm</b>
PU	<b>10</b>	Height	<b>21,5 mm</b>
No. of shield clamps	<b>1</b>	For min. wall thickness	<b>1,5 mm</b>
For max. no. of cables	<b>1</b>	For max. wall thickness	<b>2 mm</b>
Min. shield diam. pos. 2	<b>3 mm</b>		
Max. shield diam. pos. 2	<b>6 mm</b>		

PFK2-B|SKL 02



Part No.	<b>36784.02</b>	Length	<b>32,5 mm</b>
EAN	<b>4251269303852</b>	Width	<b>18 mm</b>
PU	<b>10</b>	Height	<b>21,1 mm</b>
No. of shield clamps	<b>1</b>	For min. wall thickness	<b>2 mm</b>
For max. no. of cables	<b>1</b>	For max. wall thickness	<b>3 mm</b>
Min. shield diam. pos. 2	<b>3 mm</b>		
Max. shield diam. pos. 2	<b>6 mm</b>		

PFK2-A|SKL 03



Part No.	<b>36780.03</b>	Length	<b>32,5 mm</b>
EAN	<b>4251269303326</b>	Width	<b>18 mm</b>
PU	<b>10</b>	Height	<b>22,9 mm</b>
No. of shield clamps	<b>1</b>	For min. wall thickness	<b>1,5 mm</b>
For max. no. of cables	<b>1</b>	For max. wall thickness	<b>2 mm</b>
Min. shield diam. pos. 2	<b>6 mm</b>		
Max. shield diam. pos. 2	<b>8 mm</b>		

PFK2-B|SKL 03



Part No.	<b>36784.03</b>	Length	<b>32,5 mm</b>
EAN	<b>4251269303869</b>	Width	<b>18 mm</b>
PU	<b>10</b>	Height	<b>22,5 mm</b>
No. of shield clamps	<b>1</b>	For min. wall thickness	<b>2 mm</b>
For max. no. of cables	<b>1</b>	For max. wall thickness	<b>3 mm</b>
Min. shield diam. pos. 2	<b>6 mm</b>		
Max. shield diam. pos. 2	<b>8 mm</b>		

**PFK2-A|SKL 04**

Part No.	<b>36780.04</b>	Length	<b>32,5 mm</b>
EAN	<b>4251269303333</b>	Width	<b>18 mm</b>
PU	<b>10</b>	Height	<b>27,9 mm</b>
No. of shield clamps	<b>1</b>	For min. wall thickness	<b>1,5 mm</b>
For max. no. of cables	<b>1</b>	For max. wall thickness	<b>2 mm</b>
Min. shield diam. pos. 2	<b>8 mm</b>		
Max. shield diam. pos. 2	<b>11 mm</b>		

**PFK2-B|SKL 04**

Part No.	<b>36784.04</b>	Length	<b>32,5 mm</b>
EAN	<b>4251269303876</b>	Width	<b>18 mm</b>
PU	<b>10</b>	Height	<b>27,5 mm</b>
No. of shield clamps	<b>1</b>	For min. wall thickness	<b>2 mm</b>
For max. no. of cables	<b>1</b>	For max. wall thickness	<b>3 mm</b>
Min. shield diam. pos. 2	<b>8 mm</b>		
Max. shield diam. pos. 2	<b>11 mm</b>		

**PFK2-A|SKL 10**

Part No.	<b>36780.10</b>	Length	<b>32,5 mm</b>
EAN	<b>4251269303340</b>	Width	<b>18 mm</b>
PU	<b>10</b>	Height	<b>20,7 mm</b>
No. of shield clamps	<b>1</b>	For min. wall thickness	<b>1,5 mm</b>
For max. no. of cables	<b>1</b>	For max. wall thickness	<b>2 mm</b>
Min. shield diam. pos. 1	<b>1,5 mm</b>		
Max. shield diam. pos. 1	<b>3 mm</b>		

**PFK2-B|SKL 10**

Part No.	<b>36784.10</b>	Length	<b>32,5 mm</b>
EAN	<b>4251269303883</b>	Width	<b>18 mm</b>
PU	<b>10</b>	Height	<b>20,4 mm</b>
No. of shield clamps	<b>1</b>	For min. wall thickness	<b>2 mm</b>
For max. no. of cables	<b>1</b>	For max. wall thickness	<b>3 mm</b>
Min. shield diam. pos. 1	<b>1,5 mm</b>		
Max. shield diam. pos. 1	<b>3 mm</b>		

**PFK2-A|SKL 11**

Part No.	<b>36780.11</b>	Min. shield diam. pos. 2	<b>1,5 mm</b>
EAN	<b>4251269303357</b>	Max. shield diam. pos. 2	<b>3 mm</b>
PU	<b>10</b>	Length	<b>32,5 mm</b>
No. of shield clamps	<b>2</b>	Width	<b>20 mm</b>
For max. no. of cables	<b>2</b>	Height	<b>20,7 mm</b>
Min. shield diam. pos. 1	<b>1,5 mm</b>	For min. wall thickness	<b>1,5 mm</b>
Max. shield diam. pos. 1	<b>3 mm</b>	For max. wall thickness	<b>2 mm</b>

**PFK2-B|SKL 11**

Part No.	<b>36784.11</b>	Min. shield diam. pos. 2	<b>1,5 mm</b>
EAN	<b>4251269303890</b>	Max. shield diam. pos. 2	<b>3 mm</b>
PU	<b>10</b>	Length	<b>32,5 mm</b>
No. of shield clamps	<b>2</b>	Width	<b>20 mm</b>
For max. no. of cables	<b>2</b>	Height	<b>20,4 mm</b>
Min. shield diam. pos. 1	<b>1,5 mm</b>	For min. wall thickness	<b>2 mm</b>
Max. shield diam. pos. 1	<b>3 mm</b>	For max. wall thickness	<b>3 mm</b>

**PFK2-A|SKL 12**



Part No.	<b>36780.12</b>	Min. shield diam. pos. 2	<b>3 mm</b>
EAN	<b>4251269303364</b>	Max. shield diam. pos. 2	<b>6 mm</b>
PU	<b>10</b>	Length	<b>32,5 mm</b>
No. of shield clamps	<b>2</b>	Width	<b>20 mm</b>
For max. no. of cables	<b>2</b>	Height	<b>21,5 mm</b>
Min. shield diam. pos. 1	<b>1,5 mm</b>	For min. wall thickness	<b>1,5 mm</b>
Max. shield diam. pos. 1	<b>3 mm</b>	For max. wall thickness	<b>2 mm</b>

**PFK2-B|SKL 12**



Part No.	<b>36784.12</b>	Min. shield diam. pos. 2	<b>3 mm</b>
EAN	<b>4251269303906</b>	Max. shield diam. pos. 2	<b>6 mm</b>
PU	<b>10</b>	Length	<b>32,5 mm</b>
No. of shield clamps	<b>2</b>	Width	<b>20 mm</b>
For max. no. of cables	<b>2</b>	Height	<b>21,1 mm</b>
Min. shield diam. pos. 1	<b>1,5 mm</b>	For min. wall thickness	<b>2 mm</b>
Max. shield diam. pos. 1	<b>3 mm</b>	For max. wall thickness	<b>3 mm</b>

**PFK2-A|SKL 13**



Part No.	<b>36780.13</b>	Min. shield diam. pos. 2	<b>6 mm</b>
EAN	<b>4251269303371</b>	Max. shield diam. pos. 2	<b>8 mm</b>
PU	<b>10</b>	Length	<b>32,5 mm</b>
No. of shield clamps	<b>2</b>	Width	<b>20 mm</b>
For max. no. of cables	<b>2</b>	Height	<b>22,9 mm</b>
Min. shield diam. pos. 1	<b>1,5 mm</b>	For min. wall thickness	<b>1,5 mm</b>
Max. shield diam. pos. 1	<b>3 mm</b>	For max. wall thickness	<b>2 mm</b>

**PFK2-B|SKL 13**



Part No.	<b>36784.13</b>	Min. shield diam. pos. 2	<b>6 mm</b>
EAN	<b>4251269303913</b>	Max. shield diam. pos. 2	<b>8 mm</b>
PU	<b>10</b>	Length	<b>32,5 mm</b>
No. of shield clamps	<b>2</b>	Width	<b>20 mm</b>
For max. no. of cables	<b>2</b>	Height	<b>22,5 mm</b>
Min. shield diam. pos. 1	<b>1,5 mm</b>	For min. wall thickness	<b>2 mm</b>
Max. shield diam. pos. 1	<b>3 mm</b>	For max. wall thickness	<b>3 mm</b>

**PFK2-A|SKL 14**



Part No.	<b>36780.14</b>	Min. shield diam. pos. 2	<b>8 mm</b>
EAN	<b>4251269303388</b>	Max. shield diam. pos. 2	<b>11 mm</b>
PU	<b>10</b>	Length	<b>32,5 mm</b>
No. of shield clamps	<b>2</b>	Width	<b>20 mm</b>
For max. no. of cables	<b>2</b>	Height	<b>27,9 mm</b>
Min. shield diam. pos. 1	<b>1,5 mm</b>	For min. wall thickness	<b>1,5 mm</b>
Max. shield diam. pos. 1	<b>3 mm</b>	For max. wall thickness	<b>2 mm</b>

**PFK2-B|SKL 14**



Part No.	<b>36784.14</b>	Min. shield diam. pos. 2	<b>8 mm</b>
EAN	<b>4251269303920</b>	Max. shield diam. pos. 2	<b>11 mm</b>
PU	<b>10</b>	Length	<b>32,5 mm</b>
No. of shield clamps	<b>2</b>	Width	<b>20 mm</b>
For max. no. of cables	<b>2</b>	Height	<b>27,5 mm</b>
Min. shield diam. pos. 1	<b>1,5 mm</b>	For min. wall thickness	<b>2 mm</b>
Max. shield diam. pos. 1	<b>3 mm</b>	For max. wall thickness	<b>3 mm</b>

**PFK2-A|SKL 20**

Part No.	<b>36780.20</b>	Length	<b>32,5 mm</b>
EAN	<b>4251269303395</b>	Width	<b>18 mm</b>
PU	<b>10</b>	Height	<b>21,5 mm</b>
No. of shield clamps	<b>1</b>	For min. wall thickness	<b>1,5 mm</b>
For max. no. of cables	<b>1</b>	For max. wall thickness	<b>2 mm</b>
Min. shield diam. pos. 1	<b>3 mm</b>		
Max. shield diam. pos. 1	<b>6 mm</b>		

**PFK2-B|SKL 20**

Part No.	<b>36784.20</b>	Length	<b>32,5 mm</b>
EAN	<b>4251269303937</b>	Width	<b>18 mm</b>
PU	<b>10</b>	Height	<b>21,1 mm</b>
No. of shield clamps	<b>1</b>	For min. wall thickness	<b>2 mm</b>
For max. no. of cables	<b>1</b>	For max. wall thickness	<b>3 mm</b>
Min. shield diam. pos. 1	<b>3 mm</b>		
Max. shield diam. pos. 1	<b>6 mm</b>		

**PFK2-A|SKL 21**

Part No.	<b>36780.21</b>	Min. shield diam. pos. 2	<b>1,5 mm</b>
EAN	<b>4251269303401</b>	Max. shield diam. pos. 2	<b>3 mm</b>
PU	<b>10</b>	Length	<b>32,5 mm</b>
No. of shield clamps	<b>2</b>	Width	<b>20 mm</b>
For max. no. of cables	<b>2</b>	Height	<b>21,5 mm</b>
Min. shield diam. pos. 1	<b>3 mm</b>	For min. wall thickness	<b>1,5 mm</b>
Max. shield diam. pos. 1	<b>6 mm</b>	For max. wall thickness	<b>2 mm</b>

**PFK2-B|SKL 21**

Part No.	<b>36784.21</b>	Min. shield diam. pos. 2	<b>1,5 mm</b>
EAN	<b>4251269303944</b>	Max. shield diam. pos. 2	<b>3 mm</b>
PU	<b>10</b>	Length	<b>32,5 mm</b>
No. of shield clamps	<b>2</b>	Width	<b>20 mm</b>
For max. no. of cables	<b>2</b>	Height	<b>21,1 mm</b>
Min. shield diam. pos. 1	<b>3 mm</b>	For min. wall thickness	<b>2 mm</b>
Max. shield diam. pos. 1	<b>6 mm</b>	For max. wall thickness	<b>3 mm</b>

**PFK2-A|SKL 22**

Part No.	<b>36780.22</b>	Min. shield diam. pos. 2	<b>3 mm</b>
EAN	<b>4251269303418</b>	Max. shield diam. pos. 2	<b>6 mm</b>
PU	<b>10</b>	Length	<b>32,5 mm</b>
No. of shield clamps	<b>2</b>	Width	<b>20 mm</b>
For max. no. of cables	<b>2</b>	Height	<b>21,5 mm</b>
Min. shield diam. pos. 1	<b>3 mm</b>	For min. wall thickness	<b>1,5 mm</b>
Max. shield diam. pos. 1	<b>6 mm</b>	For max. wall thickness	<b>2 mm</b>

**PFK2-B|SKL 22**

Part No.	<b>36784.22</b>	Min. shield diam. pos. 2	<b>3 mm</b>
EAN	<b>4251269303951</b>	Max. shield diam. pos. 2	<b>6 mm</b>
PU	<b>10</b>	Length	<b>32,5 mm</b>
No. of shield clamps	<b>2</b>	Width	<b>20 mm</b>
For max. no. of cables	<b>2</b>	Height	<b>21,1 mm</b>
Min. shield diam. pos. 1	<b>3 mm</b>	For min. wall thickness	<b>2 mm</b>
Max. shield diam. pos. 1	<b>6 mm</b>	For max. wall thickness	<b>3 mm</b>

**PFK2-A|SKL 23**

Part No.	<b>36780.23</b>	Min. shield diam. pos. 2	<b>6 mm</b>
EAN	<b>4251269303425</b>	Max. shield diam. pos. 2	<b>8 mm</b>
PU	<b>10</b>	Length	<b>32,5 mm</b>
No. of shield clamps	<b>2</b>	Width	<b>20 mm</b>
For max. no. of cables	<b>2</b>	Height	<b>22,9 mm</b>
Min. shield diam. pos. 1	<b>3 mm</b>	For min. wall thickness	<b>1,5 mm</b>
Max. shield diam. pos. 1	<b>6 mm</b>	For max. wall thickness	<b>2 mm</b>

**PFK2-B|SKL 23**

Part No.	<b>36784.23</b>	Min. shield diam. pos. 2	<b>6 mm</b>
EAN	<b>4251269303968</b>	Max. shield diam. pos. 2	<b>8 mm</b>
PU	<b>10</b>	Length	<b>32,5 mm</b>
No. of shield clamps	<b>2</b>	Width	<b>20 mm</b>
For max. no. of cables	<b>2</b>	Height	<b>22,5 mm</b>
Min. shield diam. pos. 1	<b>3 mm</b>	For min. wall thickness	<b>2 mm</b>
Max. shield diam. pos. 1	<b>6 mm</b>	For max. wall thickness	<b>3 mm</b>

**PFK2-A|SKL 24**

Part No.	<b>36780.24</b>	Min. shield diam. pos. 2	<b>8 mm</b>
EAN	<b>4251269303432</b>	Max. shield diam. pos. 2	<b>11 mm</b>
PU	<b>10</b>	Length	<b>32,5 mm</b>
No. of shield clamps	<b>2</b>	Width	<b>20 mm</b>
For max. no. of cables	<b>2</b>	Height	<b>27,9 mm</b>
Min. shield diam. pos. 1	<b>3 mm</b>	For min. wall thickness	<b>1,5 mm</b>
Max. shield diam. pos. 1	<b>6 mm</b>	For max. wall thickness	<b>2 mm</b>

**PFK2-B|SKL 24**

Part No.	<b>36784.24</b>	Min. shield diam. pos. 2	<b>8 mm</b>
EAN	<b>4251269303975</b>	Max. shield diam. pos. 2	<b>11 mm</b>
PU	<b>10</b>	Length	<b>32,5 mm</b>
No. of shield clamps	<b>2</b>	Width	<b>20 mm</b>
For max. no. of cables	<b>2</b>	Height	<b>27,5 mm</b>
Min. shield diam. pos. 1	<b>3 mm</b>	For min. wall thickness	<b>2 mm</b>
Max. shield diam. pos. 1	<b>6 mm</b>	For max. wall thickness	<b>3 mm</b>

**PFK2-A|SKL 30**

Part No.	<b>36780.30</b>	Length	<b>32,5 mm</b>
EAN	<b>4251269303449</b>	Width	<b>18 mm</b>
PU	<b>10</b>	Height	<b>22,9 mm</b>
No. of shield clamps	<b>1</b>	For min. wall thickness	<b>1,5 mm</b>
For max. no. of cables	<b>1</b>	For max. wall thickness	<b>2 mm</b>
Min. shield diam. pos. 1	<b>6 mm</b>		
Max. shield diam. pos. 1	<b>8 mm</b>		

**PFK2-B|SKL 30**

Part No.	<b>36784.30</b>	Length	<b>32,5 mm</b>
EAN	<b>4251269303982</b>	Width	<b>18 mm</b>
PU	<b>10</b>	Height	<b>22,5 mm</b>
No. of shield clamps	<b>1</b>	For min. wall thickness	<b>2 mm</b>
For max. no. of cables	<b>1</b>	For max. wall thickness	<b>3 mm</b>
Min. shield diam. pos. 1	<b>6 mm</b>		
Max. shield diam. pos. 1	<b>8 mm</b>		

**PFK2-A|SKL 31**

Part No.	<b>36780.31</b>	Min. shield diam. pos. 2	<b>1,5 mm</b>
EAN	<b>4251269303456</b>	Max. shield diam. pos. 2	<b>3 mm</b>
PU	<b>10</b>	Length	<b>32,5 mm</b>
No. of shield clamps	<b>2</b>	Width	<b>20 mm</b>
For max. no. of cables	<b>2</b>	Height	<b>22,9 mm</b>
Min. shield diam. pos. 1	<b>6 mm</b>	For min. wall thickness	<b>1,5 mm</b>
Max. shield diam. pos. 1	<b>8 mm</b>	For max. wall thickness	<b>2 mm</b>

**PFK2-B|SKL 31**

Part No.	<b>36784.31</b>	Min. shield diam. pos. 2	<b>1,5 mm</b>
EAN	<b>4251269303999</b>	Max. shield diam. pos. 2	<b>3 mm</b>
PU	<b>10</b>	Length	<b>32,5 mm</b>
No. of shield clamps	<b>2</b>	Width	<b>20 mm</b>
For max. no. of cables	<b>2</b>	Height	<b>22,5 mm</b>
Min. shield diam. pos. 1	<b>6 mm</b>	For min. wall thickness	<b>2 mm</b>
Max. shield diam. pos. 1	<b>8 mm</b>	For max. wall thickness	<b>3 mm</b>

**PFK2-A|SKL 32**

Part No.	<b>36780.32</b>	Min. shield diam. pos. 2	<b>3 mm</b>
EAN	<b>4251269303463</b>	Max. shield diam. pos. 2	<b>6 mm</b>
PU	<b>10</b>	Length	<b>32,5 mm</b>
No. of shield clamps	<b>2</b>	Width	<b>20 mm</b>
For max. no. of cables	<b>2</b>	Height	<b>22,9 mm</b>
Min. shield diam. pos. 1	<b>6 mm</b>	For min. wall thickness	<b>1,5 mm</b>
Max. shield diam. pos. 1	<b>8 mm</b>	For max. wall thickness	<b>2 mm</b>

**PFK2-B|SKL 32**

Part No.	<b>36784.32</b>	Min. shield diam. pos. 2	<b>3 mm</b>
EAN	<b>4251269304002</b>	Max. shield diam. pos. 2	<b>6 mm</b>
PU	<b>10</b>	Length	<b>32,5 mm</b>
No. of shield clamps	<b>2</b>	Width	<b>20 mm</b>
For max. no. of cables	<b>2</b>	Height	<b>22,5 mm</b>
Min. shield diam. pos. 1	<b>6 mm</b>	For min. wall thickness	<b>2 mm</b>
Max. shield diam. pos. 1	<b>8 mm</b>	For max. wall thickness	<b>3 mm</b>

**PFK2-A|SKL 33**

Part No.	<b>36780.33</b>	Min. shield diam. pos. 2	<b>6 mm</b>
EAN	<b>4251269303470</b>	Max. shield diam. pos. 2	<b>8 mm</b>
PU	<b>10</b>	Length	<b>32,5 mm</b>
No. of shield clamps	<b>2</b>	Width	<b>20 mm</b>
For max. no. of cables	<b>2</b>	Height	<b>22,9 mm</b>
Min. shield diam. pos. 1	<b>6 mm</b>	For min. wall thickness	<b>1,5 mm</b>
Max. shield diam. pos. 1	<b>8 mm</b>	For max. wall thickness	<b>2 mm</b>

**PFK2-B|SKL 33**

Part No.	<b>36784.33</b>	Min. shield diam. pos. 2	<b>6 mm</b>
EAN	<b>4251269304019</b>	Max. shield diam. pos. 2	<b>8 mm</b>
PU	<b>10</b>	Length	<b>32,5 mm</b>
No. of shield clamps	<b>2</b>	Width	<b>20 mm</b>
For max. no. of cables	<b>2</b>	Height	<b>22,5 mm</b>
Min. shield diam. pos. 1	<b>6 mm</b>	For min. wall thickness	<b>2 mm</b>
Max. shield diam. pos. 1	<b>8 mm</b>	For max. wall thickness	<b>3 mm</b>



**PFK2-A|SKL 34**

Part No.	<b>36780.34</b>	Min. shield diam. pos. 2	<b>8 mm</b>
EAN	<b>4251269303487</b>	Max. shield diam. pos. 2	<b>11 mm</b>
PU	<b>10</b>	Length	<b>32,5 mm</b>
No. of shield clamps	<b>2</b>	Width	<b>20 mm</b>
For max. no. of cables	<b>2</b>	Height	<b>27,9 mm</b>
Min. shield diam. pos. 1	<b>6 mm</b>	For min. wall thickness	<b>1,5 mm</b>
Max. shield diam. pos. 1	<b>8 mm</b>	For max. wall thickness	<b>2 mm</b>

**PFK2-B|SKL 34**

Part No.	<b>36784.34</b>	Min. shield diam. pos. 2	<b>8 mm</b>
EAN	<b>4251269304026</b>	Max. shield diam. pos. 2	<b>11 mm</b>
PU	<b>10</b>	Length	<b>32,5 mm</b>
No. of shield clamps	<b>2</b>	Width	<b>20 mm</b>
For max. no. of cables	<b>2</b>	Height	<b>27,5 mm</b>
Min. shield diam. pos. 1	<b>6 mm</b>	For min. wall thickness	<b>2 mm</b>
Max. shield diam. pos. 1	<b>8 mm</b>	For max. wall thickness	<b>3 mm</b>

**PFK2-A|SKL 40**

Part No.	<b>36780.40</b>	Length	<b>32,5 mm</b>
EAN	<b>4251269303494</b>	Width	<b>18 mm</b>
PU	<b>10</b>	Height	<b>27,9 mm</b>
No. of shield clamps	<b>1</b>	For min. wall thickness	<b>1,5 mm</b>
For max. no. of cables	<b>1</b>	For max. wall thickness	<b>2 mm</b>
Min. shield diam. pos. 1	<b>8 mm</b>		
Max. shield diam. pos. 1	<b>11 mm</b>		

**PFK2-B|SKL 40**

Part No.	<b>36784.40</b>	Length	<b>32,5 mm</b>
EAN	<b>4251269304033</b>	Width	<b>18 mm</b>
PU	<b>10</b>	Height	<b>27,5 mm</b>
No. of shield clamps	<b>1</b>	For min. wall thickness	<b>2 mm</b>
For max. no. of cables	<b>1</b>	For max. wall thickness	<b>3 mm</b>
Min. shield diam. pos. 1	<b>8 mm</b>		
Max. shield diam. pos. 1	<b>11 mm</b>		

**PFK2-A|SKL 41**

Part No.	<b>36780.41</b>	Min. shield diam. pos. 2	<b>1,5 mm</b>
EAN	<b>4251269303500</b>	Max. shield diam. pos. 2	<b>3 mm</b>
PU	<b>10</b>	Length	<b>32,5 mm</b>
No. of shield clamps	<b>2</b>	Width	<b>20 mm</b>
For max. no. of cables	<b>2</b>	Height	<b>27,9 mm</b>
Min. shield diam. pos. 1	<b>8 mm</b>	For min. wall thickness	<b>1,5 mm</b>
Max. shield diam. pos. 1	<b>11 mm</b>	For max. wall thickness	<b>2 mm</b>

**PFK2-B|SKL 41**

Part No.	<b>36784.41</b>	Min. shield diam. pos. 2	<b>1,5 mm</b>
EAN	<b>4251269304040</b>	Max. shield diam. pos. 2	<b>3 mm</b>
PU	<b>10</b>	Length	<b>32,5 mm</b>
No. of shield clamps	<b>2</b>	Width	<b>20 mm</b>
For max. no. of cables	<b>2</b>	Height	<b>27,5 mm</b>
Min. shield diam. pos. 1	<b>8 mm</b>	For min. wall thickness	<b>2 mm</b>
Max. shield diam. pos. 1	<b>11 mm</b>	For max. wall thickness	<b>3 mm</b>

**PFK2-A|SKL 42**

Part No.	<b>36780.42</b>	Min. shield diam. pos. 2	<b>3 mm</b>
EAN	<b>4251269303517</b>	Max. shield diam. pos. 2	<b>6 mm</b>
PU	<b>10</b>	Length	<b>32,5 mm</b>
No. of shield clamps	<b>2</b>	Width	<b>20 mm</b>
For max. no. of cables	<b>2</b>	Height	<b>27,9 mm</b>
Min. shield diam. pos. 1	<b>8 mm</b>	For min. wall thickness	<b>1,5 mm</b>
Max. shield diam. pos. 1	<b>11 mm</b>	For max. wall thickness	<b>2 mm</b>

**PFK2-B|SKL 42**

Part No.	<b>36784.42</b>	Min. shield diam. pos. 2	<b>3 mm</b>
EAN	<b>4251269304057</b>	Max. shield diam. pos. 2	<b>6 mm</b>
PU	<b>10</b>	Length	<b>32,5 mm</b>
No. of shield clamps	<b>2</b>	Width	<b>20 mm</b>
For max. no. of cables	<b>2</b>	Height	<b>27,5 mm</b>
Min. shield diam. pos. 1	<b>8 mm</b>	For min. wall thickness	<b>2 mm</b>
Max. shield diam. pos. 1	<b>11 mm</b>	For max. wall thickness	<b>3 mm</b>

**PFK2-A|SKL 43**

Part No.	<b>36780.43</b>	Min. shield diam. pos. 2	<b>6 mm</b>
EAN	<b>4251269303524</b>	Max. shield diam. pos. 2	<b>8 mm</b>
PU	<b>10</b>	Length	<b>32,5 mm</b>
No. of shield clamps	<b>2</b>	Width	<b>20 mm</b>
For max. no. of cables	<b>2</b>	Height	<b>27,9 mm</b>
Min. shield diam. pos. 1	<b>8 mm</b>	For min. wall thickness	<b>1,5 mm</b>
Max. shield diam. pos. 1	<b>11 mm</b>	For max. wall thickness	<b>2 mm</b>

**PFK2-B|SKL 43**

Part No.	<b>36784.43</b>	Min. shield diam. pos. 2	<b>6 mm</b>
EAN	<b>4251269304064</b>	Max. shield diam. pos. 2	<b>8 mm</b>
PU	<b>10</b>	Length	<b>32,5 mm</b>
No. of shield clamps	<b>2</b>	Width	<b>20 mm</b>
For max. no. of cables	<b>2</b>	Height	<b>27,5 mm</b>
Min. shield diam. pos. 1	<b>8 mm</b>	For min. wall thickness	<b>2 mm</b>
Max. shield diam. pos. 1	<b>11 mm</b>	For max. wall thickness	<b>3 mm</b>

**PFKZ-A-M|MSKL 3-12**

Part No.	<b>37640</b>	Min. shield diam.	<b>3 mm</b>
EAN	<b>4251269316746</b>	Max. shield diam.	<b>12 mm</b>
PU	<b>10</b>	Width	<b>15 mm</b>
No. of shield clamps	<b>1</b>	Height	<b>28,8 mm</b>
Length	<b>38 mm</b>	For min. wall thickness	<b>1,5 mm</b>
Strain relief (acc. to EN 62444)	<b>1</b>	For max. wall thickness	<b>2 mm</b>
For max. no. of cables	<b>1</b>		

**PFKZ-B-M|MSKL 3-12**

Part No.	<b>37650</b>	Min. shield diam.	<b>3 mm</b>
EAN	<b>4251269316760</b>	Max. shield diam.	<b>12 mm</b>
PU	<b>10</b>	Width	<b>15 mm</b>
No. of shield clamps	<b>1</b>	Height	<b>28 mm</b>
Length	<b>38 mm</b>	For min. wall thickness	<b>2 mm</b>
Strain relief (acc. to EN 62444)	<b>1</b>	For max. wall thickness	<b>3 mm</b>
For max. no. of cables	<b>1</b>		

**PFKZ-A-M|MSKL 8-18**

Part No.	<b>37642</b>
EAN	<b>4251269316753</b>
PU	<b>10</b>
No. of shield clamps	<b>1</b>
Length	<b>38 mm</b>
Strain relief (acc. to EN 62444)	<b>1</b>
For max. no. of cables	<b>1</b>

Min. shield diam.	<b>8 mm</b>
Max. shield diam.	<b>18 mm</b>
Width	<b>20 mm</b>
Height	<b>35 mm</b>
For min. wall thickness	<b>1,5 mm</b>
For max. wall thickness	<b>2 mm</b>

**PFKZ-B-M|MSKL 8-18**

Part No.	<b>37652</b>
EAN	<b>4251269316777</b>
PU	<b>10</b>
No. of shield clamps	<b>1</b>
Length	<b>38 mm</b>
Strain relief (acc. to EN 62444)	<b>1</b>
For max. no. of cables	<b>1</b>

Min. shield diam.	<b>8 mm</b>
Max. shield diam.	<b>18 mm</b>
Width	<b>20 mm</b>
Height	<b>35 mm</b>
For min. wall thickness	<b>2 mm</b>
For max. wall thickness	<b>3 mm</b>

**PFKZ-A|SKL 1.5-3**

Part No.	<b>36779.1</b>
EAN	<b>4251269303265</b>
PU	<b>10</b>
No. of shield clamps	<b>1</b>
Length	<b>33 mm</b>
Width	<b>12 mm</b>
Strain relief (acc. to EN 62444)	<b>1</b>

For max. no. of cables	<b>1</b>
Min. shield diam.	<b>1,5 mm</b>
Max. shield diam.	<b>3 mm</b>
Height	<b>21 mm</b>
For min. wall thickness	<b>1,5 mm</b>
For max. wall thickness	<b>2 mm</b>

**PFKZ-B|SKL 1.5-3**

Part No.	<b>36783.1</b>
EAN	<b>4251269303807</b>
PU	<b>10</b>
No. of shield clamps	<b>1</b>
Length	<b>33 mm</b>
Width	<b>12 mm</b>
Strain relief (acc. to EN 62444)	<b>1</b>

For max. no. of cables	<b>1</b>
Min. shield diam.	<b>1,5 mm</b>
Max. shield diam.	<b>3 mm</b>
Height	<b>21 mm</b>
For min. wall thickness	<b>2 mm</b>
For max. wall thickness	<b>3 mm</b>

**PFKZ-A|SKL 3-6**

Part No.	<b>36779.2</b>
EAN	<b>4251269303272</b>
PU	<b>10</b>
No. of shield clamps	<b>1</b>
Length	<b>33 mm</b>
Width	<b>12 mm</b>
Strain relief (acc. to EN 62444)	<b>1</b>

For max. no. of cables	<b>1</b>
Min. shield diam.	<b>3 mm</b>
Max. shield diam.	<b>6 mm</b>
Height	<b>20,5 mm</b>
For min. wall thickness	<b>1,5 mm</b>
For max. wall thickness	<b>2 mm</b>

**PFKZ-B|SKL 3-6**

Part No.	<b>36783.2</b>
EAN	<b>4251269303814</b>
PU	<b>10</b>
No. of shield clamps	<b>1</b>
Length	<b>33 mm</b>
Width	<b>12 mm</b>
Strain relief (acc. to EN 62444)	<b>1</b>

For max. no. of cables	<b>1</b>
Min. shield diam.	<b>3 mm</b>
Max. shield diam.	<b>6 mm</b>
Height	<b>21,6 mm</b>
For min. wall thickness	<b>2 mm</b>
For max. wall thickness	<b>3 mm</b>

**PFKZ-A|SKL 6-8**

Part No.	<b>36779.3</b>	For max. no. of cables	<b>1</b>
EAN	<b>4251269303289</b>	Min. shield diam.	<b>6 mm</b>
PU	<b>10</b>	Max. shield diam.	<b>8 mm</b>
No. of shield clamps	<b>1</b>	Height	<b>22 mm</b>
Length	<b>33 mm</b>	For min. wall thickness	<b>1,5 mm</b>
Width	<b>12 mm</b>	For max. wall thickness	<b>2 mm</b>
Strain relief (acc. to EN 62444)	<b>1</b>		

**PFKZ-B|SKL 6-8**

Part No.	<b>36783.3</b>	For max. no. of cables	<b>1</b>
EAN	<b>4251269303821</b>	Min. shield diam.	<b>6 mm</b>
PU	<b>10</b>	Max. shield diam.	<b>8 mm</b>
No. of shield clamps	<b>1</b>	Height	<b>23 mm</b>
Length	<b>33 mm</b>	For min. wall thickness	<b>2 mm</b>
Width	<b>12 mm</b>	For max. wall thickness	<b>3 mm</b>
Strain relief (acc. to EN 62444)	<b>1</b>		

**PFKZ-A|SKL 8-11**

Part No.	<b>36779.4</b>	For max. no. of cables	<b>1</b>
EAN	<b>4251269303296</b>	Min. shield diam.	<b>8 mm</b>
PU	<b>10</b>	Max. shield diam.	<b>11 mm</b>
No. of shield clamps	<b>1</b>	Height	<b>27 mm</b>
Length	<b>33 mm</b>	For min. wall thickness	<b>1,5 mm</b>
Width	<b>12 mm</b>	For max. wall thickness	<b>2 mm</b>
Strain relief (acc. to EN 62444)	<b>1</b>		

**PFKZ-B|SKL 8-11**

Part No.	<b>36783.4</b>	For max. no. of cables	<b>1</b>
EAN	<b>4251269303838</b>	Min. shield diam.	<b>8 mm</b>
PU	<b>10</b>	Max. shield diam.	<b>11 mm</b>
No. of shield clamps	<b>1</b>	Height	<b>28 mm</b>
Length	<b>33 mm</b>	For min. wall thickness	<b>2 mm</b>
Width	<b>12 mm</b>	For max. wall thickness	<b>3 mm</b>
Strain relief (acc. to EN 62444)	<b>1</b>		

**PFKZ2-A|SKL 01**

Part No.	<b>36781.01</b>	Max. shield diam. pos. 2	<b>3 mm</b>
EAN	<b>4251269303531</b>	Length	<b>37 mm</b>
PU	<b>10</b>	Width	<b>18 mm</b>
Strain relief (acc. to EN 62444)	<b>1</b>	Height	<b>21,2 mm</b>
No. of shield clamps	<b>1</b>	For min. wall thickness	<b>1,5 mm</b>
For max. no. of cables	<b>1</b>	For max. wall thickness	<b>2 mm</b>
Min. shield diam. pos. 2	<b>1,5 mm</b>		

**PFKZ2-B|SKL 01**

Part No.	<b>36785.01</b>	Max. shield diam. pos. 2	<b>3 mm</b>
EAN	<b>4251269304071</b>	Length	<b>37 mm</b>
PU	<b>10</b>	Width	<b>18 mm</b>
Strain relief (acc. to EN 62444)	<b>1</b>	Height	<b>20,9 mm</b>
No. of shield clamps	<b>1</b>	For min. wall thickness	<b>2 mm</b>
For max. no. of cables	<b>1</b>	For max. wall thickness	<b>3 mm</b>
Min. shield diam. pos. 2	<b>1,5 mm</b>		

## PFKZ2-A|SKL 02



Part No.	<b>36781.02</b>	Max. shield diam. pos. 2	<b>6 mm</b>
EAN	<b>4251269303548</b>	Length	<b>37 mm</b>
PU	<b>10</b>	Width	<b>18 mm</b>
Strain relief (acc. to EN 62444)	<b>1</b>	Height	<b>22 mm</b>
No. of shield clamps	<b>1</b>	For min. wall thickness	<b>1,5 mm</b>
For max. no. of cables	<b>1</b>	For max. wall thickness	<b>2 mm</b>
Min. shield diam. pos. 2	<b>3 mm</b>		

## PFKZ2-B|SKL 02



Part No.	<b>36785.02</b>	Max. shield diam. pos. 2	<b>6 mm</b>
EAN	<b>4251269304088</b>	Length	<b>37 mm</b>
PU	<b>10</b>	Width	<b>18 mm</b>
Strain relief (acc. to EN 62444)	<b>1</b>	Height	<b>21,6 mm</b>
No. of shield clamps	<b>1</b>	For min. wall thickness	<b>2 mm</b>
For max. no. of cables	<b>1</b>	For max. wall thickness	<b>3 mm</b>
Min. shield diam. pos. 2	<b>3 mm</b>		

## PFKZ2-A|SKL 03



Part No.	<b>36781.03</b>	Max. shield diam. pos. 2	<b>8 mm</b>
EAN	<b>4251269303555</b>	Length	<b>37 mm</b>
PU	<b>10</b>	Width	<b>18 mm</b>
Strain relief (acc. to EN 62444)	<b>1</b>	Height	<b>23,4 mm</b>
No. of shield clamps	<b>1</b>	For min. wall thickness	<b>1,5 mm</b>
For max. no. of cables	<b>1</b>	For max. wall thickness	<b>2 mm</b>
Min. shield diam. pos. 2	<b>6 mm</b>		

## PFKZ2-B|SKL 03



Part No.	<b>36785.03</b>	Max. shield diam. pos. 2	<b>8 mm</b>
EAN	<b>4251269304095</b>	Length	<b>37 mm</b>
PU	<b>10</b>	Width	<b>18 mm</b>
Strain relief (acc. to EN 62444)	<b>1</b>	Height	<b>23 mm</b>
No. of shield clamps	<b>1</b>	For min. wall thickness	<b>2 mm</b>
For max. no. of cables	<b>1</b>	For max. wall thickness	<b>3 mm</b>
Min. shield diam. pos. 2	<b>6 mm</b>		

## PFKZ2-A|SKL 04



Part No.	<b>36781.04</b>	Max. shield diam. pos. 2	<b>11 mm</b>
EAN	<b>4251269303562</b>	Length	<b>37 mm</b>
PU	<b>10</b>	Width	<b>18 mm</b>
Strain relief (acc. to EN 62444)	<b>1</b>	Height	<b>28,4 mm</b>
No. of shield clamps	<b>1</b>	For min. wall thickness	<b>1,5 mm</b>
For max. no. of cables	<b>1</b>	For max. wall thickness	<b>2 mm</b>
Min. shield diam. pos. 2	<b>8 mm</b>		

## PFKZ2-B|SKL 04



Part No.	<b>36785.04</b>	Max. shield diam. pos. 2	<b>11 mm</b>
EAN	<b>4251269304101</b>	Length	<b>37 mm</b>
PU	<b>10</b>	Width	<b>18 mm</b>
Strain relief (acc. to EN 62444)	<b>1</b>	Height	<b>28 mm</b>
No. of shield clamps	<b>1</b>	For min. wall thickness	<b>2 mm</b>
For max. no. of cables	<b>1</b>	For max. wall thickness	<b>3 mm</b>
Min. shield diam. pos. 2	<b>8 mm</b>		

## PFKZ2-A|SKL 10



Part No.	<b>36781.10</b>	Max. shield diam. pos. 1	<b>3 mm</b>
EAN	<b>4251269303579</b>	Length	<b>37 mm</b>
PU	<b>10</b>	Width	<b>18 mm</b>
Strain relief (acc. to EN 62444)	<b>1</b>	Height	<b>21,2 mm</b>
No. of shield clamps	<b>1</b>	For min. wall thickness	<b>1,5 mm</b>
For max. no. of cables	<b>1</b>	For max. wall thickness	<b>2 mm</b>
Min. shield diam. pos. 1	<b>1,5 mm</b>		

## PFKZ2-B|SKL 10



Part No.	<b>36785.10</b>	Max. shield diam. pos. 1	<b>3 mm</b>
EAN	<b>4251269304118</b>	Length	<b>37 mm</b>
PU	<b>10</b>	Width	<b>18 mm</b>
Strain relief (acc. to EN 62444)	<b>1</b>	Height	<b>20,9 mm</b>
No. of shield clamps	<b>1</b>	For min. wall thickness	<b>2 mm</b>
For max. no. of cables	<b>1</b>	For max. wall thickness	<b>3 mm</b>
Min. shield diam. pos. 1	<b>1,5 mm</b>		

## PFKZ2-A|SKL 11



Part No.	<b>36781.11</b>	Max. shield diam. pos. 1	<b>3 mm</b>
EAN	<b>4251269303586</b>	Min. shield diam. pos. 2	<b>1,5 mm</b>
PU	<b>10</b>	Max. shield diam. pos. 2	<b>3 mm</b>
Strain relief (acc. to EN 62444)	<b>1</b>	Length	<b>37 mm</b>
No. of shield clamps	<b>2</b>	Width	<b>20 mm</b>
For max. no. of cables	<b>2</b>	Height	<b>21,2 mm</b>
Min. shield diam. pos. 1	<b>1,5 mm</b>	For min. wall thickness	<b>1,5 mm</b>
		For max. wall thickness	<b>2 mm</b>

## PFKZ2-B|SKL 11



Part No.	<b>36785.11</b>	Max. shield diam. pos. 1	<b>3 mm</b>
EAN	<b>4251269304125</b>	Min. shield diam. pos. 2	<b>1,5 mm</b>
PU	<b>10</b>	Max. shield diam. pos. 2	<b>3 mm</b>
Strain relief (acc. to EN 62444)	<b>1</b>	Length	<b>37 mm</b>
No. of shield clamps	<b>2</b>	Width	<b>20 mm</b>
For max. no. of cables	<b>2</b>	Height	<b>20,9 mm</b>
Min. shield diam. pos. 1	<b>1,5 mm</b>	For min. wall thickness	<b>2 mm</b>
		For max. wall thickness	<b>3 mm</b>

## PFKZ2-A|SKL 12



Part No.	<b>36781.12</b>	Max. shield diam. pos. 1	<b>3 mm</b>
EAN	<b>4251269303593</b>	Min. shield diam. pos. 2	<b>3 mm</b>
PU	<b>10</b>	Max. shield diam. pos. 2	<b>6 mm</b>
Strain relief (acc. to EN 62444)	<b>1</b>	Length	<b>37 mm</b>
No. of shield clamps	<b>2</b>	Width	<b>20 mm</b>
For max. no. of cables	<b>2</b>	Height	<b>22 mm</b>
Min. shield diam. pos. 1	<b>1,5 mm</b>	For min. wall thickness	<b>1,5 mm</b>
		For max. wall thickness	<b>2 mm</b>

## PFKZ2-B|SKL 12



Part No.	<b>36785.12</b>	Max. shield diam. pos. 1	<b>3 mm</b>
EAN	<b>4251269304132</b>	Min. shield diam. pos. 2	<b>3 mm</b>
PU	<b>10</b>	Max. shield diam. pos. 2	<b>6 mm</b>
Strain relief (acc. to EN 62444)	<b>1</b>	Length	<b>37 mm</b>
No. of shield clamps	<b>2</b>	Width	<b>20 mm</b>
For max. no. of cables	<b>2</b>	Height	<b>21,6 mm</b>
Min. shield diam. pos. 1	<b>1,5 mm</b>	For min. wall thickness	<b>2 mm</b>
		For max. wall thickness	<b>3 mm</b>

## PFKZ2-A|SKL 13



Part No.	<b>36781.13</b>	Max. shield diam. pos. 1	<b>3 mm</b>
EAN	<b>4251269303609</b>	Min. shield diam. pos. 2	<b>6 mm</b>
PU	<b>10</b>	Max. shield diam. pos. 2	<b>8 mm</b>
Strain relief (acc. to EN 62444)	<b>1</b>	Length	<b>37 mm</b>
No. of shield clamps	<b>2</b>	Width	<b>20 mm</b>
For max. no. of cables	<b>2</b>	Height	<b>23,4 mm</b>
Min. shield diam. pos. 1	<b>1,5 mm</b>	For min. wall thickness	<b>1,5 mm</b>
		For max. wall thickness	<b>2 mm</b>

## PFKZ2-B|SKL 13



Part No.	<b>36785.13</b>	Max. shield diam. pos. 1	<b>3 mm</b>
EAN	<b>4251269304149</b>	Min. shield diam. pos. 2	<b>6 mm</b>
PU	<b>10</b>	Max. shield diam. pos. 2	<b>8 mm</b>
Strain relief (acc. to EN 62444)	<b>1</b>	Length	<b>37 mm</b>
No. of shield clamps	<b>2</b>	Width	<b>20 mm</b>
For max. no. of cables	<b>2</b>	Height	<b>23 mm</b>
Min. shield diam. pos. 1	<b>1,5 mm</b>	For min. wall thickness	<b>2 mm</b>
		For max. wall thickness	<b>3 mm</b>

## PFKZ2-A|SKL 14



Part No.	<b>36781.14</b>	Max. shield diam. pos. 1	<b>3 mm</b>
EAN	<b>4251269303616</b>	Min. shield diam. pos. 2	<b>8 mm</b>
PU	<b>10</b>	Max. shield diam. pos. 2	<b>11 mm</b>
Strain relief (acc. to EN 62444)	<b>1</b>	Length	<b>37 mm</b>
No. of shield clamps	<b>2</b>	Width	<b>20 mm</b>
For max. no. of cables	<b>2</b>	Height	<b>28,4 mm</b>
Min. shield diam. pos. 1	<b>1,5 mm</b>	For min. wall thickness	<b>1,5 mm</b>
		For max. wall thickness	<b>2 mm</b>

## PFKZ2-B|SKL 14



Part No.	<b>36785.14</b>	Max. shield diam. pos. 1	<b>3 mm</b>
EAN	<b>4251269304156</b>	Min. shield diam. pos. 2	<b>8 mm</b>
PU	<b>10</b>	Max. shield diam. pos. 2	<b>11 mm</b>
Strain relief (acc. to EN 62444)	<b>1</b>	Length	<b>37 mm</b>
No. of shield clamps	<b>2</b>	Width	<b>20 mm</b>
For max. no. of cables	<b>2</b>	Height	<b>28 mm</b>
Min. shield diam. pos. 1	<b>1,5 mm</b>	For min. wall thickness	<b>2 mm</b>
		For max. wall thickness	<b>3 mm</b>

## PFKZ2-A|SKL 20



Part No.	<b>36781.20</b>	Max. shield diam. pos. 1	<b>6 mm</b>
EAN	<b>4251269303623</b>	Length	<b>37 mm</b>
PU	<b>10</b>	Width	<b>18 mm</b>
Strain relief (acc. to EN 62444)	<b>1</b>	Height	<b>22 mm</b>
No. of shield clamps	<b>1</b>	For min. wall thickness	<b>1,5 mm</b>
For max. no. of cables	<b>1</b>	For max. wall thickness	<b>2 mm</b>
Min. shield diam. pos. 1	<b>3 mm</b>		

## PFKZ2-B|SKL 20



Part No.	<b>36785.20</b>	Max. shield diam. pos. 1	<b>6 mm</b>
EAN	<b>4251269304163</b>	Length	<b>37 mm</b>
PU	<b>10</b>	Width	<b>18 mm</b>
Strain relief (acc. to EN 62444)	<b>1</b>	Height	<b>21,6 mm</b>
No. of shield clamps	<b>1</b>	For min. wall thickness	<b>2 mm</b>
For max. no. of cables	<b>1</b>	For max. wall thickness	<b>3 mm</b>
Min. shield diam. pos. 1	<b>3 mm</b>		

## PFKZ2-A|SKL 21



Part No.	<b>36781.21</b>	Max. shield diam. pos. 1	<b>6 mm</b>
EAN	<b>4251269303630</b>	Min. shield diam. pos. 2	<b>1,5 mm</b>
PU	<b>10</b>	Max. shield diam. pos. 2	<b>3 mm</b>
Strain relief (acc. to EN 62444)	<b>1</b>	Length	<b>37 mm</b>
No. of shield clamps	<b>2</b>	Width	<b>20 mm</b>
For max. no. of cables	<b>2</b>	Height	<b>22 mm</b>
Min. shield diam. pos. 1	<b>3 mm</b>	For min. wall thickness	<b>1,5 mm</b>
		For max. wall thickness	<b>2 mm</b>

## PFKZ2-B|SKL 21



Part No.	<b>36785.21</b>	Max. shield diam. pos. 1	<b>6 mm</b>
EAN	<b>4251269304170</b>	Min. shield diam. pos. 2	<b>1,5 mm</b>
PU	<b>10</b>	Max. shield diam. pos. 2	<b>3 mm</b>
Strain relief (acc. to EN 62444)	<b>1</b>	Length	<b>37 mm</b>
No. of shield clamps	<b>2</b>	Width	<b>20 mm</b>
For max. no. of cables	<b>2</b>	Height	<b>21,6 mm</b>
Min. shield diam. pos. 1	<b>3 mm</b>	For min. wall thickness	<b>2 mm</b>
		For max. wall thickness	<b>3 mm</b>

## PFKZ2-A|SKL 22



Part No.	<b>36781.22</b>	Max. shield diam. pos. 1	<b>6 mm</b>
EAN	<b>4251269303647</b>	Min. shield diam. pos. 2	<b>3 mm</b>
PU	<b>10</b>	Max. shield diam. pos. 2	<b>6 mm</b>
Strain relief (acc. to EN 62444)	<b>1</b>	Length	<b>37 mm</b>
No. of shield clamps	<b>2</b>	Width	<b>20 mm</b>
For max. no. of cables	<b>2</b>	Height	<b>22 mm</b>
Min. shield diam. pos. 1	<b>3 mm</b>	For min. wall thickness	<b>1,5 mm</b>
		For max. wall thickness	<b>2 mm</b>

## PFKZ2-B|SKL 22



Part No.	<b>36785.22</b>	Max. shield diam. pos. 1	<b>6 mm</b>
EAN	<b>4251269304187</b>	Min. shield diam. pos. 2	<b>3 mm</b>
PU	<b>10</b>	Max. shield diam. pos. 2	<b>6 mm</b>
Strain relief (acc. to EN 62444)	<b>1</b>	Length	<b>37 mm</b>
No. of shield clamps	<b>2</b>	Width	<b>20 mm</b>
For max. no. of cables	<b>2</b>	Height	<b>21,6 mm</b>
Min. shield diam. pos. 1	<b>3 mm</b>	For min. wall thickness	<b>2 mm</b>
		For max. wall thickness	<b>3 mm</b>

## PFKZ2-A|SKL 23



Part No.	<b>36781.23</b>	Max. shield diam. pos. 1	<b>6 mm</b>
EAN	<b>4251269303654</b>	Min. shield diam. pos. 2	<b>6 mm</b>
PU	<b>10</b>	Max. shield diam. pos. 2	<b>8 mm</b>
Strain relief (acc. to EN 62444)	<b>1</b>	Length	<b>37 mm</b>
No. of shield clamps	<b>2</b>	Width	<b>20 mm</b>
For max. no. of cables	<b>2</b>	Height	<b>23,4 mm</b>
Min. shield diam. pos. 1	<b>3 mm</b>	For min. wall thickness	<b>1,5 mm</b>
		For max. wall thickness	<b>2 mm</b>

## PFKZ2-B|SKL 23



Part No.	<b>36785.23</b>	Max. shield diam. pos. 1	<b>6 mm</b>
EAN	<b>4251269304194</b>	Min. shield diam. pos. 2	<b>6 mm</b>
PU	<b>10</b>	Max. shield diam. pos. 2	<b>8 mm</b>
Strain relief (acc. to EN 62444)	<b>1</b>	Length	<b>37 mm</b>
No. of shield clamps	<b>2</b>	Width	<b>20 mm</b>
For max. no. of cables	<b>2</b>	Height	<b>23 mm</b>
Min. shield diam. pos. 1	<b>3 mm</b>	For min. wall thickness	<b>2 mm</b>
		For max. wall thickness	<b>3 mm</b>



## PFKZ2-A|SKL 24



Part No.	<b>36781.24</b>	Max. shield diam. pos. 1	<b>6 mm</b>
EAN	<b>4251269303661</b>	Min. shield diam. pos. 2	<b>8 mm</b>
PU	<b>10</b>	Max. shield diam. pos. 2	<b>11 mm</b>
Strain relief (acc. to EN 62444)	<b>1</b>	Length	<b>37 mm</b>
No. of shield clamps	<b>2</b>	Width	<b>20 mm</b>
For max. no. of cables	<b>2</b>	Height	<b>28,4 mm</b>
Min. shield diam. pos. 1	<b>3 mm</b>	For min. wall thickness	<b>1,5 mm</b>
		For max. wall thickness	<b>2 mm</b>

## PFKZ2-B|SKL 24



Part No.	<b>36785.24</b>	Max. shield diam. pos. 1	<b>6 mm</b>
EAN	<b>4251269304200</b>	Min. shield diam. pos. 2	<b>8 mm</b>
PU	<b>10</b>	Max. shield diam. pos. 2	<b>11 mm</b>
Strain relief (acc. to EN 62444)	<b>1</b>	Length	<b>37 mm</b>
No. of shield clamps	<b>2</b>	Width	<b>20 mm</b>
For max. no. of cables	<b>2</b>	Height	<b>28 mm</b>
Min. shield diam. pos. 1	<b>3 mm</b>	For min. wall thickness	<b>2 mm</b>
		For max. wall thickness	<b>3 mm</b>

## PFKZ2-A|SKL 30



Part No.	<b>36781.30</b>	Max. shield diam. pos. 1	<b>8 mm</b>
EAN	<b>4251269303678</b>	Length	<b>37 mm</b>
PU	<b>10</b>	Width	<b>18 mm</b>
Strain relief (acc. to EN 62444)	<b>1</b>	Height	<b>23,4 mm</b>
No. of shield clamps	<b>1</b>	For min. wall thickness	<b>1,5 mm</b>
For max. no. of cables	<b>1</b>	For max. wall thickness	<b>2 mm</b>
Min. shield diam. pos. 1	<b>6 mm</b>		

## PFKZ2-B|SKL 30



Part No.	<b>36785.30</b>	Max. shield diam. pos. 1	<b>8 mm</b>
EAN	<b>4251269304217</b>	Length	<b>37 mm</b>
PU	<b>10</b>	Width	<b>18 mm</b>
Strain relief (acc. to EN 62444)	<b>1</b>	Height	<b>23 mm</b>
No. of shield clamps	<b>1</b>	For min. wall thickness	<b>2 mm</b>
For max. no. of cables	<b>1</b>	For max. wall thickness	<b>3 mm</b>
Min. shield diam. pos. 1	<b>6 mm</b>		

## PFKZ2-A|SKL 31



Part No.	<b>36781.31</b>	Max. shield diam. pos. 1	<b>8 mm</b>
EAN	<b>4251269303685</b>	Min. shield diam. pos. 2	<b>1,5 mm</b>
PU	<b>10</b>	Max. shield diam. pos. 2	<b>3 mm</b>
Strain relief (acc. to EN 62444)	<b>1</b>	Length	<b>37 mm</b>
No. of shield clamps	<b>2</b>	Width	<b>20 mm</b>
For max. no. of cables	<b>2</b>	Height	<b>23,4 mm</b>
Min. shield diam. pos. 1	<b>6 mm</b>	For min. wall thickness	<b>1,5 mm</b>
		For max. wall thickness	<b>2 mm</b>

## PFKZ2-B|SKL 31



Part No.	<b>36785.31</b>	Max. shield diam. pos. 1	<b>8 mm</b>
EAN	<b>4251269304224</b>	Min. shield diam. pos. 2	<b>1,5 mm</b>
PU	<b>10</b>	Max. shield diam. pos. 2	<b>3 mm</b>
Strain relief (acc. to EN 62444)	<b>1</b>	Length	<b>37 mm</b>
No. of shield clamps	<b>2</b>	Width	<b>20 mm</b>
For max. no. of cables	<b>2</b>	Height	<b>23 mm</b>
Min. shield diam. pos. 1	<b>6 mm</b>	For min. wall thickness	<b>2 mm</b>
		For max. wall thickness	<b>3 mm</b>

**PFKZ2-A|SKL 32**

Part No.	<b>36781.32</b>	Max. shield diam. pos. 1	<b>8 mm</b>
EAN	<b>4251269303692</b>	Min. shield diam. pos. 2	<b>3 mm</b>
PU	<b>10</b>	Max. shield diam. pos. 2	<b>6 mm</b>
Strain relief (acc. to EN 62444)	<b>1</b>	Length	<b>37 mm</b>
No. of shield clamps	<b>2</b>	Width	<b>20 mm</b>
For max. no. of cables	<b>2</b>	Height	<b>23,4 mm</b>
Min. shield diam. pos. 1	<b>6 mm</b>	For min. wall thickness	<b>1,5 mm</b>
		For max. wall thickness	<b>2 mm</b>

**PFKZ2-B|SKL 32**

Part No.	<b>36785.32</b>	Max. shield diam. pos. 1	<b>8 mm</b>
EAN	<b>4251269304231</b>	Min. shield diam. pos. 2	<b>3 mm</b>
PU	<b>10</b>	Max. shield diam. pos. 2	<b>6 mm</b>
Strain relief (acc. to EN 62444)	<b>1</b>	Length	<b>37 mm</b>
No. of shield clamps	<b>2</b>	Width	<b>20 mm</b>
For max. no. of cables	<b>2</b>	Height	<b>23 mm</b>
Min. shield diam. pos. 1	<b>6 mm</b>	For min. wall thickness	<b>2 mm</b>
		For max. wall thickness	<b>3 mm</b>

**PFKZ2-A|SKL 33**

Part No.	<b>36781.33</b>	Max. shield diam. pos. 1	<b>8 mm</b>
EAN	<b>4251269303708</b>	Min. shield diam. pos. 2	<b>6 mm</b>
PU	<b>10</b>	Max. shield diam. pos. 2	<b>8 mm</b>
Strain relief (acc. to EN 62444)	<b>1</b>	Length	<b>37 mm</b>
No. of shield clamps	<b>2</b>	Width	<b>20 mm</b>
For max. no. of cables	<b>2</b>	Height	<b>23,4 mm</b>
Min. shield diam. pos. 1	<b>6 mm</b>	For min. wall thickness	<b>1,5 mm</b>
		For max. wall thickness	<b>2 mm</b>

**PFKZ2-B|SKL 33**

Part No.	<b>36785.33</b>	Max. shield diam. pos. 1	<b>8 mm</b>
EAN	<b>4251269304248</b>	Min. shield diam. pos. 2	<b>6 mm</b>
PU	<b>10</b>	Max. shield diam. pos. 2	<b>8 mm</b>
Strain relief (acc. to EN 62444)	<b>1</b>	Length	<b>37 mm</b>
No. of shield clamps	<b>2</b>	Width	<b>20 mm</b>
For max. no. of cables	<b>2</b>	Height	<b>23 mm</b>
Min. shield diam. pos. 1	<b>6 mm</b>	For min. wall thickness	<b>2 mm</b>
		For max. wall thickness	<b>3 mm</b>

**PFKZ2-A|SKL 34**

Part No.	<b>36781.34</b>	Max. shield diam. pos. 1	<b>8 mm</b>
EAN	<b>4251269303715</b>	Min. shield diam. pos. 2	<b>8 mm</b>
PU	<b>10</b>	Max. shield diam. pos. 2	<b>11 mm</b>
Strain relief (acc. to EN 62444)	<b>1</b>	Length	<b>37 mm</b>
No. of shield clamps	<b>2</b>	Width	<b>20 mm</b>
For max. no. of cables	<b>2</b>	Height	<b>28,4 mm</b>
Min. shield diam. pos. 1	<b>6 mm</b>	For min. wall thickness	<b>1,5 mm</b>
		For max. wall thickness	<b>2 mm</b>

## PFKZ2-B|SKL 34



Part No.	<b>36785.34</b>	Max. shield diam. pos. 1	<b>8 mm</b>
EAN	<b>4251269304255</b>	Min. shield diam. pos. 2	<b>8 mm</b>
PU	<b>10</b>	Max. shield diam. pos. 2	<b>11 mm</b>
Strain relief (acc. to EN 62444)	<b>1</b>	Length	<b>37 mm</b>
No. of shield clamps	<b>2</b>	Width	<b>20 mm</b>
For max. no. of cables	<b>2</b>	Height	<b>28 mm</b>
Min. shield diam. pos. 1	<b>6 mm</b>	For min. wall thickness	<b>2 mm</b>
		For max. wall thickness	<b>3 mm</b>

## PFKZ2-A|SKL 40



Part No.	<b>36781.40</b>	Max. shield diam. pos. 1	<b>11 mm</b>
EAN	<b>4251269303722</b>	Length	<b>37 mm</b>
PU	<b>10</b>	Width	<b>18 mm</b>
Strain relief (acc. to EN 62444)	<b>1</b>	Height	<b>28,4 mm</b>
No. of shield clamps	<b>1</b>	For min. wall thickness	<b>1,5 mm</b>
For max. no. of cables	<b>1</b>	For max. wall thickness	<b>2 mm</b>
Min. shield diam. pos. 1	<b>8 mm</b>		

## PFKZ2-B|SKL 40



Part No.	<b>36785.40</b>	Max. shield diam. pos. 1	<b>11 mm</b>
EAN	<b>4251269304262</b>	Length	<b>37 mm</b>
PU	<b>10</b>	Width	<b>18 mm</b>
Strain relief (acc. to EN 62444)	<b>1</b>	Height	<b>28 mm</b>
No. of shield clamps	<b>1</b>	For min. wall thickness	<b>2 mm</b>
For max. no. of cables	<b>1</b>	For max. wall thickness	<b>3 mm</b>
Min. shield diam. pos. 1	<b>8 mm</b>		

## PFKZ2-A|SKL 41



Part No.	<b>36781.41</b>	Max. shield diam. pos. 1	<b>11 mm</b>
EAN	<b>4251269303739</b>	Min. shield diam. pos. 2	<b>1,5 mm</b>
PU	<b>10</b>	Max. shield diam. pos. 2	<b>3 mm</b>
Strain relief (acc. to EN 62444)	<b>1</b>	Length	<b>37 mm</b>
No. of shield clamps	<b>2</b>	Width	<b>20 mm</b>
For max. no. of cables	<b>2</b>	Height	<b>28,4 mm</b>
Min. shield diam. pos. 1	<b>8 mm</b>	For min. wall thickness	<b>1,5 mm</b>
		For max. wall thickness	<b>2 mm</b>

## PFKZ2-B|SKL 41



Part No.	<b>36785.41</b>	Max. shield diam. pos. 1	<b>11 mm</b>
EAN	<b>4251269304279</b>	Min. shield diam. pos. 2	<b>1,5 mm</b>
PU	<b>10</b>	Max. shield diam. pos. 2	<b>3 mm</b>
Strain relief (acc. to EN 62444)	<b>1</b>	Length	<b>37 mm</b>
No. of shield clamps	<b>2</b>	Width	<b>20 mm</b>
For max. no. of cables	<b>2</b>	Height	<b>28 mm</b>
Min. shield diam. pos. 1	<b>8 mm</b>	For min. wall thickness	<b>2 mm</b>
		For max. wall thickness	<b>3 mm</b>

## PFKZ2-A|SKL 42



Part No.	<b>36781.42</b>	Max. shield diam. pos. 1	<b>11 mm</b>
EAN	<b>4251269303746</b>	Min. shield diam. pos. 2	<b>3 mm</b>
PU	<b>10</b>	Max. shield diam. pos. 2	<b>6 mm</b>
Strain relief (acc. to EN 62444)	<b>1</b>	Length	<b>37 mm</b>
No. of shield clamps	<b>2</b>	Width	<b>20 mm</b>
For max. no. of cables	<b>2</b>	Height	<b>28,4 mm</b>
Min. shield diam. pos. 1	<b>8 mm</b>	For min. wall thickness	<b>1,5 mm</b>
		For max. wall thickness	<b>2 mm</b>

**PFKZ2-B|SKL 42**

Part No.	<b>36785.42</b>	Max. shield diam. pos. 1	<b>11 mm</b>
EAN	<b>4251269304286</b>	Min. shield diam. pos. 2	<b>3 mm</b>
PU	<b>10</b>	Max. shield diam. pos. 2	<b>6 mm</b>
Strain relief (acc. to EN 62444)	<b>1</b>	Length	<b>37 mm</b>
No. of shield clamps	<b>2</b>	Width	<b>20 mm</b>
For max. no. of cables	<b>2</b>	Height	<b>28 mm</b>
Min. shield diam. pos. 1	<b>8 mm</b>	For min. wall thickness	<b>2 mm</b>
		For max. wall thickness	<b>3 mm</b>

**PFKZ2-A|SKL 43**

Part No.	<b>36781.43</b>	Max. shield diam. pos. 1	<b>11 mm</b>
EAN	<b>4251269303753</b>	Min. shield diam. pos. 2	<b>6 mm</b>
PU	<b>10</b>	Max. shield diam. pos. 2	<b>8 mm</b>
Strain relief (acc. to EN 62444)	<b>1</b>	Length	<b>37 mm</b>
No. of shield clamps	<b>2</b>	Width	<b>20 mm</b>
For max. no. of cables	<b>2</b>	Height	<b>28,4 mm</b>
Min. shield diam. pos. 1	<b>8 mm</b>	For min. wall thickness	<b>1,5 mm</b>
		For max. wall thickness	<b>2 mm</b>

**PFKZ2-B|SKL 43**

Part No.	<b>36785.43</b>	Max. shield diam. pos. 1	<b>11 mm</b>
EAN	<b>4251269304293</b>	Min. shield diam. pos. 2	<b>6 mm</b>
PU	<b>10</b>	Max. shield diam. pos. 2	<b>8 mm</b>
Strain relief (acc. to EN 62444)	<b>1</b>	Length	<b>37 mm</b>
No. of shield clamps	<b>2</b>	Width	<b>20 mm</b>
For max. no. of cables	<b>2</b>	Height	<b>28 mm</b>
Min. shield diam. pos. 1	<b>8 mm</b>	For min. wall thickness	<b>2 mm</b>
		For max. wall thickness	<b>3 mm</b>