



KAFM-EMC cable assembly with strain relief

for shield earthing and simultaneous strain relief



The EMC strain relief plate KAFM is practical for earthing interferences on the cable shield.

The cable assembly can be assembled on a mounting plate with screws, with SC-feet on C section rails C30 or with MF-feet on 35 mm top hat DIN rails.



Specifications

Material	Stainless steel
Properties	vibration proof
Mounting options	Snap-in, Screw type mounting

Advantages & benefits

- Universal solution

Product types & sizes

KAFM 2



Part No.	36422
EAN	4251269302657
PU	1
Strain relief (acc. to EN 62444)	1
For max. no. of cables	2
Length L1	50,5 mm
Length L2	37,5 mm

Width	49 mm
Height	2 mm
No. of screw holes	2
Diam. of screw holes	4,5
No. of teeth	2

KAFM 4



Part No.	36424
EAN	4251269302664
PU	1
Strain relief (acc. to EN 62444)	1
For max. no. of cables	4
Length L1	83,5 mm
Length L2	70,5 mm

Width	49 mm
Height	2 mm
No. of screw holes	2
Diam. of screw holes	4,5 mm
No. of teeth	4

KAFM 6

Part No. **36426**
 EAN **4251269302671**
 PU **1**
 Strain relief (acc. to EN 62444) **1**
 For max. no. of cables **6**
 Length L1 **116,5 mm**
 Length L2 **103,5 mm**

Width **49 mm**
 Height **2 mm**
 No. of screw holes **2**
 Diam. of screw holes **4,5 mm**
 No. of teeth **6**

KAFM 8

Part No. **36428**
 EAN **4251269302688**
 PU **1**
 Strain relief (acc. to EN 62444) **1**
 For max. no. of cables **8**
 Length L1 **149,5 mm**
 Length L2 **136,5 mm**

Width **49 mm**
 Height **2 mm**
 No. of screw holes **2**
 Diam. of screw holes **4,5 mm**
 No. of teeth **8**

KAFM 10

Part No. **36430**
 EAN **4251269302695**
 PU **1**
 Strain relief (acc. to EN 62444) **1**
 For max. no. of cables **10**
 Length L1 **182,5 mm**
 Length L2 **169,5 mm**

Width **49 mm**
 Height **2 mm**
 No. of screw holes **2**
 Diam. of screw holes **4,5 mm**
 No. of teeth **10**

KAFM 16

Part No. **36530**
 EAN **4251269303081**
 PU **1**
 Strain relief (acc. to EN 62444) **1**
 For max. no. of cables **16**
 Length L1 **281,5 mm**
 Length L2 **268,5 mm**

Width **49 mm**
 Height **2 mm**
 No. of screw holes **3**
 Diam. of screw holes **4,5 mm**
 No. of teeth **16**

KAFM 29

Part No. **36540**
 EAN **4251269303098**
 PU **1**
 Strain relief (acc. to EN 62444) **1**
 For max. no. of cables **29**
 Length L1 **494,5 mm**
 Length L2 **481,5 mm**

Width **49 mm**
 Height **2 mm**
 No. of screw holes **5**
 Diam. of screw holes **4,5 mm**
 No. of teeth **29**

KAFM 59

Part No. **36550**
 EAN **4251269303104**
 PU **1**
 Strain relief (acc. to EN 62444) **1**
 For max. no. of cables **59**
 Length L1 **990 mm**
 Length L2 **978 mm**

Width **49 mm**
 Height **2 mm**
 No. of screw holes **5**
 Diam. of screw holes **4,5 mm**
 No. of teeth **59**

KAFM 59 zn

Part No. **36562**
 EAN **4251269303111**
 PU **1**
 Strain relief (acc. to EN 62444) **1**
 For max. no. of cables **59**
 Length L1 **990 mm**
 Length L2 **978 mm**

Width **49 mm**
 Height **2 mm**
 No. of screw holes **5**
 Diam. of screw holes **4,5 mm**
 No. of teeth **59**

Distance bushing KAFM

Part No. **36234**
 EAN **4251269302275**
 PU **10**
 Strain relief (acc. to EN 62444) **1**
 Length **12 mm**
 Height **8 mm**

KAFM 2|DH

Part No. **36482**
 EAN **4251269302930**
 PU **1**
 Strain relief (acc. to EN 62444) **1**
 For max. no. of cables **2**
 Length L1 **50,5 mm**
 Length L2 **37,5 mm**

Width **49 mm**
 Height **10 mm**
 No. of screw holes **2**
 Diam. of screw holes **4,5 mm**
 No. of teeth **2**

KAFM 4|DH

Part No. **36484**
 EAN **4251269302947**
 PU **1**
 Strain relief (acc. to EN 62444) **1**
 For max. no. of cables **4**
 Length L1 **83,5 mm**
 Length L2 **70,5 mm**

Width **49 mm**
 Height **10 mm**
 No. of screw holes **2**
 Diam. of screw holes **4,5 mm**
 No. of teeth **4**

KAFM 6|DH

Part No. **36486**
 EAN **4251269302954**
 PU **1**
 Strain relief (acc. to EN 62444) **1**
 For max. no. of cables **6**
 Length L1 **116,5 mm**
 Length L2 **103,5 mm**

Width **49 mm**
 Height **10 mm**
 No. of screw holes **2**
 Diam. of screw holes **4,5 mm**
 No. of teeth **6**

KAFM 8|DH

Part No. **36488**
 EAN **4251269302961**
 PU **1**
 Strain relief (acc. to EN 62444) **1**
 For max. no. of cables **8**
 Length L1 **149,5 mm**
 Length L2 **136,5 mm**

Width **49 mm**
 Height **10 mm**
 No. of screw holes **2**
 Diam. of screw holes **4,5 mm**
 No. of teeth **8**

KAFM 10|DH

Part No.	36490
EAN	4251269302978
PU	1
Strain relief (acc. to EN 62444)	1
For max. no. of cables	10
Length L1	182,5 mm
Length L2	169,5 mm

Width	49 mm
Height	10 mm
No. of screw holes	2
Diam. of screw holes	4,5 mm
No. of teeth	10

KAFM 16|DH

Part No.	36460
EAN	4251269302848
PU	1
Strain relief (acc. to EN 62444)	1
For max. no. of cables	16
Length L1	281,5 mm
Length L2	268,5 mm

Width	49 mm
Height	10 mm
No. of screw holes	3
Diam. of screw holes	4,5 mm
No. of teeth	16

KAFM 29|DH

Part No.	36462
EAN	4251269302855
PU	1
Strain relief (acc. to EN 62444)	1
For max. no. of cables	29
Length L1	494,5 mm
Length L2	481,5 mm

Width	49 mm
Height	10 mm
No. of screw holes	5
Diam. of screw holes	4,5 mm
No. of teeth	29

KAFM 59|DH

Part No.	36464
EAN	4251269302862
PU	1
Strain relief (acc. to EN 62444)	1
For max. no. of cables	59
Length L1	990 mm
Length L2	978 mm

Width	49 mm
Height	10 mm
No. of screw holes	5
Diam. of screw holes	4,5 mm
No. of teeth	59

Screw M4 x 16 DIN 912

Part No.	99017
EAN	4251269316494
PU	10
Strain relief (acc. to EN 62444)	1
Length	20 mm
Height	7 mm

Width	49 mm
Height	10 mm
No. of screw holes	5
Diam. of screw holes	4,5 mm
No. of teeth	59

KAFM 2|SF

Part No.	36442
EAN	4251269302756
PU	1
Width	49 mm
Height	19 mm
Strain relief (acc. to EN 62444)	1
For max. no. of cables	2

Length L1	50,5 mm
Length L2	37,5 mm
No. of teeth	2

KAFM 4|SF

Part No. **36444**
 EAN **4251269302763**
 PU **1**
 Width **49 mm**
 Height **19 mm**
 Strain relief (acc. to EN 62444) **1**
 For max. no. of cables **4**

Length L1 **83,5 mm**
 Length L2 **70,5 mm**
 No. of teeth **4**

KAFM 6|SF

Part No. **36446**
 EAN **4251269302770**
 PU **1**
 Width **49 mm**
 Height **19 mm**
 Strain relief (acc. to EN 62444) **1**
 For max. no. of cables **6**

Length L1 **116,5 mm**
 Length L2 **103,5 mm**
 No. of teeth **6**

KAFM 8|SF

Part No. **36448**
 EAN **4251269302787**
 PU **1**
 Width **49 mm**
 Height **19 mm**
 Strain relief (acc. to EN 62444) **1**
 For max. no. of cables **8**

Length L1 **149,5 mm**
 Length L2 **136,5 mm**
 No. of teeth **8**

KAFM 10|SF

Part No. **36450**
 EAN **4251269302794**
 PU **1**
 Width **49 mm**
 Height **19 mm**
 Strain relief (acc. to EN 62444) **1**
 For max. no. of cables **10**

Length L1 **182,5 mm**
 Length L2 **169,5 mm**
 No. of teeth **10**

KAFM 16|SF

Part No. **36452**
 EAN **4251269302800**
 PU **1**
 Width **49 mm**
 Height **19 mm**
 Strain relief (acc. to EN 62444) **1**
 For max. no. of cables **16**

Length L1 **281,5 mm**
 Length L2 **268,5 mm**
 No. of teeth **16**

KAFM 29|SF

Part No. **36454**
 EAN **4251269302817**
 PU **1**
 Width **49 mm**
 Height **19 mm**
 Strain relief (acc. to EN 62444) **1**
 For max. no. of cables **29**

Length L1 **494,5 mm**
 Length L2 **481,5 mm**
 No. of teeth **29**

KAFM 59|SF

Part No. **36458**
 EAN **4251269302824**
 PU **1**
 Width **49 mm**
 Height **19 mm**
 Strain relief (acc. to EN 62444) **1**
 For max. no. of cables **59**

Length L1 **990 mm**
 Length L2 **978 mm**
 No. of teeth **59**

KAFM 59|SF zn

Part No. **36459**
 EAN **4251269302831**
 PU **1**
 Width **49 mm**
 Height **19 mm**
 Strain relief (acc. to EN 62444) **1**
 For max. no. of cables **59**

Length L1 **990 mm**
 Length L2 **978 mm**
 No. of teeth **59**

KAFM 2|SK

Part No. **36432**
 EAN **4251269302701**
 PU **1**
 Width **49 mm**
 Height **36 mm**
 Strain relief (acc. to EN 62444) **1**
 For max. no. of cables **2**

Length L1 **50,5 mm**
 Length L2 **37,5 mm**
 No. of teeth **2**

KAFM 4|SK

Part No. **36434**
 EAN **4251269302718**
 PU **1**
 Width **49 mm**
 Height **36 mm**
 Strain relief (acc. to EN 62444) **1**
 For max. no. of cables **4**

Length L1 **83,5 mm**
 Length L2 **70,5 mm**
 No. of teeth **4**

KAFM 6|SK


Part No. **36436**
 EAN **4251269302725**
 PU **1**
 Width **49 mm**
 Height **36 mm**
 Strain relief (acc. to EN 62444) **1**
 For max. no. of cables **6**


Length L1 **116,5 mm**
 Length L2 **103,5 mm**
 No. of teeth **6**


KAFM 8|SK


Part No. **36438**
 EAN **4251269302732**
 PU **1**
 Width **49 mm**
 Height **36 mm**
 Strain relief (acc. to EN 62444) **1**
 For max. no. of cables **8**


Length L1 **149,5 mm**
 Length L2 **136,5 mm**
 No. of teeth **8**


	Part No.	36440	Length L1	182,5 mm
	EAN	4251269302749	Length L2	169,5 mm
	PU	1	No. of teeth	10
	Width	49 mm		
	Height	36 mm		
	Strain relief (acc. to EN 62444)	1		
	For max. no. of cables	10		


	Part No.	36470	Length L1	281,5 mm
	EAN	4251269302909	Length L2	268,5 mm
	PU	1	No. of teeth	16
	Width	49 mm		
	Height	36 mm		
	Strain relief (acc. to EN 62444)	1		
	For max. no. of cables	16		


	Part No.	36471	Length L1	494,5 mm
	EAN	4251269302916	Length L2	481,5 mm
	PU	1	No. of teeth	29
	Width	49 mm		
	Height	36 mm		
	Strain relief (acc. to EN 62444)	1		
	For max. no. of cables	29		


	Part No.	36472	Length L1	990 mm
	EAN	4251269302923	Length L2	978 mm
	PU	1	No. of teeth	59
	Width	49 mm		
	Height	36 mm		
	Strain relief (acc. to EN 62444)	1		
	For max. no. of cables	59		


	Part No.	36412	Length L1	50,5 mm
	EAN	4251269302619	Length L2	37,5 mm
	PU	1	No. of teeth	2
	Width	49 mm		
	Height	19 mm		
	Strain relief (acc. to EN 62444)	1		
	For max. no. of cables	2		


	Part No.	36414	Length L1	83,5 mm
	EAN	4251269302626	Length L2	70,5 mm
	PU	1	No. of teeth	4
	Width	49 mm		
	Height	19 mm		
	Strain relief (acc. to EN 62444)	1		
	For max. no. of cables	4		


KAFM 6 SC 	Part No.	36416	Length L1	116,5 mm
	EAN	4251269302633	Length L2	103,5 mm
	PU	1	No. of teeth	6
	Width	49 mm		
	Height	19 mm		
	Strain relief (acc. to EN 62444)	1		
	For max. no. of cables	6		

KAFM 8 SC 	Part No.	36418	Length L1	149,5 mm
	EAN	4251269302640	Length L2	136,5 mm
	PU	1	No. of teeth	8
	Width	49 mm		
	Height	19 mm		
	Strain relief (acc. to EN 62444)	1		
	For max. no. of cables	8		

KAFM 10 SC 	Part No.	36400	Length L1	182,5 mm
	EAN	4251269302602	Length L2	169,5 mm
	PU	1	No. of teeth	10
	Width	49 mm		
	Height	19 mm		
	Strain relief (acc. to EN 62444)	1		
	For max. no. of cables	10		

KAFM 16 SC 	Part No.	36465	Length L1	281,5 mm
	EAN	4251269302879	Length L2	268,5 mm
	PU	1	No. of teeth	16
	Width	49 mm		
	Height	19 mm		
	Strain relief (acc. to EN 62444)	1		
	For max. no. of cables	16		

KAFM 29 SC 	Part No.	36466	Length L1	494,5 mm
	EAN	4251269302886	Length L2	481,5 mm
	PU	1	No. of teeth	29
	Width	49 mm		
	Height	19 mm		
	Strain relief (acc. to EN 62444)	1		
	For max. no. of cables	29		

KAFM 59 SC 	Part No.	36467	Length L1	990 mm
	EAN	4251269302893	Length L2	978 mm
	PU	1	No. of teeth	59
	Width	49 mm		
	Height	19 mm		
	Strain relief (acc. to EN 62444)	1		
	For max. no. of cables	59		

SK single

Part No.	36232
EAN	4251269302268
PU	10
Length	50 mm
Width	9 mm
Height	31 mm
No. of screw holes	1

Diam. of screw holes	5,1 mm
----------------------	---------------

SC single

Part No.	36220
EAN	4251269302183
PU	10
Length	26 mm
Width	22,5 mm
Height	6,5 mm
Mounting height	2

No. of screw holes	1
Diam. of screw holes	4,1 mm