

# KEL-DPZ CR multi-membrane cable entry plates, round

for the use in cleanrooms, M25 - M63 / IP66 / IP68 / UL Type 12/4X\*



KEL-DPZ CR round cable entry plates are designed to route and seal cables without connectors or fibre optics (from 1.5 mm to 22 mm in diameter) in limited space.

The assembly of the KEL-DPZ CR round with cables or pneumatic hoses can be done quick and easy. Simply make a small hole in the thin membrane, push the cables through. The KEL-DPZ CR round provides strain relief and protection IP66 / IP68 / UL Type 4X\*.

The round versions of the KEL-DPZ CR series have a thread to fit in metric cut-outs from M25 to M63. Thus cut-outs for metric cable glands can be used.

The products with article ending .600 are tested and certified for particle emission for cleanroom class 1 according to ISO 14644-1. The materials used for these products have been tested and certified for outgassing according to VOC/SVOC (ISO 14644-8; ISO 16000-6,-9,-11,-25, VDI 2083 sheet 17).

The products with the article ending .601 are tested and certified for particle emission for cleanroom class 1 according to ISO 14644-1.

\*4X for indoor use only



## Specifications

IP rating (EN 60529)	IP54, IP55, IP64, IP65, IP66, IP67, IP68
UL Type (UL 50E)	UL Type 12, UL Type 4X
Material	Elastomer Base frame: Polyamide
Flame class	UL94-V0, self-extinguishing
Operating temperature	-40 C° to 100 C°
Properties	silicone free, halogen free
Mounting options	Fasten with locknut

## Advantages & benefits

- Schnelle Montage
- Hohe Packungsdichte
- Zertifizierte Schutzarten IP66/IP68 (nach EN 60529)
- Automatisch abgedichtet und zugentlastet
- Aufsetzen auf metrische Standardausbrüche
- Sechskantmuttern im Lieferumfang enthalten
- Hygienisches Design - keine Schmutznischen

## Product types & sizes

KEL-DPZ 25|3 CR gy



Part No.	43736.601	Mounting height	8 mm
EAN	4251269328268	Cut-out size, round	25,3 mm
PU	5	Cut-out size, metric	M25
For max. no. of cables	3	Thread	M25 x 1,5
Colour	grau (ähnlich RAL 7035)	Thread length	14 mm
Height	22 mm	Clamping range	2 x 3.2 - 5.2 mm
External diameter	39 mm		1 x 3.2 - 6.5 mm

**KEL-DPZ 25|3 CR  
(S)VOC gy**

Part No. **43736.600**  
 EAN **4251269327964**  
 PU **5**  
 For max. no. of cables **3**  
 Colour **grau (ähnlich RAL 7035)**  
 Height **22 mm**  
 External diameter **39 mm**

Mounting height **8 mm**  
 Cut-out size, round **25,3 mm**  
 Cut-out size, metric **M25**  
 Thread **M25 x 1,5**  
 Thread length **14 mm**  
 Clamping range **2 x 3.2 - 5.2 mm**  
**1 x 3.2 - 6.5 mm**

**KEL-DPZ 25|3 CR bk**


Part No. **50736.601**  
 EAN **4251269328411**  
 PU **5**  
 For max. no. of cables **3**  
 Colour **schwarz**  
 Height **22 mm**  
 External diameter **39 mm**

Mounting height **8 mm**  
 Cut-out size, round **25,3 mm**  
 Cut-out size, metric **M25**  
 Thread **M25 x 1,5**  
 Thread length **14 mm**  
 Clamping range **2 x 3.2 - 5.2 mm**  
**1 x 3.2 - 6.5 mm**

**KEL-DPZ 25|3 CR  
(S)VOC bk**


Part No. **50736.600**  
 EAN **4251269328114**  
 PU **5**  
 For max. no. of cables **3**  
 Colour **schwarz**  
 Height **22 mm**  
 External diameter **39 mm**

Mounting height **8 mm**  
 Cut-out size, round **25,3 mm**  
 Cut-out size, metric **M25**  
 Thread **M25 x 1,5**  
 Thread length **14 mm**  
 Clamping range **2 x 3.2 - 5.2 mm**  
**1 x 3.2 - 6.5 mm**

**KEL-DPZ 25|4 CR gy**


Part No. **43737.601**  
 EAN **4251269328275**  
 PU **5**  
 For max. no. of cables **4**  
 Colour **grau (ähnlich RAL 7035)**  
 Height **22 mm**  
 External diameter **39 mm**

Mounting height **8 mm**  
 Cut-out size, round **25,3 mm**  
 Cut-out size, metric **M25**  
 Thread **M25 x 1,5**  
 Thread length **14 mm**  
 Clamping range **4 x 3.2 - 5.2 mm**

**KEL-DPZ 25|4 CR  
(S)VOC gy**

Part No. **43737.600**  
 EAN **4251269327971**  
 PU **5**  
 For max. no. of cables **4**  
 Colour **grau (ähnlich RAL 7035)**  
 Height **22 mm**  
 External diameter **39 mm**

Mounting height **8 mm**  
 Cut-out size, round **25,3 mm**  
 Cut-out size, metric **M25**  
 Thread **M25 x 1,5**  
 Thread length **14 mm**  
 Clamping range **4 x 3.2 - 5.2 mm**

**KEL-DPZ 25|4 CR bk**

Part No. **50737.601**  
 EAN **4251269328428**  
 PU **5**  
 For max. no. of cables **4**  
 Colour **schwarz**  
 Height **22 mm**  
 External diameter **39 mm**

Mounting height **8 mm**  
 Cut-out size, round **25,3 mm**  
 Cut-out size, metric **M25**  
 Thread **M25 x 1,5**  
 Thread length **14 mm**  
 Clamping range **4 x 3.2 - 5.2 mm**

**KEL-DPZ 25|4 CR  
(S)VOC bk**

Part No. **50737.600**  
 EAN **4251269328121**  
 PU **5**  
 For max. no. of cables **4**  
 Colour **schwarz**  
 Height **22 mm**  
 External diameter **39 mm**

Mounting height **8 mm**  
 Cut-out size, round **25,3 mm**  
 Cut-out size, metric **M25**  
 Thread **M25 x 1,5**  
 Thread length **14 mm**  
 Clamping range **4 x 3.2 - 5.2 mm**

**KEL-DPZ 32|4 CR gy**

Part No. **43732.601**  
 EAN **4251269328237**  
 PU **5**  
 For max. no. of cables **4**  
 Colour **grau (ähnlich RAL 7035)**  
 Height **22 mm**  
 External diameter **44 mm**

Mounting height **8 mm**  
 Cut-out size, round **32,3 mm**  
 Cut-out size, metric **M32**  
 Thread **M32 x 1,5**  
 Thread length **14 mm**  
 Clamping range **3 x 3.2 - 6.5 mm**  
**1 x 7.2 - 12.5 mm**

**KEL-DPZ 32|4 CR  
(S)VOC gy**

Part No. **43732.600**  
 EAN **4251269327933**  
 PU **5**  
 For max. no. of cables **4**  
 Colour **grau (ähnlich RAL 7035)**  
 Height **22 mm**  
 External diameter **44 mm**

Mounting height **8 mm**  
 Cut-out size, round **32,3 mm**  
 Cut-out size, metric **M32**  
 Thread **M32 x 1,5**  
 Thread length **14 mm**  
 Clamping range **3 x 3.2 - 6.5 mm**  
**1 x 7.2 - 12.5 mm**

**KEL-DPZ 32|4 CR bk**


Part No. **50732.601**  
 EAN **4251269328381**  
 PU **5**  
 For max. no. of cables **4**  
 Colour **schwarz**  
 Height **22 mm**  
 External diameter **44 mm**

Mounting height **8 mm**  
 Cut-out size, round **32,3 mm**  
 Cut-out size, metric **M32**  
 Thread **M32 x 1,5**  
 Thread length **14 mm**  
 Clamping range **3 x 3.2 - 6.5 mm**  
**1 x 7.2 - 12.5 mm**

**KEL-DPZ 32|4 CR  
(S)VOC bk**


Part No. **50732.600**  
 EAN **4251269328084**  
 PU **5**  
 For max. no. of cables **4**  
 Colour **schwarz**  
 Height **22 mm**  
 External diameter **44 mm**

Mounting height **8 mm**  
 Cut-out size, round **32,3 mm**  
 Cut-out size, metric **M32**  
 Thread **M32 x 1,5**  
 Thread length **14 mm**  
 Clamping range **3 x 3.2 - 6.5 mm**  
**1 x 7.2 - 12.5 mm**

**KEL-DPZ 32|4-2 CR gy**


Part No. **43733.601**  
 EAN **4251269328244**  
 PU **5**  
 For max. no. of cables **4**  
 Colour **grau (ähnlich RAL 7035)**  
 Height **22 mm**  
 External diameter **44 mm**

Mounting height **8 mm**  
 Cut-out size, round **32,3 mm**  
 Cut-out size, metric **M32**  
 Thread **M32 x 1,5**  
 Thread length **14 mm**  
 Clamping range **4 x 5 - 9.5 mm**

**KEL-DPZ 32|4-2 CR  
(S)VOC gy**

Part No. **43733.600**  
 EAN **4251269327940**  
 PU **5**  
 For max. no. of cables **4**  
 Colour **grau (ähnlich RAL 7035)**  
 Height **22 mm**  
 External diameter **44 mm**

Mounting height **8 mm**  
 Cut-out size, round **32,3 mm**  
 Cut-out size, metric **M32**  
 Thread **M32 x 1,5**  
 Thread length **14 mm**  
 Clamping range **4 x 5 - 9.5 mm**

**KEL-DPZ 32|4-2 CR bk**


Part No. **50733.601**  
 EAN **4251269328398**  
 PU **5**  
 For max. no. of cables **4**  
 Colour **schwarz**  
 Height **22 mm**  
 External diameter **44 mm**

Mounting height **8 mm**  
 Cut-out size, round **32,3 mm**  
 Cut-out size, metric **M32**  
 Thread **M32 x 1,5**  
 Thread length **14 mm**  
 Clamping range **4 x 5 - 9.5 mm**

**KEL-DPZ 32|4-2 CR  
(S)VOC bk**


Part No. **50733.600**  
 EAN **4251269328091**  
 PU **5**  
 For max. no. of cables **4**  
 Colour **schwarz**  
 Height **22 mm**  
 External diameter **44 mm**

Mounting height **8 mm**  
 Cut-out size, round **32,3 mm**  
 Cut-out size, metric **M32**  
 Thread **M32 x 1,5**  
 Thread length **14 mm**  
 Clamping range **4 x 5 - 9.5 mm**

**KEL-DPZ 32|7 CR gy**

Part No. **43734.601**  
 EAN **4251269328251**  
 PU **5**  
 For max. no. of cables **7**  
 Colour **grau (ähnlich RAL 7035)**  
 Height **22 mm**  
 External diameter **44 mm**

Mounting height **8 mm**  
 Cut-out size, round **32,3 mm**  
 Cut-out size, metric **M32**  
 Thread **M32 x 1,5**  
 Thread length **14 mm**  
 Clamping range **7 x 3.2 - 6.5 mm**

**KEL-DPZ 32|7 CR  
(S)VOC gy**

Part No. **43734.600**  
 EAN **4251269327957**  
 PU **5**  
 For max. no. of cables **7**  
 Colour **grau (ähnlich RAL 7035)**  
 Height **22 mm**  
 External diameter **44 mm**

Mounting height **8 mm**  
 Cut-out size, round **32,3 mm**  
 Cut-out size, metric **M32**  
 Thread **M32 x 1,5**  
 Thread length **14 mm**  
 Clamping range **7 x 3.2 - 6.5 mm**

**KEL-DPZ 32|7 CR bk**


Part No. **50734.601**  
 EAN **4251269328404**  
 PU **5**  
 For max. no. of cables **7**  
 Colour **schwarz**  
 Height **22 mm**  
 External diameter **44 mm**

Mounting height **8 mm**  
 Cut-out size, round **32,3 mm**  
 Cut-out size, metric **M32**  
 Thread **M32 x 1,5**  
 Thread length **14 mm**  
 Clamping range **7 x 3.2 - 6.5 mm**

**KEL-DPZ 32|7 CR  
(S)VOC bk**


Part No. **50734.600**  
 EAN **4251269328107**  
 PU **5**  
 For max. no. of cables **7**  
 Colour **schwarz**  
 Height **22 mm**  
 External diameter **44 mm**

Mounting height **8 mm**  
 Cut-out size, round **32,3 mm**  
 Cut-out size, metric **M32**  
 Thread **M32 x 1,5**  
 Thread length **14 mm**  
 Clamping range **7 x 3.2 - 6.5 mm**

**KEL-DPZ 40|8 CR gy**

Part No. **43741.601**  
 EAN **4251269328282**  
 PU **5**  
 For max. no. of cables **8**  
 Colour **grau (ähnlich RAL 7035)**  
 Height **22 mm**  
 External diameter **52 mm**

Mounting height **8 mm**  
 Cut-out size, round **40,4 mm**  
 Cut-out size, metric **M40**  
 Thread **M40 x 1,5**  
 Thread length **14 mm**  
 Clamping range **4 x 3.2 - 6.5 mm**  
**4 x 5 - 10.2 mm**

**KEL-DPZ 40|8 CR  
(S)VOC gy**

Part No. **43741.600**  
 EAN **4251269327988**  
 PU **5**  
 For max. no. of cables **8**  
 Colour **grau (ähnlich RAL 7035)**  
 Height **22 mm**  
 External diameter **52 mm**

Mounting height **8 mm**  
 Cut-out size, round **40,4 mm**  
 Cut-out size, metric **M40**  
 Thread **M40 x 1,5**  
 Thread length **14 mm**  
 Clamping range **4 x 3.2 - 6.5 mm**  
**4 x 5 - 10.2 mm**

**KEL-DPZ 40|8 CR bk**

Part No. **50741.601**  
 EAN **4251269328435**  
 PU **5**  
 For max. no. of cables **8**  
 Colour **schwarz**  
 Height **22 mm**  
 External diameter **52 mm**

Mounting height **8 mm**  
 Cut-out size, round **40,4 mm**  
 Cut-out size, metric **M40**  
 Thread **M40 x 1,5**  
 Thread length **14 mm**  
 Clamping range **4 x 3.2 - 6.5 mm**  
**4 x 5 - 10.2 mm**

**KEL-DPZ 40|8 CR  
(S)VOC bk**

Part No. **50741.600**  
 EAN **4251269328138**  
 PU **5**  
 For max. no. of cables **8**  
 Colour **schwarz**  
 Height **22 mm**  
 External diameter **52 mm**

Mounting height **8 mm**  
 Cut-out size, round **40,4 mm**  
 Cut-out size, metric **M40**  
 Thread **M40 x 1,5**  
 Thread length **14 mm**  
 Clamping range **4 x 3.2 - 6.5 mm**  
**4 x 5 - 10.2 mm**

**KEL-DPZ 50|8 CR gy**

Part No. **43750.601**  
 EAN **4251269328299**  
 PU **5**  
 For max. no. of cables **8**  
 Colour **grau (ähnlich RAL 7035)**  
 Height **22 mm**  
 External diameter **62 mm**

Mounting height **8 mm**  
 Cut-out size, round **50,4 mm**  
 Cut-out size, metric **M50**  
 Thread **M50 x 1,5**  
 Thread length **14 mm**  
 Clamping range **5 x 5 - 10.2 mm**  
**3 x 7.2 - 12.5 mm**

**KEL-DPZ 50|8 CR  
(S)VOC gy**

Part No. **43750.600**  
 EAN **4251269327995**  
 PU **5**  
 For max. no. of cables **8**  
 Colour **grau (ähnlich RAL 7035)**  
 Height **22 mm**  
 External diameter **62 mm**

Mounting height **8 mm**  
 Cut-out size, round **50,4 mm**  
 Cut-out size, metric **M50**  
 Thread **M50 x 1,5**  
 Thread length **14 mm**  
 Clamping range **5 x 5 - 10.2 mm**  
**3 x 7.2 - 12.5 mm**

**KEL-DPZ 50|8 CR bk**

Part No. **50750.601**  
 EAN **4251269328442**  
 PU **5**  
 For max. no. of cables **8**  
 Colour **schwarz**  
 Height **22 mm**  
 External diameter **62 mm**

Mounting height **8 mm**  
 Cut-out size, round **50,4 mm**  
 Cut-out size, metric **M50**  
 Thread **M50 x 1,5**  
 Thread length **14 mm**  
 Clamping range **5 x 5 - 10.2 mm**  
**3 x 7.2 - 12.5 mm**

**KEL-DPZ 50|8 bk**

Part No. **50750.600**  
 EAN **4251269328145**  
 PU **5**  
 For max. no. of cables **8**  
 Colour **schwarz**  
 Height **22 mm**  
 External diameter **62 mm**

Mounting height **8 mm**  
 Cut-out size, round **50,4 mm**  
 Cut-out size, metric **M50**  
 Thread **M50 x 1,5**  
 Thread length **14 mm**  
 Clamping range **5 x 5 - 10.2 mm**  
**3 x 7.2 - 12.5 mm**

**KEL-DPZ 50|10 CR gy**

Part No. **43751.601**  
 EAN **4251269328305**  
 PU **5**  
 For max. no. of cables **10**  
 Colour **grau (ähnlich RAL 7035)**  
 Height **22 mm**  
 External diameter **62 mm**

Mounting height **8 mm**  
 Cut-out size, round **50,4 mm**  
 Cut-out size, metric **M50**  
 Thread **M50 x 1,5**  
 Thread length **14 mm**  
 Clamping range **7 x 3.2 - 6.5 mm**  
**2 x 5 - 10.2 mm**  
**1 x 16 - 22.2 mm**

**KEL-DPZ 50|10 CR  
(S)VOC gy**

Part No. **43751.600**  
 EAN **4251269328008**  
 PU **5**  
 For max. no. of cables **10**  
 Colour **grau (ähnlich RAL 7035)**  
 Height **22 mm**  
 External diameter **62 mm**

Mounting height **8 mm**  
 Cut-out size, round **50,4 mm**  
 Cut-out size, metric **M50**  
 Thread **M50 x 1,5**  
 Thread length **14 mm**  
 Clamping range **7 x 3.2 - 6.5 mm**  
**2 x 5 - 10.2 mm**  
**1 x 16 - 22.2 mm**

**KEL-DPZ 50|10 CR bk**


Part No. **50751.601**  
 EAN **4251269328459**  
 PU **5**  
 For max. no. of cables **10**  
 Colour **schwarz**  
 Height **22 mm**  
 External diameter **62 mm**

Mounting height **8 mm**  
 Cut-out size, round **50,4 mm**  
 Cut-out size, metric **M50**  
 Thread **M50 x 1,5**  
 Thread length **14 mm**  
 Clamping range **7 x 3.2 - 6.5 mm**  
**2 x 5 - 10.2 mm**  
**1 x 16 - 22.2 mm**

**KEL-DPZ 50|10 CR  
(S)VOC bk**


Part No. **50751.600**  
 EAN **4251269328152**  
 PU **5**  
 For max. no. of cables **10**  
 Colour **schwarz**  
 Height **22 mm**  
 External diameter **62 mm**

Mounting height **8 mm**  
 Cut-out size, round **50,4 mm**  
 Cut-out size, metric **M50**  
 Thread **M50 x 1,5**  
 Thread length **14 mm**  
 Clamping range **7 x 3.2 - 6.5 mm**  
**2 x 5 - 10.2 mm**  
**1 x 16 - 22.2 mm**

**KEL-DPZ 50|12 CR gy**

Part No. **43752.601**  
 EAN **4251269328312**  
 PU **5**  
 For max. no. of cables **12**  
 Colour **grau (ähnlich RAL 7035)**  
 Height **22 mm**  
 External diameter **62 mm**

Mounting height **8 mm**  
 Cut-out size, round **50,4 mm**  
 Cut-out size, metric **M50**  
 Thread **M50 x 1,5**  
 Thread length **14 mm**  
 Clamping range **4 x 3.2 - 6.5 mm**  
**8 x 5 - 10.2 mm**

**KEL-DPZ 50|12 CR  
(S)VOC gy**

Part No. **43752.600**  
 EAN **4251269328015**  
 PU **5**  
 For max. no. of cables **12**  
 Colour **grau (ähnlich RAL 7035)**  
 Height **22 mm**  
 External diameter **62 mm**

Mounting height **8 mm**  
 Cut-out size, round **50,4 mm**  
 Cut-out size, metric **M50**  
 Thread **M50 x 1,5**  
 Thread length **14 mm**  
 Clamping range **4 x 3.2 - 6.5 mm**  
**8 x 5 - 10.2 mm**

**KEL-DPZ 50|12 bk**


Part No. **50752.601**  
 EAN **4251269328466**  
 PU **5**  
 For max. no. of cables **12**  
 Colour **schwarz**  
 Height **22 mm**  
 External diameter **62 mm**

Mounting height **8 mm**  
 Cut-out size, round **50,4 mm**  
 Cut-out size, metric **M50**  
 Thread **M50 x 1,5**  
 Thread length **14 mm**  
 Clamping range **4 x 3.2 - 6.5 mm**

**KEL-DPZ 50|12 CR  
(S)VOC bk**


Part No. **50752.600**  
 EAN **4251269328169**  
 PU **5**  
 For max. no. of cables **12**  
 Colour **schwarz**  
 Height **22 mm**  
 External diameter **62 mm**

Mounting height **8 mm**  
 Cut-out size, round **50,4 mm**  
 Cut-out size, metric **M50**  
 Thread **M50 x 1,5**  
 Thread length **14 mm**  
 Clamping range **4 x 3.2 - 6.5 mm**

**KEL-DPZ 50|19 CR gy**


Part No. **43758.601**  
 EAN **4251269328336**  
 PU **5**  
 For max. no. of cables **19**  
 Colour **grau (ähnlich RAL 7035)**  
 Height **22 mm**  
 External diameter **62 mm**

Mounting height **8 mm**  
 Cut-out size, round **50,4 mm**  
 Cut-out size, metric **M50**  
 Thread **M50 x 1,5**  
 Thread length **14 mm**  
 Clamping range **19 x 3.2 - 6.5 mm**

**KEL-DPZ 50|19 CR gy**

Part No. **43758.600**  
 EAN **4251269328039**  
 PU **5**  
 For max. no. of cables **19**  
 Colour **grau (ähnlich RAL 7035)**  
 Height **22 mm**  
 External diameter **62 mm**

Mounting height **8 mm**  
 Cut-out size, round **50,4 mm**  
 Cut-out size, metric **M50**  
 Thread **M50 x 1,5**  
 Thread length **14 mm**  
 Clamping range **19 x 3.2 - 6.5 mm**

**KEL-DPZ 50|19 CR bk**


Part No. **50758.601**  
 EAN **4251269328480**  
 PU **5**  
 For max. no. of cables **19**  
 Colour **schwarz**  
 Height **22 mm**  
 External diameter **62 mm**

Mounting height **8 mm**  
 Cut-out size, round **50,4 mm**  
 Cut-out size, metric **M50**  
 Thread **M50 x 1,5**  
 Thread length **14 mm**  
 Clamping range **19 x 3.2 - 6.5 mm**

**KEL-DPZ 50|19 bk**


Part No. **50758.600**  
 EAN **4251269328183**  
 PU **5**  
 For max. no. of cables **19**  
 Colour **schwarz**  
 Height **22 mm**  
 External diameter **62 mm**

Mounting height **8 mm**  
 Cut-out size, round **50,4 mm**  
 Cut-out size, metric **M50**  
 Thread **M50 x 1,5**  
 Thread length **14 mm**  
 Clamping range **19 x 3.2 - 6.5 mm**

**KEL-DPZ 50|78 CR gy**

Part No. **43756.601**  
 EAN **4251269328329**  
 PU **5**  
 For max. no. of cables **78**  
 Colour **grau (ähnlich RAL 7035)**  
 Height **22 mm**  
 External diameter **62 mm**

Mounting height **8 mm**  
 Cut-out size, round **50,4 mm**  
 Cut-out size, metric **M50**  
 Thread **M50 x 1,5**  
 Thread length **14 mm**  
 Clamping range **76 x 1.5 - 2.6 mm**  
**2 x 2.5 - 5 mm**

**KEL-DPZ 50|78 CR (S)VOC gy**

Part No. **43756.600**  
 EAN **4251269328022**  
 PU **5**  
 For max. no. of cables **78**  
 Colour **grau (ähnlich RAL 7035)**  
 Height **22 mm**  
 External diameter **62 mm**

Mounting height **8 mm**  
 Cut-out size, round **50,4 mm**  
 Cut-out size, metric **M50**  
 Thread **M50 x 1,5**  
 Thread length **14 mm**  
 Clamping range **76 x 1.5 - 2.6 mm**  
**2 x 2.5 - 5 mm**

**KEL-DPZ 50|78 CR bk**

Part No. **50756.601**  
 EAN **4251269328473**  
 PU **5**  
 For max. no. of cables **78**  
 Colour **schwarz**  
 Height **22 mm**  
 External diameter **62 mm**


Mounting height **8 mm**  
 Cut-out size, round **50,4 mm**  
 Cut-out size, metric **M50**  
 Thread **M50 x 1,5**  
 Thread length **14 mm**  
 Clamping range **76 x 1.5 - 2.6 mm**  
**2 x 2.5 - 5 mm**



**KEL-DPZ 50|78 CR  
(S)VOC bk**

Part No. **50756.600**  
 EAN **4251269328176**  
 PU **5**  
 For max. no. of cables **78**  
 Colour **schwarz**  
 Height **22 mm**  
 External diameter **62 mm**

Mounting height **8 mm**  
 Cut-out size, round **50,4 mm**  
 Cut-out size, metric **M50**  
 Thread **M50 x 1,5**  
 Thread length **14 mm**  
 Clamping range **76 x 1.5 - 2.6 mm**  
**2 x 2.5 - 5 mm**

**KEL-DPZ 63|9 CR gy**

Part No. **43760.601**  
 EAN **4251269328343**  
 PU **5**  
 For max. no. of cables **9**  
 Colour **grau (ähnlich RAL 7035)**  
 Height **22 mm**  
 External diameter **75 mm**

Mounting height **8 mm**  
 Cut-out size, round **63,4 mm**  
 Cut-out size, metric **M63**  
 Thread **M63 x 1,5**  
 Thread length **14 mm**  
 Clamping range **1 x 3.2 - 6.5 mm**  
**3 x 5 - 10.2 mm**  
**4 x 9 - 16.2 mm**  
**1 x 16 - 22.2 mm**

**KEL-DPZ 63|9 CR  
(S)VOC gy**

Part No. **43760.600**  
 EAN **4251269328046**  
 PU **5**  
 For max. no. of cables **9**  
 Colour **grau (ähnlich RAL 7035)**  
 Height **22 mm**  
 External diameter **75 mm**

Mounting height **8 mm**  
 Cut-out size, round **63,4 mm**  
 Cut-out size, metric **M63**  
 Thread **M63 x 1,5**  
 Thread length **14 mm**  
 Clamping range **1 x 3.2 - 6.5 mm**  
**3 x 5 - 10.2 mm**  
**4 x 9 - 16.2 mm**  
**1 x 16 - 22.2 mm**

**KEL-DPZ 63|9 CR bk**


Part No. **50760.601**  
 EAN **4251269328497**  
 PU **5**  
 For max. no. of cables **9**  
 Colour **schwarz**  
 Height **22 mm**  
 External diameter **75 mm**

Mounting height **8 mm**  
 Cut-out size, round **63,4 mm**  
 Cut-out size, metric **M63**  
 Thread **M63 x 1,5**  
 Thread length **14 mm**  
 Clamping range **1 x 3.2 - 6.5 mm**  
**3 x 5 - 10.2 mm**  
**4 x 9 - 16.2 mm**  
**1 x 16 - 22.2 mm**

**KEL-DPZ 63|9 CR  
(S)VOC bk**


Part No. **50760.600**  
 EAN **4251269328190**  
 PU **5**  
 For max. no. of cables **9**  
 Colour **schwarz**  
 Height **22 mm**  
 External diameter **75 mm**

Mounting height **8 mm**  
 Cut-out size, round **63,4 mm**  
 Cut-out size, metric **M63**  
 Thread **M63 x 1,5**  
 Thread length **14 mm**  
 Clamping range **1 x 3.2 - 6.5 mm**  
**3 x 5 - 10.2 mm**  
**4 x 9 - 16.2 mm**  
**1 x 16 - 22.2 mm**

**KEL-DPZ 63|13 CR gy**

Part No. **43761.601**  
 EAN **4251269328350**  
 PU **5**  
 For max. no. of cables **13**  
 Colour **grau (ähnlich RAL 7035)**  
 Height **22 mm**  
 External diameter **75 mm**

Mounting height **8 mm**  
 Cut-out size, round **63,4 mm**  
 Cut-out size, metric **M63**  
 Thread **M63 x 1,5**  
 Thread length **14 mm**  
 Clamping range **4 x 3.2 - 6.5 mm**  
**4 x 5 - 10.2 mm**  
**5 x 9 - 16.2 mm**

**KEL-DPZ 63|13 CR (S)VOC gy**

Part No. **43761.600**  
 EAN **4251269328053**  
 PU **5**  
 For max. no. of cables **13**  
 Colour **grau (ähnlich RAL 7035)**  
 Height **22 mm**  
 External diameter **75 mm**

Mounting height **8 mm**  
 Cut-out size, round **63,4 mm**  
 Cut-out size, metric **M63**  
 Thread **M63 x 1,5**  
 Thread length **14 mm**  
 Clamping range **4 x 3.2 - 6.5 mm**  
**4 x 5 - 10.2 mm**  
**5 x 9 - 16.2 mm**

**KEL-DPZ 63|13 CR bk**


Part No. **50761.601**  
 EAN **4251269328503**  
 PU **5**  
 For max. no. of cables **13**  
 Colour **schwarz**  
 Height **22 mm**  
 External diameter **75 mm**

Mounting height **8 mm**  
 Cut-out size, round **63,4 mm**  
 Cut-out size, metric **M63**  
 Thread **M63 x 1,5**  
 Thread length **14 mm**  
 Clamping range **4 x 3.2 - 6.5 mm**  
**4 x 5 - 10.2 mm**  
**5 x 9 - 16.2 mm**

**KEL-DPZ 63|13 CR (S)VOC bk**


Part No. **50761.600**  
 EAN **4251269328206**  
 PU **5**  
 For max. no. of cables **13**  
 Colour **schwarz**  
 Height **22 mm**  
 External diameter **75 mm**

Mounting height **8 mm**  
 Cut-out size, round **63,4 mm**  
 Cut-out size, metric **M63**  
 Thread **M63 x 1,5**  
 Thread length **14 mm**  
 Clamping range **4 x 3.2 - 6.5 mm**  
**4 x 5 - 10.2 mm**  
**5 x 9 - 16.2 mm**

**KEL-DPZ 63|14 CR gy**

Part No. **43762.601**  
 EAN **4251269328367**  
 PU **5**  
 For max. no. of cables **14**  
 Colour **grau (ähnlich RAL 7035)**  
 Height **22 mm**  
 External diameter **75 mm**

Mounting height **8 mm**  
 Cut-out size, round **63,4 mm**  
 Cut-out size, metric **M63**  
 Thread **M63 x 1,5**  
 Thread length **14 mm**  
 Clamping range **14 x 5 - 10.2 mm**

**KEL-DPZ 63|14 CR (S)VOC gy**

Part No. **43762.600**  
 EAN **4251269328060**  
 PU **5**  
 For max. no. of cables **14**  
 Colour **grau (ähnlich RAL 7035)**  
 Height **22 mm**  
 External diameter **75 mm**

Mounting height **8 mm**  
 Cut-out size, round **63,4 mm**  
 Cut-out size, metric **M63**  
 Thread **M63 x 1,5**  
 Thread length **14 mm**  
 Clamping range **14 x 5 - 10.2 mm**

**KEL-DPZ 63|14 CR bk**


Part No.	<b>50762.601</b>
EAN	<b>4251269328510</b>
PU	<b>5</b>
For max. no. of cables	<b>14</b>
Colour	<b>schwarz</b>
Height	<b>22 mm</b>
External diameter	<b>75 mm</b>

Mounting height	<b>8 mm</b>
Cut-out size, round	<b>63,4 mm</b>
Cut-out size, metric	<b>M63</b>
Thread	<b>M63 x 1,5</b>
Thread length	<b>14 mm</b>
Clamping range	<b>14 x 5 - 10.2 mm</b>

**KEL-DPZ 63|14 CR (S)VOC bk**


Part No.	<b>50762.600</b>
EAN	<b>4251269328213</b>
PU	<b>5</b>
For max. no. of cables	<b>14</b>
Colour	<b>schwarz</b>
Height	<b>22 mm</b>
External diameter	<b>75 mm</b>

Mounting height	<b>8 mm</b>
Cut-out size, round	<b>63,4 mm</b>
Cut-out size, metric	<b>M63</b>
Thread	<b>M63 x 1,5</b>
Thread length	<b>14 mm</b>
Clamping range	<b>14 x 5 - 10.2 mm</b>

**KEL-DPZ 63|35 CR gy**


Part No.	<b>43763.601</b>
EAN	<b>4251269328374</b>
PU	<b>5</b>
For max. no. of cables	<b>35</b>
Colour	<b>grau (ähnlich RAL 7035)</b>
Height	<b>22 mm</b>
External diameter	<b>75 mm</b>

Mounting height	<b>8 mm</b>
Cut-out size, round	<b>63,4 mm</b>
Cut-out size, metric	<b>M63</b>
Thread	<b>M63 x 1,5</b>
Thread length	<b>14 mm</b>
Clamping range	<b>35 x 3.2 - 6.5 mm</b>

**KEL-DPZ 63|35 CR (S)VOC gy**


Part No.	<b>43763.600</b>
EAN	<b>4251269328060</b>
PU	<b>5</b>
For max. no. of cables	<b>35</b>
Colour	<b>grau (ähnlich RAL 7035)</b>
Height	<b>22 mm</b>
External diameter	<b>75 mm</b>

Mounting height	<b>8 mm</b>
Cut-out size, round	<b>63,4 mm</b>
Cut-out size, metric	<b>M63</b>
Thread	<b>M63 x 1,5</b>
Thread length	<b>14 mm</b>
Clamping range	<b>35 x 3.2 - 6.5 mm</b>

**KEL-DPZ 63|35 CR bk**

Part No.	<b>50763.601</b>
EAN	<b>4251269328527</b>
PU	<b>5</b>
For max. no. of cables	<b>35</b>
Colour	<b>schwarz</b>
Height	<b>22 mm</b>
External diameter	<b>75 mm</b>

Mounting height	<b>8 mm</b>
Cut-out size, round	<b>63,4 mm</b>
Cut-out size, metric	<b>M63</b>
Thread	<b>M63 x 1,5</b>
Thread length	<b>14 mm</b>
Clamping range	<b>35 x 3.2 - 6.5 mm</b>

**KEL-DPZ 63|35 CR (S)VOC bk**

Part No.	<b>50763.600</b>
EAN	<b>4251269328220</b>
PU	<b>5</b>
For max. no. of cables	<b>35</b>
Colour	<b>schwarz</b>
Height	<b>22 mm</b>
External diameter	<b>75 mm</b>

Mounting height	<b>8 mm</b>
Cut-out size, round	<b>63,4 mm</b>
Cut-out size, metric	<b>M63</b>
Thread	<b>M63 x 1,5</b>
Thread length	<b>14 mm</b>
Clamping range	<b>35 x 3.2 - 6.5 mm</b>

