

KEL-QUICK split multi cable transit frames

for cables with connectors, tool-free assembly / IP54 / UL Type 12



The KEL-QUICK range is a compact system to route and seal pre-terminated cables as well as conduits or pneumatic hoses utilising split QT and QTMB grommets. After populating the entry frame with QT / QTMB grommets and cables, the cover lid is snapped onto the frame without using tools. Routing and sealing with IP54 for cable diameters from 1 to 29 mm.

The KEL-QUICK frames match exactly the cut-out dimensions for 10-, 16- and 24-pin standard industrial connectors. The KEL-QUICK-B frames match the cut-out dimensions 46 x 36 mm. These KEL-QUICK frames can either be screw mounted or simply snapped into the KEL-SNAP frame.

The single-row KEL-QUICK-E versions are particularly suited for flat connectors. The small frames are ideal for applications with limited space.

A flat rubber gasket is included in the shipment.

IP54

UL US

HL3
EN 45545-2

ECOLAB
certified

UV
ISO 4892-2A



RoHS
compliant

REACH
COMPLIANCE

Made in
Germany

Specifications


IP rating (EN 60529)	IP54
Material	Polyamide
Flame class	UL94-V0, self-extinguishing
Operating temperature	-40 C° to 140 C°
Properties	UV-resistant, silicone free, halogen free, Rostfrei
Mounting options	Screw type mounting, Snap-in with KEL-SNAP
height	17 mm

Advantages & benefits


- Schnelle Montage durch Verrasten des Rahmens ohne Werkzeug und Schrauben
- Garantieerhalt konfektionierter Leitungen
- Nachrüstungen, Servicearbeiten problemlos und schnell durchführbar
- Hohe Packungsdichte, große Variabilität
- Wesentliche Erhöhung der Packungsdichte durch Zweifach- und Vierfach-Tüllen

Product types & sizes

KEL-QUICK 24|10




Part No.	42410	Height	17 mm
EAN	4251269308673	Mounting height	17 mm
Package quantity	10	Cut-out size	112 x 36 mm
For max. no. of cables	40	No. of screw holes	4
Max. cable diameter	15 mm	Diam. of screw holes	5,8 mm
Length	147 mm	Screw material	Stahl, galvanisch verzinkt
Width	58 mm	Suitable for grommets	10 x QT small

KEL-QUICK 24|7


Part No.	42412	Height	17 mm
EAN	4251269321559	Mounting height	17 mm
Package quantity	10	Cut-out size	112 x 36 mm
For max. no. of cables	25	No. of screw holes	4
Max. cable diameter	29 mm	Diam. of screw holes	5,8 mm
Length	147 mm	Screw material	Stahl, galvanisch verzinkt
Width	58 mm	Suitable for grommets	6 x QT small 1 x QT large

KEL-QUICK 24|4

Part No.	42413	Height	17 mm
EAN	4251269321566	Mounting height	17 mm
Package quantity	10	Cut-out size	112 x 36 mm
For max. no. of cables	10	No. of screw holes	4
Max. cable diameter	29 mm	Diam. of screw holes	5,8 mm
Length	147 mm	Screw material	Stahl, galvanisch verzinkt
Width	58 mm	Suitable for grommets	2 x QT small 2 x QT large

KEL-QUICK 16|8


Part No.	42418	Height	17 mm
EAN	4251269308703	Mounting height	17 mm
Package quantity	10	Cut-out size	86 x 36 mm
For max. no. of cables	32	No. of screw holes	4
Max. cable diameter	15 mm	Diam. of screw holes	5,8 mm
Length	120 mm	Screw material	Stahl, galvanisch verzinkt
Width	58 mm	Suitable for grommets	8 x QT small

KEL-QUICK 16|5


Part No.	42425	Height	17 mm
EAN	4251269321573	Mounting height	17 mm
Package quantity	10	Cut-out size	86 x 36 mm
For max. no. of cables	20	No. of screw holes	4
Max. cable diameter	29 mm	Diam. of screw holes	5,8 mm
Length	120 mm	Screw material	Stahl, galvanisch verzinkt
Width	58 mm	Suitable for grommets	4 x QT small 4 x QT large

KEL-QUICK 16|2

Part No.	42426	Height	17 mm
EAN	4251269321580	Mounting height	17 mm
Package quantity	10	Cut-out size	86 x 36 mm
For max. no. of cables	2	No. of screw holes	4
Max. cable diameter	29 mm	Diam. of screw holes	5,8 mm
Length	120 mm	Screw material	Stahl, galvanisch verzinkt
Width	58 mm	Suitable for grommets	2 x QT large


KEL-QUICK 10|6

Part No.	42420	Height	17 mm
EAN	4251269316821	Mounting height	17 mm
Package quantity	10	Cut-out size	65 x 36 mm
For max. no. of cables	24	No. of screw holes	4
Max. cable diameter	15 mm	Diam. of screw holes	5,8 mm
Length	98 mm	Screw material	Stahl, galvanisch verzinkt
Width	58 mm	Suitable for grommets	6 x QT small

KEL-QUICK 10|3

Part No. **42427**
 EAN **4251269321597**
 Package quantity **10**
 For max. no. of cables **9**
 Max. cable diameter **29 mm**
 Length **98 mm**
 Width **58 mm**

Height **17 mm**
 Mounting height **17 mm**
 Cut-out size **65 x 36 mm**
 No. of screw holes **4**
 Diam. of screw holes **5,8 mm**
 Screw material **Stahl, galvanisch verzinkt**
 Suitable for grommets **2 x QT small**
1 x QT large

KEL-QUICK-B4

Part No. **42434**
 EAN **4251269308727**
 Package quantity **10**
 For max. no. of cables **16**
 Max. cable diameter **15 mm**
 Length **73 mm**
 Width **58 mm**

Height **17 mm**
 Mounting height **17 mm**
 No. of screw holes **4**
 Diam. of screw holes **5,8 mm**
 Screw material **Stahl, galvanisch verzinkt**
 Suitable for grommets **4 x QT small**

KEL-QUICK-E5

Part No. **42424**
 EAN **4251269316869**
 Package quantity **10**
 For max. no. of cables **20**
 Max. cable diameter **15 mm**
 Length **147 mm**
 Width **38 mm**

Height **17 mm**
 Mounting height **17 mm**
 Cut-out size **112 x 24 mm**
 No. of screw holes **2**
 Diam. of screw holes **5,8 mm**
 Screw material **Stahl, galvanisch verzinkt**
 Suitable for grommets **5 x QT small**

KEL-QUICK-E4


Part No. **42423**
 EAN **4251269316852**
 Package quantity **10**
 For max. no. of cables **16**
 Max. cable diameter **15 mm**
 Length **120 mm**
 Width **38 mm**

Height **17 mm**
 Mounting height **17 mm**
 Cut-out size **86 x 24 mm**
 No. of screw holes **2**
 Diam. of screw holes **5,8 mm**
 Screw material **Stahl, galvanisch verzinkt**
 Suitable for grommets **4 x QT small**

KEL-QUICK-E3

Part No. **42422**
 EAN **4251269316845**
 Package quantity **10**
 For max. no. of cables **12**
 Max. cable diameter **15 mm**
 Length **98 mm**
 Width **38 mm**

Height **17 mm**
 Mounting height **17 mm**
 Cut-out size **65 x 24 mm**
 No. of screw holes **2**
 Diam. of screw holes **5,8 mm**
 Screw material **Stahl, galvanisch verzinkt**
 Suitable for grommets **3 x QT small**

KEL-QUICK-E2

Part No. **42421**
 EAN **4251269316838**
 Package quantity **10**
 For max. no. of cables **8**
 Max. cable diameter **15 mm**
 Length **73 mm**
 Width **38 mm**

Height **17 mm**
 Mounting height **17 mm**
 Cut-out size **43 x 24 mm**
 No. of screw holes **2**
 Diam. of screw holes **5,8 mm**
 Screw material **Stahl, galvanisch verzinkt**
 Suitable for grommets **2 x QT small**

