

# KEL centrally split cable entry frames

for cables with connectors / IP54 / UL Type 12




The classic KEL is a centrally split cable entry system for routing cables with connectors, providing an IP54 / up to UL Type 12 rating.

The slit KT grommet matching the cable diameter is placed around the cable and inserted into the cable entry frame. The split cable entry frames KEL match exactly the cut-out dimensions of 10-, 16- and 24-pin standard industrial connectors. Either a cut-out of 36 mm or 46 mm in height can be chosen depending on the cables being routed. The size KEL-B matches the cut-out dimensions of 46 x 46 mm measuring instruments.

Based on the frame sizes KEL 16 and KEL 24, there are also extended versions with additional middle frames available. Thus allowing a quick, easy and cost effective routing solution for up to 120 cables or hoses.

For tool-free assembly / disassembly of the cable entry frames the snap mounting frame KEL-SNAP can be used.

A flat rubber gasket is included in the shipment.



## Specifications

<b>IP rating (EN 60529)</b>	IP54
<b>UL Type (UL 50E)</b>	UL Type 12
<b>Material</b>	Polyamide
<b>Flame class</b>	UL94-V0, self-extinguishing
<b>Operating temperature</b>	-40 C° to 140 C°
<b>Properties</b>	vibration proof, silicone free, anti-corrosive (V2A versions), halogen free, UV-resistant
<b>Mounting options</b>	Screw type mounting, Snap-in with KEL-SNAP
<b>height</b>	17 mm

## Advantages & benefits

- Warranty on pre-terminated cables remains
- Retrofits, repairs and maintenance can be done much more easily and quickly
- High cable density, wide variety of grommets
- Strain relief according to EN 62444
- High stability, vibration resistant
- Space-saving shape
- Greatly increased cable density when using double or quadruple grommets


## Product types & sizes

KEL 24|10



Part No.	<b>42241</b>
EAN	<b>4251269308277</b>
PU	<b>10</b>
For max. no. of cables	<b>40</b>
Max. cable diameter	<b>17 mm</b>
Length	<b>147 mm</b>
Width	<b>58 mm</b>


Height	<b>17 mm</b>
Mounting height	<b>17 mm</b>
Cut-out size	<b>112 x 36 mm</b>
No. of screw holes	<b>4</b>
Diam. of screw holes	<b>5,8 mm</b>
Screw material	<b>Stahl, galvanisch verzinkt</b>
Suitable for grommets	<b>10 x KT small</b>

**KEL 24|10 V2A**

Part No.	<b>42241.200</b>	Height	<b>17 mm</b>
EAN	<b>4251269308284</b>	Mounting height	<b>17 mm</b>
PU	<b>10</b>	Cut-out size	<b>112 x 36 mm</b>
For max. no. of cables	<b>40</b>	No. of screw holes	<b>4</b>
Max. cable diameter	<b>17 mm</b>	Diam. of screw holes	<b>5,8 mm</b>
Length	<b>147 mm</b>	Screw material	<b>Edelstahl V2A</b>
Width	<b>58 mm</b>	Suitable for grommets	<b>10 x KT small</b>

**KEL 24|7**

Part No.	<b>42247</b>	Height	<b>17 mm</b>
EAN	<b>4251269308314</b>	Mounting height	<b>17 mm</b>
PU	<b>10</b>	Cut-out size	<b>112 x 36 mm</b>
For max. no. of cables	<b>25</b>	No. of screw holes	<b>4</b>
Max. cable diameter	<b>35 mm</b>	Diam. of screw holes	<b>5,8 mm</b>
Length	<b>147 mm</b>	Screw material	<b>Stahl, galvanisch verzinkt</b>
Width	<b>58 mm</b>	Suitable for grommets	<b>6 x KT small 1 x KT large</b>

**KEL 24|7 V2A**

Part No.	<b>42247.200</b>	Height	<b>17 mm</b>
EAN	<b>4251269308321</b>	Mounting height	<b>17 mm</b>
PU	<b>10</b>	Cut-out size	<b>112 x 36 mm</b>
For max. no. of cables	<b>25</b>	No. of screw holes	<b>4</b>
Max. cable diameter	<b>35 mm</b>	Diam. of screw holes	<b>5,8 mm</b>
Length	<b>147 mm</b>	Screw material	<b>Edelstahl V2A</b>
Width	<b>58 mm</b>	Suitable for grommets	<b>6 x KT small 1 x KT large</b>

**KEL 24|5**


Part No.	<b>42248</b>	Height	<b>17 mm</b>
EAN	<b>4251269308338</b>	Mounting height	<b>17 mm</b>
PU	<b>10</b>	Cut-out size	<b>112 x 36 mm</b>
For max. no. of cables	<b>20</b>	No. of screw holes	<b>4</b>
Max. cable diameter	<b>35 mm</b>	Diam. of screw holes	<b>5,8 mm</b>
Length	<b>147 mm</b>	Screw material	<b>Stahl, galvanisch verzinkt</b>
Width	<b>58 mm</b>	Suitable for grommets	<b>5 x KT small</b>

**KEL 24|5 V2A**


Part No.	<b>42248.200</b>	Height	<b>17 mm</b>
EAN	<b>4251269308345</b>	Mounting height	<b>17 mm</b>
PU	<b>10</b>	Cut-out size	<b>112 x 36 mm</b>
For max. no. of cables	<b>20</b>	No. of screw holes	<b>4</b>
Max. cable diameter	<b>35 mm</b>	Diam. of screw holes	<b>5,8 mm</b>
Length	<b>147 mm</b>	Screw material	<b>Edelstahl V2A</b>
Width	<b>58 mm</b>	Suitable for grommets	<b>5 x KT small</b>

**KEL 24|4**


Part No.	<b>42244</b>	Height	<b>17 mm</b>
EAN	<b>4251269308291</b>	Mounting height	<b>17 mm</b>
PU	<b>10</b>	Cut-out size	<b>112 x 36 mm</b>
For max. no. of cables	<b>10</b>	No. of screw holes	<b>4</b>
Max. cable diameter	<b>35 mm</b>	Diam. of screw holes	<b>5,8 mm</b>
Length	<b>147 mm</b>	Screw material	<b>Stahl, galvanisch verzinkt</b>
Width	<b>58 mm</b>	Suitable for grommets	<b>2 x KT small 2 x KT large</b>

**KEL 24|4 V2A**


Part No.	<b>42244.200</b>	Height	<b>17 mm</b>
EAN	<b>4251269308307</b>	Mounting height	<b>17 mm</b>
PU	<b>10</b>	Cut-out size	<b>112 x 36 mm</b>
For max. no. of cables	<b>10</b>	No. of screw holes	<b>4</b>
Max. cable diameter	<b>35 mm</b>	Diam. of screw holes	<b>5,8 mm</b>
Length	<b>147 mm</b>	Screw material	<b>Edelstahl V2A</b>
Width	<b>58 mm</b>	Suitable for grommets	<b>2 x KT small 2 x KT large</b>

**KEL 24|15-E**


Part No.	<b>42209</b>	Height	<b>17 mm</b>
EAN	<b>4251269308017</b>	Mounting height	<b>17 mm</b>
PU	<b>1</b>	Cut-out size	<b>112 x 66 mm</b>
For max. no. of cables	<b>60</b>	No. of screw holes	<b>4</b>
Max. cable diameter	<b>17 mm</b>	Diam. of screw holes	<b>5,8 mm</b>
Length	<b>147 mm</b>	Screw material	<b>Stahl, galvanisch verzinkt</b>
Width	<b>83 mm</b>	Suitable for grommets	<b>15 x KT small</b>

**KEL 24|15-E V2A**


Part No.	<b>42209.200</b>	Height	<b>17 mm</b>
EAN	<b>4251269308024</b>	Mounting height	<b>17 mm</b>
PU	<b>1</b>	Cut-out size	<b>112 x 66 mm</b>
For max. no. of cables	<b>60</b>	No. of screw holes	<b>4</b>
Max. cable diameter	<b>17 mm</b>	Diam. of screw holes	<b>5,8 mm</b>
Length	<b>147 mm</b>	Screw material	<b>Edelstahl V2A</b>
Width	<b>83 mm</b>	Suitable for grommets	<b>15 x KT small</b>

**KEL 24|12-E**


Part No.	<b>42208</b>	Height	<b>17 mm</b>
EAN	<b>4251269307997</b>	Mounting height	<b>17 mm</b>
PU	<b>1</b>	Cut-out size	<b>112 x 66 mm</b>
For max. no. of cables	<b>45</b>	No. of screw holes	<b>4</b>
Max. cable diameter	<b>35 mm</b>	Diam. of screw holes	<b>5,8 mm</b>
Length	<b>147 mm</b>	Screw material	<b>Stahl, galvanisch verzinkt</b>
Width	<b>83 mm</b>	Suitable for grommets	<b>11 x KT small 1 x KT large</b>

**KEL 24|12-E V2A**


Part No.	<b>42208.200</b>	Height	<b>17 mm</b>
EAN	<b>4251269308000</b>	Mounting height	<b>17 mm</b>
PU	<b>1</b>	Cut-out size	<b>112 x 66 mm</b>
For max. no. of cables	<b>45</b>	No. of screw holes	<b>4</b>
Max. cable diameter	<b>35 mm</b>	Diam. of screw holes	<b>5,8 mm</b>
Length	<b>147 mm</b>	Screw material	<b>Edelstahl V2A</b>
Width	<b>83 mm</b>	Suitable for grommets	<b>11 x KT small 1 x KT large</b>

**KEL 24|10-E**


Part No.	<b>49056</b>	Height	<b>17 mm</b>
EAN	<b>4251269312212</b>	Mounting height	<b>17 mm</b>
PU	<b>1</b>	Cut-out size	<b>112 x 66 mm</b>
For max. no. of cables	<b>39</b>	No. of screw holes	<b>4</b>
Max. cable diameter	<b>35 mm</b>	Diam. of screw holes	<b>5,8 mm</b>
Length	<b>147 mm</b>	Screw material	<b>Stahl, galvanisch verzinkt</b>
Width	<b>83 mm</b>	Suitable for grommets	<b>10 x KT small</b>

**KEL 24|10-E V2A**


Part No.	<b>49056.200</b>	Height	<b>17 mm</b>
EAN	<b>4251269312229</b>	Mounting height	<b>17 mm</b>
PU	<b>1</b>	Cut-out size	<b>112 x 66 mm</b>
For max. no. of cables	<b>40</b>	No. of screw holes	<b>4</b>
Max. cable diameter	<b>35 mm</b>	Diam. of screw holes	<b>5,8 mm</b>
Length	<b>147 mm</b>	Screw material	<b>Edelstahl V2A</b>
Width	<b>83 mm</b>	Suitable for grommets	<b>10 x KT small</b>

**KEL 24|9-E**


Part No.	<b>42207</b>	Height	<b>17 mm</b>
EAN	<b>4251269307973</b>	Mounting height	<b>17 mm</b>
PU	<b>1</b>	Cut-out size	<b>112 x 66 mm</b>
For max. no. of cables	<b>30</b>	No. of screw holes	<b>4</b>
Max. cable diameter	<b>35 mm</b>	Diam. of screw holes	<b>5,8 mm</b>
Length	<b>147 mm</b>	Screw material	<b>Stahl, galvanisch verzinkt</b>
Width	<b>83 mm</b>	Suitable for grommets	<b>7 x KT small</b> <b>2 x KT large</b>

**KEL 24|9-E V2A**


Part No.	<b>42207.200</b>	Height	<b>17 mm</b>
EAN	<b>4251269307980</b>	Mounting height	<b>17 mm</b>
PU	<b>1</b>	Cut-out size	<b>112 x 66 mm</b>
For max. no. of cables	<b>30</b>	No. of screw holes	<b>4</b>
Max. cable diameter	<b>35 mm</b>	Diam. of screw holes	<b>5,8 mm</b>
Length	<b>147 mm</b>	Screw material	<b>Edelstahl V2A</b>
Width	<b>83 mm</b>	Suitable for grommets	<b>7 x KT small</b> <b>2 x KT large</b>

**KEL 24|20-MT**


Part No.	<b>42232</b>	Height	<b>17 mm</b>
EAN	<b>4251269308215</b>	Mounting height	<b>17 mm</b>
PU	<b>1</b>	Cut-out size	<b>112 x 82 mm</b>
For max. no. of cables	<b>80</b>	No. of screw holes	<b>6</b>
Max. cable diameter	<b>17 mm</b>	Diam. of screw holes	<b>5,8 mm</b>
Length	<b>147 mm</b>	Screw material	<b>Stahl, galvanisch verzinkt</b>
Width	<b>102 mm</b>	Suitable for grommets	<b>20 x KT small</b>

**KEL 24|20-MT V2A**


Part No.	<b>42232.200</b>	Height	<b>17 mm</b>
EAN	<b>4251269308222</b>	Mounting height	<b>17 mm</b>
PU	<b>1</b>	Cut-out size	<b>112 x 82 mm</b>
For max. no. of cables	<b>80</b>	No. of screw holes	<b>6</b>
Max. cable diameter	<b>17 mm</b>	Diam. of screw holes	<b>5,8 mm</b>
Length	<b>147 mm</b>	Screw material	<b>Edelstahl V2A</b>
Width	<b>102 mm</b>	Suitable for grommets	<b>20 x KT small</b>

**KEL 24|17-MT**


Part No.	<b>42224</b>	Height	<b>17 mm</b>
EAN	<b>4251269308130</b>	Mounting height	<b>17 mm</b>
PU	<b>1</b>	Cut-out size	<b>112 x 82 mm</b>
For max. no. of cables	<b>65</b>	No. of screw holes	<b>6</b>
Max. cable diameter	<b>35 mm</b>	Diam. of screw holes	<b>5,8 mm</b>
Length	<b>147 mm</b>	Screw material	<b>Stahl, galvanisch verzinkt</b>
Width	<b>102 mm</b>	Suitable for grommets	<b>16 x KT small</b> <b>1 x KT large</b>

**KEL 24|17-MT V2A**


Part No.	<b>42224.200</b>	Height	<b>17 mm</b>
EAN	<b>4251269308147</b>	Mounting height	<b>17 mm</b>
PU	<b>1</b>	Cut-out size	<b>112 x 82 mm</b>
For max. no. of cables	<b>65</b>	No. of screw holes	<b>6</b>
Max. cable diameter	<b>35 mm</b>	Diam. of screw holes	<b>5,8 mm</b>
Length	<b>147 mm</b>	Screw material	<b>Edelstahl V2A</b>
Width	<b>102 mm</b>	Suitable for grommets	<b>16 x KT small</b> <b>1 x KT large</b>

**KEL 24|14-MT**


Part No.	<b>42225</b>	Height	<b>17 mm</b>
EAN	<b>4251269308154</b>	Mounting height	<b>17 mm</b>
PU	<b>1</b>	Cut-out size	<b>112 x 82 mm</b>
For max. no. of cables	<b>50</b>	No. of screw holes	<b>6</b>
Max. cable diameter	<b>35 mm</b>	Diam. of screw holes	<b>5,8 mm</b>
Length	<b>147 mm</b>	Screw material	<b>Stahl, galvanisch verzinkt</b>
Width	<b>102 mm</b>	Suitable for grommets	<b>12 x KT small</b> <b>2 x KT large</b>

**KEL 24|14-MT V2A**


Part No.	<b>42225.200</b>	Height	<b>17 mm</b>
EAN	<b>4251269308161</b>	Mounting height	<b>17 mm</b>
PU	<b>1</b>	Cut-out size	<b>112 x 82 mm</b>
For max. no. of cables	<b>48</b>	No. of screw holes	<b>6</b>
Max. cable diameter	<b>35 mm</b>	Diam. of screw holes	<b>5,8 mm</b>
Length	<b>147 mm</b>	Screw material	<b>Edelstahl V2A</b>
Width	<b>102 mm</b>	Suitable for grommets	<b>12 x KT small</b> <b>2 x KT large</b>

**KEL 24|11-MT**


Part No.	<b>42222</b>	Height	<b>17 mm</b>
EAN	<b>4251269308093</b>	Mounting height	<b>17 mm</b>
PU	<b>1</b>	Cut-out size	<b>112 x 82 mm</b>
For max. no. of cables	<b>35</b>	No. of screw holes	<b>6</b>
Max. cable diameter	<b>35 mm</b>	Diam. of screw holes	<b>5,8 mm</b>
Length	<b>147 mm</b>	Screw material	<b>Stahl, galvanisch verzinkt</b>
Width	<b>102 mm</b>	Suitable for grommets	<b>8 x KT small</b> <b>3 x KT large</b>

**KEL 24|11-MT V2A**


Part No.	<b>42222.200</b>	Height	<b>17 mm</b>
EAN	<b>4251269308109</b>	Mounting height	<b>17 mm</b>
PU	<b>1</b>	Cut-out size	<b>112 x 82 mm</b>
For max. no. of cables	<b>35</b>	No. of screw holes	<b>6</b>
Max. cable diameter	<b>35 mm</b>	Diam. of screw holes	<b>5,8 mm</b>
Length	<b>147 mm</b>	Screw material	<b>Edelstahl V2A</b>
Width	<b>102 mm</b>	Suitable for grommets	<b>8 x KT small</b> <b>3 x KT large</b>

**KEL 24|8-MT**


Part No.	<b>42221</b>	Height	<b>17 mm</b>
EAN	<b>4251269308079</b>	Mounting height	<b>17 mm</b>
PU	<b>1</b>	Cut-out size	<b>112 x 82 mm</b>
For max. no. of cables	<b>20</b>	No. of screw holes	<b>6</b>
Max. cable diameter	<b>35 mm</b>	Diam. of screw holes	<b>5,8 mm</b>
Length	<b>147 mm</b>	Screw material	<b>Stahl, galvanisch verzinkt</b>
Width	<b>102 mm</b>	Suitable for grommets	<b>4 x KT small</b> <b>4 x KT large</b>

**KEL 24|8-MT V2A**


Part No.	<b>42221.200</b>	Height	<b>17 mm</b>
EAN	<b>4251269308086</b>	Mounting height	<b>17 mm</b>
PU	<b>1</b>	Cut-out size	<b>112 x 82 mm</b>
For max. no. of cables	<b>20</b>	No. of screw holes	<b>6</b>
Max. cable diameter	<b>35 mm</b>	Diam. of screw holes	<b>5,8 mm</b>
Length	<b>147 mm</b>	Screw material	<b>Edelstahl V2A</b>
Width	<b>102 mm</b>	Suitable for grommets	<b>4 x KT small</b> <b>4 x KT large</b>

**KEL 24|30-2MT**


Part No.	<b>42234</b>	Height	<b>17 mm</b>
EAN	<b>4251269308253</b>	Mounting height	<b>17 mm</b>
PU	<b>1</b>	Cut-out size	<b>112 x 126 mm</b>
For max. no. of cables	<b>120</b>	No. of screw holes	<b>8</b>
Max. cable diameter	<b>17 mm</b>	Diam. of screw holes	<b>5,8 mm</b>
Length	<b>147 mm</b>	Screw material	<b>Stahl, galvanisch verzinkt</b>
Width	<b>146 mm</b>	Suitable for grommets	<b>30 x KT small</b>

**KEL 24|30-2MT V2A**


Part No.	<b>42234.200</b>	Height	<b>17 mm</b>
EAN	<b>4251269308260</b>	Mounting height	<b>17 mm</b>
PU	<b>1</b>	Cut-out size	<b>112 x 126 mm</b>
For max. no. of cables	<b>120</b>	No. of screw holes	<b>8</b>
Max. cable diameter	<b>17 mm</b>	Diam. of screw holes	<b>5,8 mm</b>
Length	<b>147 mm</b>	Screw material	<b>Edelstahl V2A</b>
Width	<b>146 mm</b>	Suitable for grommets	<b>30 x KT small</b>

**KEL 24|27-2MT**


Part No.	<b>42233</b>	Height	<b>17 mm</b>
EAN	<b>4251269308239</b>	Mounting height	<b>17 mm</b>
PU	<b>1</b>	Cut-out size	<b>112 x 126 mm</b>
For max. no. of cables	<b>105</b>	No. of screw holes	<b>8</b>
Max. cable diameter	<b>35 mm</b>	Diam. of screw holes	<b>5,8 mm</b>
Length	<b>147 mm</b>	Screw material	<b>Stahl, galvanisch verzinkt</b>
Width	<b>146 mm</b>	Suitable for grommets	<b>26 x KT small</b> <b>1 x KT large</b>

**KEL 24|27-2MT V2A**


Part No.	<b>42233.200</b>	Height	<b>17 mm</b>
EAN	<b>4251269308246</b>	Mounting height	<b>17 mm</b>
PU	<b>1</b>	Cut-out size	<b>112 x 126 mm</b>
For max. no. of cables	<b>105</b>	No. of screw holes	<b>8</b>
Max. cable diameter	<b>35 mm</b>	Diam. of screw holes	<b>5,8 mm</b>
Length	<b>147 mm</b>	Screw material	<b>Edelstahl V2A</b>
Width	<b>146 mm</b>	Suitable for grommets	<b>26 x KT small</b> <b>1 x KT large</b>

**KEL 24|24-2MT**


Part No.	<b>42227</b>	Height	<b>17 mm</b>
EAN	<b>4251269308192</b>	Mounting height	<b>17 mm</b>
PU	<b>1</b>	Cut-out size	<b>112 x 126 mm</b>
For max. no. of cables	<b>90</b>	No. of screw holes	<b>8</b>
Max. cable diameter	<b>35 mm</b>	Diam. of screw holes	<b>5,8 mm</b>
Length	<b>147 mm</b>	Screw material	<b>Stahl, galvanisch verzinkt</b>
Width	<b>146 mm</b>	Suitable for grommets	<b>22 x KT small</b> <b>2 x KT large</b>

**KEL 24|24-2MT V2A**


Part No.	<b>42227.200</b>	Height	<b>17 mm</b>
EAN	<b>4251269308208</b>	Mounting height	<b>17 mm</b>
PU	<b>1</b>	Cut-out size	<b>112 x 126 mm</b>
For max. no. of cables	<b>90</b>	No. of screw holes	<b>8</b>
Max. cable diameter	<b>35 mm</b>	Diam. of screw holes	<b>5,8 mm</b>
Length	<b>147 mm</b>	Screw material	<b>Edelstahl V2A</b>
Width	<b>146 mm</b>	Suitable for grommets	<b>22 x KT small</b> <b>2 x KT large</b>

**KEL 24|21-2MT**


Part No.	<b>42226</b>	Height	<b>17 mm</b>
EAN	<b>4251269308178</b>	Mounting height	<b>17 mm</b>
PU	<b>1</b>	Cut-out size	<b>112 x 126 mm</b>
For max. no. of cables	<b>75</b>	No. of screw holes	<b>8</b>
Max. cable diameter	<b>35 mm</b>	Diam. of screw holes	<b>5,8 mm</b>
Length	<b>147 mm</b>	Screw material	<b>Stahl, galvanisch verzinkt</b>
Width	<b>146 mm</b>	Suitable for grommets	<b>18 x KT small</b> <b>3 x KT large</b>

**KEL 24|21-2MT V2A**

Part No.	<b>42226.200</b>	Height	<b>17 mm</b>
EAN	<b>4251269308185</b>	Mounting height	<b>17 mm</b>
PU	<b>1</b>	Cut-out size	<b>112 x 126 mm</b>
For max. no. of cables	<b>75</b>	No. of screw holes	<b>8</b>
Max. cable diameter	<b>35 mm</b>	Diam. of screw holes	<b>5,8 mm</b>
Length	<b>147 mm</b>	Screw material	<b>Edelstahl V2A</b>
Width	<b>146 mm</b>	Suitable for grommets	<b>18 x KT small</b> <b>3 x KT large</b>


**KEL 24|12-2MT**


Part No.	<b>42223</b>	Height	<b>17 mm</b>
EAN	<b>4251269308116</b>	Mounting height	<b>17 mm</b>
PU	<b>1</b>	Cut-out size	<b>112 x 126 mm</b>
For max. no. of cables	<b>30</b>	No. of screw holes	<b>8</b>
Max. cable diameter	<b>35 mm</b>	Diam. of screw holes	<b>5,8 mm</b>
Length	<b>147 mm</b>	Screw material	<b>Stahl, galvanisch verzinkt</b>
Width	<b>146 mm</b>	Suitable for grommets	<b>6 x KT small</b> <b>6 x KT large</b>


**KEL 24|12-2MT V2A**

Part No.	<b>42223.200</b>	Height	<b>17 mm</b>
EAN	<b>4251269308123</b>	Mounting height	<b>17 mm</b>
PU	<b>1</b>	Cut-out size	<b>112 x 126 mm</b>
For max. no. of cables	<b>30</b>	No. of screw holes	<b>8</b>
Max. cable diameter	<b>35 mm</b>	Diam. of screw holes	<b>5,8 mm</b>
Length	<b>147 mm</b>	Screw material	<b>Edelstahl V2A</b>
Width	<b>146 mm</b>	Suitable for grommets	<b>6 x KT small</b> <b>6 x KT large</b>


<b>KEL 16 8</b> 	Part No.	<b>42168</b>	Height	<b>17 mm</b>
	EAN	<b>4251269307911</b>	Mounting height	<b>17 mm</b>
	PU	<b>10</b>	Cut-out size	<b>86 x 36 mm</b>
	For max. no. of cables	<b>32</b>	No. of screw holes	<b>4</b>
	Max. cable diameter	<b>17 mm</b>	Diam. of screw holes	<b>5,8 mm</b>
	Length	<b>120 mm</b>	Screw material	<b>Stahl, galvanisch verzinkt</b>
	Width	<b>58 mm</b>	Suitable for grommets	<b>8 x KT small</b>

<b>KEL 16 8 V2A</b> 	Part No.	<b>42168.200</b>	Height	<b>17 mm</b>
	EAN	<b>4251269307928</b>	Mounting height	<b>17 mm</b>
	PU	<b>10</b>	Cut-out size	<b>86 x 36 mm</b>
	For max. no. of cables	<b>30</b>	No. of screw holes	<b>4</b>
	Max. cable diameter	<b>17 mm</b>	Diam. of screw holes	<b>5,8 mm</b>
	Length	<b>120 mm</b>	Screw material	<b>Edelstahl V2A</b>
	Width	<b>58 mm</b>	Suitable for grommets	<b>8 x KT small</b>


<b>KEL 16 5</b> 	Part No.	<b>42165</b>	Height	<b>17 mm</b>
	EAN	<b>4251269307898</b>	Mounting height	<b>17 mm</b>
	PU	<b>10</b>	Cut-out size	<b>86 x 36 mm</b>
	For max. no. of cables	<b>17</b>	No. of screw holes	<b>4</b>
	Max. cable diameter	<b>35 mm</b>	Diam. of screw holes	<b>5,8 mm</b>
	Length	<b>120 mm</b>	Screw material	<b>Stahl, galvanisch verzinkt</b>
	Width	<b>58 mm</b>	Suitable for grommets	<b>4 x KT small</b> <b>1 x KT large</b>

<b>KEL 16 5 V2A</b> 	Part No.	<b>42165.200</b>	Height	<b>17 mm</b>
	EAN	<b>4251269307904</b>	Mounting height	<b>17 mm</b>
	PU	<b>10</b>	Cut-out size	<b>86 x 36 mm</b>
	For max. no. of cables	<b>17</b>	No. of screw holes	<b>4</b>
	Max. cable diameter	<b>35 mm</b>	Diam. of screw holes	<b>5,8 mm</b>
	Length	<b>120 mm</b>	Screw material	<b>Edelstahl V2A</b>
	Width	<b>58 mm</b>	Suitable for grommets	<b>4 x KT small</b> <b>1 x KT large</b>


<b>KEL 16 4</b> 	Part No.	<b>42164</b>	Height	<b>17 mm</b>
	EAN	<b>4251269307874</b>	Mounting height	<b>17 mm</b>
	PU	<b>10</b>	Cut-out size	<b>86 x 36 mm</b>
	For max. no. of cables	<b>16</b>	No. of screw holes	<b>4</b>
	Max. cable diameter	<b>35 mm</b>	Diam. of screw holes	<b>5,8 mm</b>
	Length	<b>120 mm</b>	Screw material	<b>Stahl, galvanisch verzinkt</b>
	Width	<b>58 mm</b>	Suitable for grommets	<b>4 x KT small</b>

<b>KEL 16 4 V2A</b> 	Part No.	<b>42164.200</b>	Height	<b>17 mm</b>
	EAN	<b>4251269307881</b>	Mounting height	<b>17 mm</b>
	PU	<b>10</b>	Cut-out size	<b>86 x 36 mm</b>
	For max. no. of cables	<b>16</b>	No. of screw holes	<b>4</b>
	Max. cable diameter	<b>35 mm</b>	Diam. of screw holes	<b>5,8 mm</b>
	Length	<b>120 mm</b>	Screw material	<b>Edelstahl V2A</b>
	Width	<b>58 mm</b>	Suitable for grommets	<b>4 x KT small</b>



<b>KEL 16 2</b> 	Part No.	<b>42162</b>	Height	<b>17 mm</b>
	EAN	<b>4251269307850</b>	Mounting height	<b>17 mm</b>
	PU	<b>10</b>	Cut-out size	<b>86 x 36 mm</b>
	For max. no. of cables	<b>2</b>	No. of screw holes	<b>4</b>
	Max. cable diameter	<b>35 mm</b>	Diam. of screw holes	<b>5,8 mm</b>
	Length	<b>120 mm</b>	Screw material	<b>Stahl, galvanisch verzinkt</b>
	Width	<b>58 mm</b>	Suitable for grommets	<b>2 x KT large</b>


---

<b>KEL 16 2 V2A</b> 	Part No.	<b>42162.200</b>	Height	<b>17 mm</b>
	EAN	<b>4251269307867</b>	Mounting height	<b>17 mm</b>
	PU	<b>10</b>	Cut-out size	<b>86 x 36 mm</b>
	For max. no. of cables	<b>2</b>	No. of screw holes	<b>4</b>
	Max. cable diameter	<b>35 mm</b>	Diam. of screw holes	<b>5,8 mm</b>
	Length	<b>120 mm</b>	Screw material	<b>Edelstahl V2A</b>
	Width	<b>58 mm</b>	Suitable for grommets	<b>2 x KT large</b>


---

<b>KEL 16 12-E</b> 	Part No.	<b>42141</b>	Height	<b>17 mm</b>
	EAN	<b>4251269307713</b>	Mounting height	<b>17 mm</b>
	PU	<b>1</b>	Cut-out size	<b>86 x 66 mm</b>
	For max. no. of cables	<b>48</b>	No. of screw holes	<b>4</b>
	Max. cable diameter	<b>17 mm</b>	Diam. of screw holes	<b>5,8 mm</b>
	Length	<b>120 mm</b>	Screw material	<b>Stahl, galvanisch verzinkt</b>
	Width	<b>84 mm</b>	Suitable for grommets	<b>12 x KT small</b>


---

<b>KEL 16 12-E V2A</b> 	Part No.	<b>42141.200</b>	Height	<b>17 mm</b>
	EAN	<b>4251269307720</b>	Mounting height	<b>17 mm</b>
	PU	<b>1</b>	Cut-out size	<b>86 x 66 mm</b>
	For max. no. of cables	<b>48</b>	No. of screw holes	<b>4</b>
	Max. cable diameter	<b>17 mm</b>	Diam. of screw holes	<b>5,8 mm</b>
	Length	<b>120 mm</b>	Screw material	<b>Edelstahl V2A</b>
	Width	<b>84 mm</b>	Suitable for grommets	<b>12 x KT small</b>


---

<b>KEL 16 6-E</b> 	Part No.	<b>42140</b>	Height	<b>17 mm</b>
	EAN	<b>4251269307690</b>	Mounting height	<b>17 mm</b>
	PU	<b>1</b>	Cut-out size	<b>86 x 66 mm</b>
	For max. no. of cables	<b>18</b>	No. of screw holes	<b>4</b>
	Max. cable diameter	<b>35 mm</b>	Diam. of screw holes	<b>5,8 mm</b>
	Length	<b>120 mm</b>	Screw material	<b>Stahl, galvanisch verzinkt</b>
	Width	<b>84 mm</b>	Suitable for grommets	<b>4 x KT small</b> <b>2 x KT large</b>

---


<b>KEL 16 6-E V2A</b> 	Part No.	<b>42140.200</b>	Height	<b>17 mm</b>
	EAN	<b>4251269307706</b>	Mounting height	<b>17 mm</b>
	PU	<b>1</b>	Cut-out size	<b>86 x 66 mm</b>
	For max. no. of cables	<b>18</b>	No. of screw holes	<b>4</b>
	Max. cable diameter	<b>35 mm</b>	Diam. of screw holes	<b>5,8 mm</b>
	Length	<b>120 mm</b>	Screw material	<b>Edelstahl V2A</b>
	Width	<b>84 mm</b>	Suitable for grommets	<b>4 x KT small</b> <b>2 x KT large</b>

---

**KEL 16|16-MT**


Part No.	<b>42145</b>
EAN	<b>4251269307775</b>
PU	<b>1</b>
For max. no. of cables	<b>64</b>
Max. cable diameter	<b>17 mm</b>
Length	<b>120 mm</b>
Width	<b>102 mm</b>

Height	<b>17 mm</b>
Mounting height	<b>17 mm</b>
Cut-out size	<b>86 x 82 mm</b>
No. of screw holes	<b>6</b>
Diam. of screw holes	<b>5,8 mm</b>
Screw material	<b>Stahl, galvanisch verzinkt</b>
Suitable for grommets	<b>16 x KT small</b>

**KEL 16|16-MT V2A**


Part No.	<b>42145.200</b>
EAN	<b>4251269307782</b>
PU	<b>1</b>
For max. no. of cables	<b>61</b>
Max. cable diameter	<b>17 mm</b>
Length	<b>120 mm</b>
Width	<b>102 mm</b>

Height	<b>17 mm</b>
Mounting height	<b>17 mm</b>
Cut-out size	<b>86 x 82 mm</b>
No. of screw holes	<b>6</b>
Diam. of screw holes	<b>5,8 mm</b>
Screw material	<b>Edelstahl V2A</b>
Suitable for grommets	<b>16 x KT small</b>

**KEL 16|10-MT**


Part No.	<b>42144</b>
EAN	<b>4251269307751</b>
PU	<b>1</b>
For max. no. of cables	<b>34</b>
Max. cable diameter	<b>35 mm</b>
Length	<b>120 mm</b>
Width	<b>102 mm</b>

Height	<b>17 mm</b>
Mounting height	<b>17 mm</b>
Cut-out size	<b>86 x 82 mm</b>
No. of screw holes	<b>6</b>
Diam. of screw holes	<b>5,8 mm</b>
Screw material	<b>Stahl, galvanisch verzinkt</b>
Suitable for grommets	<b>8 x KT small</b> <b>2 x KT large</b>

**KEL 16|10-MT V2A**


Part No.	<b>42144.200</b>
EAN	<b>4251269307768</b>
PU	<b>1</b>
For max. no. of cables	<b>34</b>
Max. cable diameter	<b>35 mm</b>
Length	<b>120 mm</b>
Width	<b>102 mm</b>

Height	<b>17 mm</b>
Mounting height	<b>17 mm</b>
Cut-out size	<b>86 x 82 mm</b>
No. of screw holes	<b>6</b>
Diam. of screw holes	<b>5,8 mm</b>
Screw material	<b>Edelstahl V2A</b>
Suitable for grommets	<b>8 x KT small</b> <b>2 x KT large</b>

**KEL 16|4-MT**


Part No.	<b>42143</b>
EAN	<b>4251269307737</b>
PU	<b>1</b>
For max. no. of cables	<b>4</b>
Max. cable diameter	<b>35 mm</b>
Length	<b>120 mm</b>
Width	<b>102 mm</b>

Height	<b>17 mm</b>
Mounting height	<b>17 mm</b>
Cut-out size	<b>86 x 82 mm</b>
No. of screw holes	<b>6</b>
Diam. of screw holes	<b>5,8 mm</b>
Screw material	<b>Stahl, galvanisch verzinkt</b>
Suitable for grommets	<b>4 x KT large</b>

**KEL 16|4-MT V2A**


Part No.	<b>42143.200</b>
EAN	<b>4251269307744</b>
PU	<b>1</b>
For max. no. of cables	<b>4</b>
Max. cable diameter	<b>35 mm</b>
Length	<b>120 mm</b>
Width	<b>102 mm</b>

Height	<b>17 mm</b>
Mounting height	<b>17 mm</b>
Cut-out size	<b>86 x 82 mm</b>
No. of screw holes	<b>6</b>
Diam. of screw holes	<b>5,8 mm</b>
Screw material	<b>Edelstahl V2A</b>
Suitable for grommets	<b>4 x KT large</b>

**KEL 16|24-2MT**


Part No.	<b>42149</b>
EAN	<b>4251269307836</b>
PU	<b>1</b>
For max. no. of cables	<b>96</b>
Max. cable diameter	<b>17 mm</b>
Length	<b>120 mm</b>
Width	<b>146 mm</b>

Height	<b>17 mm</b>
Mounting height	<b>17 mm</b>
Cut-out size	<b>86 × 126 mm</b>
No. of screw holes	<b>8</b>
Diam. of screw holes	<b>5,8 mm</b>
Screw material	<b>Stahl, galvanisch verzinkt</b>
Suitable for grommets	<b>24 x KT small</b>

**KEL 16|24-2MT V2A**


Part No.	<b>42149.200</b>
EAN	<b>4251269307843</b>
PU	<b>1</b>
For max. no. of cables	<b>96</b>
Max. cable diameter	<b>17 mm</b>
Length	<b>120 mm</b>
Width	<b>146 mm</b>

Height	<b>17 mm</b>
Mounting height	<b>17 mm</b>
Cut-out size	<b>86 × 126 mm</b>
No. of screw holes	<b>8</b>
Diam. of screw holes	<b>5,8 mm</b>
Screw material	<b>Edelstahl V2A</b>
Suitable for grommets	<b>24 x KT small</b>

**KEL 16|12-2MT**


Part No.	<b>42148</b>
EAN	<b>4251269307812</b>
PU	<b>1</b>
For max. no. of cables	<b>36</b>
Max. cable diameter	<b>35 mm</b>
Length	<b>120 mm</b>
Width	<b>146 mm</b>

Height	<b>17 mm</b>
Mounting height	<b>17 mm</b>
Cut-out size	<b>86 × 126 mm</b>
No. of screw holes	<b>8</b>
Diam. of screw holes	<b>5,8 mm</b>
Screw material	<b>Stahl, galvanisch verzinkt</b>
Suitable for grommets	<b>8 x KT small</b> <b>4 x KT large</b>

**KEL 16|12-2MT V2A**


Part No.	<b>42148.200</b>
EAN	<b>4251269307829</b>
PU	<b>1</b>
For max. no. of cables	<b>36</b>
Max. cable diameter	<b>35 mm</b>
Length	<b>120 mm</b>
Width	<b>146 mm</b>

Height	<b>17 mm</b>
Mounting height	<b>17 mm</b>
Cut-out size	<b>86 × 126 mm</b>
No. of screw holes	<b>8</b>
Diam. of screw holes	<b>5,8 mm</b>
Screw material	<b>Edelstahl V2A</b>
Suitable for grommets	<b>8 x KT small</b> <b>2 x KT large</b>

**KEL 16|6-2MT**


Part No.	<b>42147</b>
EAN	<b>4251269307799</b>
PU	<b>1</b>
For max. no. of cables	<b>6</b>
Max. cable diameter	<b>35 mm</b>
Length	<b>120 mm</b>
Width	<b>146 mm</b>


Height	<b>17 mm</b>
Mounting height	<b>17 mm</b>
Cut-out size	<b>86 × 126 mm</b>
No. of screw holes	<b>8</b>
Diam. of screw holes	<b>5,8 mm</b>
Screw material	<b>Stahl, galvanisch verzinkt</b>
Suitable for grommets	<b>6 x KT large</b>


**KEL 16|6-2MT V2A**


Part No.	<b>42147.200</b>
EAN	<b>4251269307805</b>
PU	<b>1</b>
For max. no. of cables	<b>6</b>
Max. cable diameter	<b>35 mm</b>
Length	<b>120 mm</b>
Width	<b>146 mm</b>

Height	<b>17 mm</b>
Mounting height	<b>17 mm</b>
Cut-out size	<b>86 × 126 mm</b>
No. of screw holes	<b>8</b>
Diam. of screw holes	<b>5,8 mm</b>
Screw material	<b>Edelstahl V2A</b>
Suitable for grommets	<b>6 x KT large</b>


<b>KEL 10 6</b> 	Part No.	<b>42216</b>	Height	<b>17 mm</b>
	EAN	<b>4251269308055</b>	Mounting height	<b>17 mm</b>
	PU	<b>10</b>	Cut-out size	<b>65 x 36 mm</b>
	For max. no. of cables	<b>24</b>	No. of screw holes	<b>4</b>
	Max. cable diameter	<b>17 mm</b>	Diam. of screw holes	<b>5,8 mm</b>
	Length	<b>98 mm</b>	Screw material	<b>Stahl, galvanisch verzinkt</b>
	Width	<b>58 mm</b>	Suitable for grommets	<b>6 x KT small</b>


<b>KEL 10 6 V2A</b> 	Part No.	<b>42216.200</b>	Height	<b>17 mm</b>
	EAN	<b>4251269308062</b>	Mounting height	<b>17 mm</b>
	PU	<b>10</b>	Cut-out size	<b>65 x 36 mm</b>
	For max. no. of cables	<b>24</b>	No. of screw holes	<b>4</b>
	Max. cable diameter	<b>17 mm</b>	Diam. of screw holes	<b>5,8 mm</b>
	Length	<b>98 mm</b>	Screw material	<b>Edelstahl V2A</b>
	Width	<b>58 mm</b>	Suitable for grommets	<b>6 x KT small</b>

<b>KEL 10 3</b> 	Part No.	<b>42212</b>	Height	<b>17 mm</b>
	EAN	<b>4251269308031</b>	Mounting height	<b>17 mm</b>
	PU	<b>10</b>	Cut-out size	<b>65 x 36 mm</b>
	For max. no. of cables	<b>9</b>	No. of screw holes	<b>4</b>
	Max. cable diameter	<b>35 mm</b>	Diam. of screw holes	<b>5,8 mm</b>
	Length	<b>98 mm</b>	Screw material	<b>Stahl, galvanisch verzinkt</b>
	Width	<b>58 mm</b>	Suitable for grommets	<b>2 x KT small 1 x KT large</b>

<b>KEL 10 3 V2A</b> 	Part No.	<b>42212.200</b>	Height	<b>17 mm</b>
	EAN	<b>4251269308048</b>	Mounting height	<b>17 mm</b>
	PU	<b>10</b>	Cut-out size	<b>65 x 36 mm</b>
	For max. no. of cables	<b>9</b>	No. of screw holes	<b>4</b>
	Max. cable diameter	<b>35 mm</b>	Diam. of screw holes	<b>5,8 mm</b>
	Length	<b>98 mm</b>	Screw material	<b>Edelstahl V2A</b>
	Width	<b>58 mm</b>	Suitable for grommets	<b>2 x KT small 1 x KT large</b>


<b>KEL-B4</b> 	Part No.	<b>42204</b>	Height	<b>17 mm</b>
	EAN	<b>4251269307935</b>	Mounting height	<b>17 mm</b>
	PU	<b>10</b>	Cut-out size	<b>46 x 46 mm</b>
	For max. no. of cables	<b>16</b>	No. of screw holes	<b>4</b>
	Max. cable diameter	<b>17 mm</b>	Diam. of screw holes	<b>5,8 mm</b>
	Length	<b>72 mm</b>	Screw material	<b>Stahl, galvanisch verzinkt</b>
	Width	<b>58 mm</b>	Suitable for grommets	<b>4 x KT small</b>

<b>KEL-B4 V2A</b> 	Part No.	<b>42204.200</b>	Height	<b>17 mm</b>
	EAN	<b>4251269307942</b>	Mounting height	<b>17 mm</b>
	PU	<b>10</b>	Cut-out size	<b>46 x 46 mm</b>
	For max. no. of cables	<b>16</b>	No. of screw holes	<b>4</b>
	Max. cable diameter	<b>17 mm</b>	Diam. of screw holes	<b>5,8 mm</b>
	Length	<b>72 mm</b>	Screw material	<b>Edelstahl V2A</b>
	Width	<b>58 mm</b>	Suitable for grommets	<b>4 x KT small</b>

**KEL-B1**

Part No.	<b>42206</b>
EAN	<b>4251269307959</b>
PU	<b>10</b>
For max. no. of cables	<b>1</b>
Max. cable diameter	<b>35 mm</b>
Length	<b>72 mm</b>
Width	<b>58 mm</b>

Height	<b>17 mm</b>
Mounting height	<b>17 mm</b>
Cut-out size	<b>46 × 46 mm</b>
No. of screw holes	<b>4</b>
Diam. of screw holes	<b>5,8 mm</b>
Screw material	<b>Stahl, galvanisch verzinkt</b>
Suitable for grommets	<b>1 x KT large</b>

**KEL-B1 V2A**

Part No.	<b>42206.200</b>
EAN	<b>4251269307966</b>
PU	<b>10</b>
For max. no. of cables	<b>1</b>
Max. cable diameter	<b>35 mm</b>
Length	<b>72 mm</b>
Width	<b>58 mm</b>

Height	<b>17 mm</b>
Mounting height	<b>17 mm</b>
Cut-out size	<b>46 × 46 mm</b>
No. of screw holes	<b>4</b>
Diam. of screw holes	<b>5,8 mm</b>
Screw material	<b>Edelstahl V2A</b>
Suitable for grommets	<b>1 x KT large</b>