


KLKB | KLB hook-and-loop cable ties

single, perforated or as tape on reel



Hook-and-loop cable ties are a more and more common fixing mode for cables. Cable ties with hook-and-loop fastener are used instead of standard cable ties, because they can be easily closed and opened several times. The soft material is gentle on cables, especially where vibrations are present.

Hook-and-loop cable ties are available individually (KLKB) in four different sizes or as a continuous roll (KLB) in four different sizes.



RoHS
compliant

REACH
COMPLIANCE

Specifications

Material	Polypropylen + Velours PA
Flame class	UL94-V2
Operating temperature	-30 C° to 80 C°
Properties	halogen free, silicone free

Advantages & benefits

- Mehrfach wiederverwendbar
- Kabelschonend bei Vibrationen
- Anpassbar

Product types & sizes

KLB 10 bk



Part No.	61011
EAN	4251269315855
PU	1
Length	25.000 mm
Width	10 mm

KLB 15 bk



Part No.	61012
EAN	4251269315862
PU	1
Length	25.000 mm
Width	15 mm

KLB 20 bk



Part No.	61013
EAN	4251269315879
PU	1
Length	25.000 mm
Width	20 mm

KLB 25 bk



Part No.	61014
EAN	4251269315886
PU	1
Length	25.000 mm
Width	25 mm

KLKB 200 × 7 bk



Part No.	61021
EAN	4251269315916
PU	100
Length	200 mm
Width B1	13 mm
Width B2	7 mm

**KLKB 200 × 7 bk on reel
(750 pcs.)**



Part No.	61025
EAN	4251269318719
PU	1
Length	200 mm
Width B1	13 mm
Width B2	7 mm

KLKB 200 × 13 bk



Part No.	61022
EAN	4251269315923
PU	100
Length	200 mm
Width B1	20 mm
Width B2	13 mm

**KLKB 200 × 13 bk on reel
(750 pcs.)**



Part No.	61026
EAN	4251269318726
PU	1
Length	200 mm
Width B1	20 mm
Width B2	13 mm

KLKB 230 × 13 bk



Part No.	61023
EAN	4251269315930
PU	100
Length	230 mm
Width B1	20 mm
Width B2	13 mm

**KLKB 230 × 13 bk on reel
(650 pcs.)**



Part No.	61027
EAN	4251269318733
PU	1
Length	230 mm
Width B1	20 mm
Width B2	13 mm

KLKB 300 x 17 bk



Part No.	61024
EAN	4251269315947
PU	100
Length	300 mm
Width B1	25 mm
Width B2	17 mm

**KLKB 300 x 17 bk on
reel (500 pcs.)**



Part No.	61028
EAN	4251269318740
PU	1
Length	300 mm
Width B1	25 mm
Width B2	17 mm
