

Rectangular & square punches

sized for heavy multi-pin industrial connectors and icotek cable entry systems



Rectangular and square punches and dies make it easy to punch holes into stainless steel (V2A versions), mild steel, aluminium or plastics with a max. sheet thickness of 2 mm. Available for cut-outs sizes of 10-, 16-, and 24- multi-pin heavy industrial connectors and also for numerous special cut-outs. Therefore, the punches are suitable for most icotek cable entry systems. Centre punches are integrated in the die for exact drilling of mounting holes.

The punches are for hydraulic operation only.

Scope of delivery:

- Punch, die and draw stud
- robust plastic storage case

Note: Punch 125 x 125 mm (order no. 80063) is only to be used with hydraulic foot pump (order no. 80002).

Specifications

Material Steel, hardened and burnished

Advantages & benefits

- Integrierte Ankerspitzen für Schraublöcher
- Hochwertiger gepolsterter Transportkoffer
- Kompatibel mit Hydraulik Handstanzen anderer Hersteller

Product types & sizes

Punch 24



Part No.	80053
EAN	4251269316289
PU	1
Cut-out size	112 x 36 mm
Thread UNF	19 mm
Max. wall thickness	2 mm

Punch 24 V2A



Part No.	80153
EAN	4251269316456
PU	1
Cut-out size	112 x 36 mm
Thread UNF	19 mm
Max. wall thickness	2 mm

Punch 24-XL



Part No.	80054
EAN	4251269316296
PU	1
Cut-out size	112 x 46 mm
Thread UNF	19 mm
Max. wall thickness	2 mm

Punch 24-XL V2A

Part No.	80154
EAN	4251269316463
PU	1
Cut-out size	112 x 46 mm
Thread UNF	19 mm
Max. wall thickness	2 mm

Punch 16

Part No.	80052
EAN	4251269316272
PU	1
Cut-out size	86 x 36 mm
Thread UNF	19 mm
Max. wall thickness	2 mm

Punch 16 V2A

Part No.	80152
EAN	4251269316449
PU	1
Cut-out size	86 x 36 mm
Thread UNF	19 mm
Max. wall thickness	2 mm

Punch 10

Part No.	80051
EAN	4251269316265
PU	1
Cut-out size	65 x 36 mm
Thread UNF	19 mm
Max. wall thickness	2 mm

Punch 10 V2A

Part No.	80151
EAN	4251269316432
PU	1
Cut-out size	65 x 36 mm
Thread UNF	19 mm
Max. wall thickness	2 mm

Punch 6

Part No.	80062
EAN	4251269319013
PU	1
Cut-out size	52 x 36 mm
Thread UNF	19 mm
Max. wall thickness	2 mm

Punch 6 V2A

Part No.	80149
EAN	4251269321542
PU	1
Cut-out size	52 x 36 mm
Thread UNF	19 mm
Max. wall thickness	2 mm

Punch B

Part No.	80050
EAN	4251269316258
PU	1
Cut-out size	46 x 46 mm
Thread UNF	19 mm
Max. wall thickness	2 mm

Punch B V2A

Part No.	80150
EAN	4251269316425
PU	1
Cut-out size	46 x 46 mm
Thread UNF	19 mm
Max. wall thickness	2 mm

Punch E5

Part No.	80058
EAN	4251269316333
PU	1
Cut-out size	112 x 24 mm
Thread UNF	19 mm
Max. wall thickness	2 mm

Punch E4

Part No.	80057
EAN	4251269316326
PU	1
Cut-out size	86 x 24 mm
Thread UNF	19 mm
Max. wall thickness	2 mm

Punch E3

Part No.	80056
EAN	4251269316319
PU	1
Cut-out size	65 x 24 mm
Thread UNF	19 mm
Max. wall thickness	2 mm

Punch E2

Part No.	80055
EAN	4251269316302
PU	1
Cut-out size	43 x 24 mm
Thread UNF	19 mm
Max. wall thickness	2 mm

Punch 68x68

Part No.	80064
EAN	
PU	1
Thread UNF	19 mm
Max. wall thickness	2 mm

Punch 125x125

Part No.	80063
EAN	4251269322709
PU	1
Thread UNF	19 mm
Max. wall thickness	2 mm

Punch 66x112

Part No.	80061
EAN	4251269318757
PU	1
Thread UNF	19 mm
Max. wall thickness	2 mm

Punch 92x92

Part No.	80060
EAN	4251269318252
PU	1
Thread UNF	19 mm
Max. wall thickness	2 mm

Punch 22x45

Part No.	80059
EAN	4251269319174
PU	1
Thread UNF	19 mm
Max. wall thickness	2 mm